

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687758048025

अनुबंध तिथि | Generated Date : 12-Mar-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : State Autonomous मंत्रालय Ministry : - विभाग Department : Agriculture Department Haryana संगठन का नाम Organisation Name : N/A कार्यालय क्षेत्र Office Zone : Ccs Hau Hisar	पद Designation : HOD CHEMISTRY संपर्क नंबर Contact No. : - ईमेल आईडी Email ID : buycon93.adh.hr@gembuyer.in जीएसटीआईएन GSTIN : - पता Address : Dean COBS, CCS HAU, Hisar, HISAR, HARYANA-125004, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : HOD Chemistry वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : HOD Chemistry	Role: BUYER भुगतान का तरीका Payment Mode: Offline पद Designation : HOD CHEMISTRY ईमेल आईडी Email ID : buycon93.adh.hr@gembuyer.in जीएसटीआईएन GSTIN : - पता Address: Dean COBS, CCS HAU, Hisar, Hisar, HARYANA-125004, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 4AD7180000109604 कंपनी का नाम Company Name : HANNA EQUIPMENTS (INDIA) PRIVATE LIMITED संपर्क नंबर Contact No. : 02227746554 ईमेल आईडी Email ID : tenders@hannainst.in पता Address : 3/4/5/6, Aum Sai Building, Sector-7, Plot No. 23,, Kharghar, Navi Mumbai, Maharashtra-410210, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-MH-27-0003402 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 27AACCH2670Q1Z4

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : hanna instruments Bench Type Water Quality Meter / Analyzer Measuring Multi Parameter Water Quality Analyzer 1 year Year Warranty ब्रांड Brand : hanna instruments ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Water Quality Meters / Analyzers (Q3) मॉडल Model: HI3512-02 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	49,885	NA	49,885
कुल ऑर्डर मूल्य Total Order Value (in INR)						49,885

परिष्ठी विवरण Consignee Detail						
क्र.सं. S.No	परिष्ठी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : HOD CHEMISTRY ईमेल आईडी Email ID : buycon93.adh.hr@gembuyer.in संपर्क Contact : -	hanna instruments Bench Type Water Quality Meter / Analyzer Measuring Multi	-	1	12-Mar-2024	27-Mar-2024

जीएसटीआईएन | GSTIN : -
पता | Address : Dean COBS, CCS HAU, Hisar,
HISAR, HARYANA-125004, India

Parameter Water
Quality Analyzer 1 year
Year Warranty

Product Specification for hanna instruments Bench Type Water Quality Meter / Analyzer Measuring Multi Parameter Water Quality Analyzer 1 year Year Warranty

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
TYPE / NOMENCLATURE / PROTECTION	Type of Meter / Analyzer	Bench Type
	Functional nomenclature	Multi Parameter Water Quality Analyzer
	Ingress Protection (Main Unit)	NA
	Calibration	Automatic
MEASURED WATER QUALITY PARAMETERS	Dissolved Oxygen (DO)	No
	DO % Saturation	No
	Conductivity	Yes
	Resistivity	Yes
	Salinity	No
	Total Dissolved Solids (TDS)	Yes
	pH	Yes
	Oxidation Reduction Potential (ORP)	No
	Ammonium	No
	Nitrate	No
	Chloride	No
	Turbidity	No
	Depth	No
	Temperature	Yes
Atmospheric Pressure	No	
MEASUREMENT OF DISSOLVED OXYGEN (DO) / DO % Saturation	Dissolved Oxygen (DO) measurement Principle	NA
	Sensor / Probe/ Electrode Type	NA
	Measurement Range for DO Content (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	DO Accuracy (+/-)	0 percent
	Measurement Range for DO % Saturation (in %)	NA
	Resolution (in %)	NA
	DO % Accuracy (+/-)	0 percent
MEASUREMENT OF CONDUCTIVITY (EC)	Conductivity measurement principle	Conductive (contacting)
	Sensor/ Probe/Electrode Type	4 Cell Electrode
	Material of Electrode	Platinum
	Measurement Range (in $\mu\text{S}/\text{cm}$)	0-100000
	Resolution (in mho or $\mu\text{S}/\text{cm}$)	0.001,0.01,0.1
	EC Accuracy (+/-)	1 percent
MEASUREMENT OF RESISTIVITY	Resistivity measurement principle	Conductivity Conversion
	Lowest Measurement Value for Resistivity (in ohm-cm)	1
	Highest Measurement Value for Temperature ($^{\circ}\text{C}$)	100
	Resolution (in ohm-cm)	1
	Resistivity Accuracy(+/-)	1 percent
MEASUREMENT OF SALINITY	Salinity measurement principle	NA
	Measurement Range (in parts per thousand or g/l or PSU)	NA
	Resolution (in g/l)	NA
	Salinity Accuracy (+/-)	0 percent
	TDS measurement principle	Conductivity Conversion

MEASUREMENT OF TOTAL DISSOLVED SOLIDS (TDS)	TDS Measurement Range (in parts per thousand or g/l)	0-400
	Resolution (in g/l)	0.001,0.01,0.1
	TDS Accuracy (+/-)	1 percent
MEASUREMENT OF pH	pH measurement principle	Electro chemical
	Sensor / Probe / Electrode Type	Glass Electrode
	Number of Sensors / Electrodes	Single Electrode
	pH Measurement Range	-2.000 to 20.000
	Resolution (in pH number)	0.01
	pH Accuracy (+/-)	1 percent
MEASUREMENT OF OXIDATION REDUCTION POTENTIAL (ORP)	ORP measurement principle	NA
	Sensor / Probe/ Electrode Type	NA
	Number of Sensors /Electrodes	NA
	Lowest Measurement Value for ORP (in mV)	NA
	Highest Measurement Value for ORP (in mV)	NA
	Resolution (in \pm mV)	NA
	ORP Accuracy (+/-)	0 percent
MEASUREMENT OF AMMONIUM	Sensor / Probe/ Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Ammonium Accuracy (+/-)	0 percent
MEASUREMENT OF NITRATE	Sensor / Probe/ Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Nitrate Accuracy (+/-)	0 percent
MEASUREMENT OF CHLORIDE	Sensor/Probe/Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Chloride Accuracy (+/-)	0 percent
MEASUREMENT OF TURBIDITY	Turbidity measurement principle	NA
	Light Source	NA
	Measurement of scattered light	NA
	Lowest Measurement Value for Turbidity (in FNU or NTU)	NA
	Highest Measurement Value for Turbidity (in FNU or NTU)	NA
	Resolution (in FNU or FTU)	NA
	Turbidity Accuracy (+/-)	0 percent
MEASUREMENT OF TEMPERATURE	Sensor/Probe Type	NA
	Lowest Measurement Value for Temperature ($^{\circ}$ C)	-20
	Highest Measurement Value for Temperature ($^{\circ}$ C)	120
	Resolution ($^{\circ}$ C)	0.1
	Temperature Accuracy (+/-)	1 percent
MEASUREMENT OF PRESSURE	Sensor /Probe Type	NA
	Lowest Measurement Value for Pressure (in mmHg)	NA
	Highest Measurement Value for Pressure (in mmHg)	NA
	Resolution (in mmHg)	NA
	Pressure Accuracy (+/-)	0 percent
MEASUREMENT OF DEPTH	Measurement Method	NA
	Depth Measurement Range (in meters)	NA
	Length of Cable connecting peobe (inclusive in the scope of supply)	0 meter

COMPENSATION / CORRECTION	Temperature correction	Automatic
	Salinity Correction	NA
	Barometric Pressure correction	NA
DISPLAY / STORAGE	Type of Display	LCD with Backlight
	Display Digit Size	20 millimeter
	Number of Digits in Display	3,5
	Number of parameters displayed simultaneously	2
	Memory (in Data Sets)	400
	Internal memory (GB)	0
	In-built GPS	No
	Date /time Stamp in Entries	Yes
POWER SOURCE	Connectivity interface	USB
	Power Source	Mains (230 ±10 Volts / 50 Hz AC)
	Battery Size, if Non Rechargeable Battery	NA
	Battery Chemistry, if Rechargeable Battery	NA
	Voltage of each Battery	0 Volt
	Number of Batteries required for operation	0
	Number of Batteries Inclusive in the Scope of Supply	0
	Battery Capacity (mAh)	0
	Battery Life	0 hour
Suitable Adapter to be supplied to make the equipment Work on 230 V ± 10 %, 50 Hz	Yes	
GENERIC	Armour housing of Sensor / Probe	Plastic
	Probe / Sensor / Electrode supplied with equipment	Yes
	Number of electrodes supplied	2
	Weight	1.8 kilogram
	Dimensions (mm x mm x mm)	235X207X110
	Carry Case included in the scope of supply	No
	Any other features	NA
	List of Items and Quantity of each item included in the offer	meter HI3512-02 with pH EC electrode
OPERATING CONDITIONS	Minimum Operating Temperature	0 degree Celsius
	Maximum Operating Temperature	50 degree Celsius
	Operating Humidity, Rh at 40 deg C	95 percent
WARRANTY	Warranty on Equipment	1 year
	Warranty on Probe / Electrode	6 month
	Warranty on Cables for Connecting Probe	0 year
CERTIFICATION	Availability of Test Reports from Central Govt / NABL approved / ILAC accredited Lab to prove conformity to the specification	No
	If Yes, Test Report to be furnished to the Buyer on demand	NA
	Test Report No and Date	NA
	Name of the Lab and Address	NA

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.