

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687700039731

अनुबंध तिथि | Generated Date : 12-Mar-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	State Government	पद Designation :	EOCHADACHAN			
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	08359-224467-			
विभाग Department :	Rural Development and Panchayat Raj Department	ईमेल आईडी Email ID :	sanjay.khadagekar@ka.gov.in			
संगठन का नाम Organisation Name :	Karnataka	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone:	N/A	पता Address :	VIJAYAPURA ROAD, BIJAPUR, KARNATAKA-586205, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	BUYER			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	Executive officer	भुगतान का तरीका Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	Executive officer	पद Designation :	EOCHADACHAN			
		ईमेल आईडी Email ID :	sanjay.khadagekar@ka.gov.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	VIJAYAPURA ROAD, Bijapur, KARNATAKA-586205, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	IJ4O230007869246					
कंपनी का नाम Company Name :	C.B.M ENTERPRISES					
संपर्क नंबर Contact No. :	07406630943					
ईमेल आईडी Email ID :	chandrukanta13@gmail.com					
पता Address :	SY.NO 70/6/44,C.BM ENTERPRISES,SOLAPUR ROAD,BEHIND HOTEL ASHOK, Bijapur, KARNATAKA-586101, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	-					
जीएसटीआईएन GSTIN:	29DNFPM7077A1ZT					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : Chadachan TP - Under GP - Selected Villages						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded High Mast Lighting Octagonal Tower With Integrated All In One Solar Led Street Light, Onsite warranty 1 year ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : High Mast Lighting Octagonal Tower with Integrated All in One Solar LED Street Light (Q3) मॉडल Model: AEN/2023 एचएसएन कोड HSN Code: HSN not specified by seller	4	pieces	99,999	NA	399,996
कुल ऑर्डर मूल्य Total Order Value (in INR)						399,996
परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : Cief Planning Officer CPO ईमेल आईडी Email ID : ceo-vijayapura@gov.in संपर्क Contact : - जीएसटीआईएन GSTIN : -	Unbranded High Mast Lighting Octagonal Tower With Integrated	-	4	12-Mar-2024	27-Mar-2024

	पता Address : Office of Chief Executive Officer, Zilla Panchayat, Vijayapur Kanakdas Badavane, Vijayapura, BIJAPUR, KARNATAKA-586101, India	All In One Solar Led Street Light, Onsite warranty 1 year			
Product Specification for Unbranded High Mast Lighting Octagonal Tower With Integrated All In One Solar Led Street Light, Onsite warranty 1 year					
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value			
Generic	Height of Octagonal pole	9 meter			
	Lightning Type	Integrated Solar Street Light			
	Octagonal Pole (Designing, Engineering, Fabrication and testing before despath with required height and required no. of light fittings with luminaire carriage etc., for illumination of open areas)	Yes			
	No. of Integrated Solar LED Street Light (can be fitted in of each octagonal pole)	4			
Octagonal Pole Construction	Metal protection treatment of fabricated mast section	Hot dip Galvanised as per IS:4759 latest			
	Cross section of Octagonal pole (No. of sides)	Octagonal			
	Luminaire carriage / brackets	Fabricated suitably and hot dip galvanized for fixing and holding required no. of light fixtures			
	Thickness of Octagonal Pole Sheet	3 millimeter			
	Type of Welding	Submerged arc welding process			
	Internal distance (between parallel faces at the base of pole)	130			
	Internal distance (between parallel faces at the top of pole)	70			
	No.of Section	1			
	No. of Stiffners (per pole)	4			
	Grades of High Tensile Steel (As per IS 5968)	Grade 420			
	Material of Octagonal Pole	High Tensile Steel			
	No of Longitudinal Welds	1			
Base Plate	Thickness of Base Plate	12 millimeter			
	Width of Base Plate	200 millimeter			
	Foundation bolts and nuts and octagonal pole shall be Galvanized	As Per IS:4759 (Latest)			
	Number of Bolts for each pole	4			
	Necessary accessories on each pole	Foundation Bolts,Nuts,Washers,Instruction manuals			
	Bolts and Nuts (conformity to specification)	IS:1363 Grade A			
	Number of Nuts for each pole	1			
	Number of washer per bolt for each pole	1			
	Material of Base Plate	Mild steel FE 410 conforming to IS : 2062			
	Foundation Bolt type	J Type EN 8 Grade			
	Size of Bolt	M16x600			
	Length of Base Plate	200 millimeter			
Earthing Terminal	Earthing terminals on the base of the pole, for lightning and electrical protection	Yes			
Wind Load	Designed Life of the Pole (in year)	25			
	Regional wind withstand capacity which the pole structure support is suitable to withstand (m/s)	33			
Integrated Solar LED	Solar charge controller capacitor current (ampere)	12			
	Charge Controllor	MPPT			
	Solar Pannel Wattage	12			
	Dusk to Dawn operation	Yes			
	System Wattage	12			
	Driver	In built DC-DC type			
	Color Rendering Index	>70			
	PIR Sensor	No			
	Other Protection	Over charge protection			
	Charging Time (day)	1			

Street Light	Charge Controllor Efficiency	>/= 90 %
	Luminaire Efficacy (Lumen/watt)	> 100
	Solar charge controller capacitor voltage (volt)	5
	Correlated Color Temperature (+/- 500) (Kelvin)	6000
	Beam Angle	100
	Battery Panel (AH)	10.5
	Operating Temprature Range (degree Celsius)	0 to 55
	Body	Aluminium Extruded Body
	Ingress Protection	IP65
	Autonomy (day) (with dimming)	2
Warranty and Maintainence	Onsite Maintenance Time Period	1 year
	Onsite warranty	1 year
Certifications and Standard	Conformity to ISO 9001 : 2015	Yes
	Conformity to ISO 45001 : 2018	No
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report To Be Submitted To The Buyer On Demand	Yes
	Test Report Date and Numbers (Please write NA if not applicable)	NA
	Name and Address of the lab (Please write NA if not applicable)	NA
	Installation, Testing and Demonstration (including civil work at sites) (at multiple locations shall follow as per the guidelines of State/Central Govt rules and regulations as applicable)	Yes
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ईपीबीजी विवरण ePBG Detail</p>		
NA		
<p>नियम और शर्तें Terms and Conditions</p>		
<p>1. General Terms and Conditions-</p> <p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p> <p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		