अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687745603167

अनुबंध तिथि | Generated Date : 12-Mar-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2024/B/4655751</u>

संगठन विवरण|Organisation Details

प्ररूप|Type: State Local Bodies

मंत्रालय|Ministry:

विभाग | Department : Urban Development Department Uttar Pradesh

संगठन का नाम|Organisation Name : N/A

कार्यालय क्षेत्र|Office Zone: NAGAR PANCHAYAT KATRA SHAHJAHANPUR खरीदार विवरण|Buyer Details

पद | Designation : HEAD CLERK संपर्क नंबर|Contact No. : 05841-297076-

ईमेल आईडी|Email ID : buycon2.np.katra@gembuyer.in

जीएसटीआईएन|GSTIN:

NAGAR PANCHAYAT KATRA SHAHJAHANPUR, पता|Address: SHAHJAHANPUR, UTTAR PRADESH-242301, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति|IFD Concurrence :

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम।

Designation of Financial Approval :

EXECUTIVE OFFICER

NAGAR PANCHAYAT KATRA

भुगतान प्राधिकरण विवरण|Paying Authority Details

Role: PAO भगतान का तरीका। Offline Payment Mode:

पद | Designation : HEAD CLERK

ईमेल आईडी|Email ID : pay2.np.katra@gembuyer.in

जीएसटीआईएन|GSTIN :

NAGAR PANCHAYAT KATRA SHAHJAHANPUR, पता|Address: Shahjahanpur, UTTAR PRADESH-242301, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : Z97H230008760054

कंपनी का नाम|Company Name : ROHIT KUMAR SEN CONTRACTOR

संपर्क नंबर|Contact No. : 09450032040

ईमेल आईडी|Email ID : senrohit77060@gmail.com

PANDAPURA, MAHRONI, MAHRONI, LALITPUR, पता| Address :

Lalitpur, UTTAR PRADESH-284406, -

एमएसएमई पंजीकरण संख्या|MSME Registration number :

09ATVPK0955E3Z9

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण|Product Details

#	आइटम विवेरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded 4-seater mobile toilet , trailer mounted, with each cubical of size 915mm x 915mm x 1980mm and overall length of 2740mm for 4-seater ais Brand : NA ais प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्याश Category Name & Quadrant : Mobile Toilet (Q3) मॉडल Model: Uneed/MT-04S एचएसएन कोड HSN Code: HSN not specified by seller	2	pieces	445,000	NA	890,000
कु	ा ऑर्डर मुल्य Total Order Value (in INR)					890,000

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation :- ईमेल आईडी Email ID : buycon2.np.katra@gembuyer.in संपर्क Contact : 05841-297076- जीएसटीआईएन GSTIN :- पता Address : NAGAR PANCHAYAT KATRA SHAHJAHANPUR,	Unbranded 4-seater mobile toilet , trailer mounted, with each cubical of size 915mm X 915mm x 1980mm and	-	2	12-Mar-2024	11-Apr-2024

SHAHJAHANPUR, UTTAR PRADESH-242301, India	overall length of			11	
	2740mm for 4-seater				l

Product Specification for Unbranded 4-seater mobile toilet, trailer mounted, with each cubical of size 915mm X 915mm x 1980mm and overall length of 2740mm for 4-seater

740mm for 4-seater						
उप-विनिर्देश Sub-Spec	मूल्य Value					
Mode of Supply	Assembled Ready To Use					
Number of Compartments	4-seater mobile toilet					
Type of WC	Indian with steel base					
Number of WC	4					
Number of Bathrooms	0					
Number of Urinals	0					
Water facility	By mean of overhead tank(Capacity 500Ltrs)					
Wash basin	2 Nos. outside the Unit with common facility					
Sewage facility	Sludge tank (capacity-400ltrs) with 100mm outlet facility through butterfly valve and hose pipe(For 4-seater)					
ventilation	One No.					
Top(roof) shape	Slanting/tapper					
Projection of Roof	NO projection					
Installation and commissioning	To be done by seller					
Plumbing and Sanitation fitting connections	To be done by seller					
Electrical connections	To be done by seller					
Waste extraction fitting	To be done by seller					
Civil foundation	Required - To be done by consignee himself					
Trailer frame(Chassis) material with support material including pathway	75/70 X 40/35 mm channel section - 35 X 35 X 5 mm angle iron - 50 X 25 x 1.6 mm MS pipe and cross support of 20 X 20 X 1.6 mm MS pipe					
Railing material	38mm X 25mm SS pipe of thickness 0.6-0.8mm (for 4-seater, 6-seater, 8-seater & 10-seater)					
Trailer understructure	Spring leaves 710mm with 9 leaves for 4-seater and 6-seater					
Turn table/rotor	100mm X 50mm MS channel and 10mm thick MS plate plus spring ply 40mm X 5mm					
Pathway passage/slide platform	Aluminum chequerd sheet having width of 455mm					
Stairs frame material	35mm x 35mm X 5mm MS angle and 25mm x 25mm x 3mm MS angle with 25mm x 3mm MS Flat					
Stairs size	710mm X 230mm having 4-step for 1420mm Height and 735mm width stair					
Locking	Locking pins to be provided for lock the platform					
Tow bar	Made of 100 X 50 mm channel section with easy detachable and connect with turn table					
Side panel frame material	35mm X 35mm X 5mm(thick) ,25mm X 25mm X 3mm(thick) MS angle (for 4-seater/6-seater/8-seater & 10-seater)					
Top(roof) frame material	40mm X 40mm X 5mm(thick) ,35mm X 35mm X 5mm(thick),25mm X 25mm X 3mm(thick) MS angle					
Top(roof) support frame structure	NO top(roof) support frame					
Partition frame material	35mm X 35mm X 5mm(thick),25mm X 25 mm X 3mm(thick) MS angle					
Ventilation frame material	25mm X 25mm X 3mm(thick) flat MS					
Door frame material	No door frame material					
Support material for Door panel fixing	No support material					
Door hinges(two numbers)	75mm size with 1.2-1.5mm thickness MS					
Tank holder frame material	25mm X 3mm (thick) MS flat					
Side panel material	18 gauge MS sheet					
Top(Roof) panel material	4mm poly carbonate sheet fitted on top					
Door panel material	Single layer 3mm thick FRP					
partition panel material	Single layer 3mm thick FRP					
	<u> </u>					
Floor material	5mm thick FRP material					
Floor material Size of each cubical(LXWXH) ± 25mm	5mm thick FRP material 915mm X 915mm x 1980mm					
_	Mode of Supply Number of Compartments Type of WC Number of WC Number of Bathrooms Number of Urinals Water facility Wash basin Sewage facility ventilation Top(roof) shape Projection of Roof Installation and commissioning Plumbing and Sanitation fitting connections Electrical connections Waste extraction fitting Civil foundation Trailer frame(Chassis) material with support material including pathway Railing material Trailer understructure Turn table/rotor Pathway passage/slide platform Stairs frame material Stairs size Locking Tow bar Side panel frame material Top(roof) frame material Top(roof) support frame structure Partition frame material Door frame material Support material for Door panel fixing Door hinges(two numbers) Tank holder frame material Side panel material Top(Roof) panel material					

	Ventilation size(WXH) ± 10mm	650mm X 40mm
DIMENSION	Partition height ± 20mm	1830mm
	Single pan size ± 10mm	As per buyer's choice
	Overall Length(mm) ± 25mm	2740mm for 4-seater
	Overall Width including pathway(mm) ± 25mm	2438mm for 4 and 6 seater
	Total height ± 25mm	3155mm
	Capacity of sewage suction unit	N.A
	Length of sewage suction unit ± 25mm	N.A
	Width of sewage suction unit ± 15mm	N.A
	Capsule Diameter	N.A
	Capsule Thickness	N.A
SEWAGE SUCTION JNIT	Chassis size of sewage suction unit	N.A
	Suction pump	N.A
	Valve for sewage suction unit	N.A
	Axle for sewage suction unit	N.A
	Tyres for sewage suction unit	N.A
	Spring leaves for sewage suction unit	N.A
	Door locking bolts	Size 100mm of MS
	Tower bolt locking	Tower bolt of MS size 75mm
	Overhead Tank material	made of PVC
	Wash basin material	made of SS 304
	WC material	made of SS 304
	Towel rail/ring	made of SS
	Cloth hook	NO cloth hook
	P-trap material	made of PVC(75mm)
	Footrest(WC) material	made of FRP integrated with Indian WC and floor
	Sewage tank material	Sludge tank made of FRP 4mm(for 4-seater/6-seater/8-seater & 10-seater)
	Mirror size	455mm X 305mm
	Electric provision	By mean of connection from external supply
MISC	Sewage provision	Connected to bio-digester
	Level indicator provision	N.A
	Water supply connection	UPVC pipe connection with all toilet interconnecting
	Seat cistern fitting	NO cistern
	Soap stand	SS 304 made Size:125 X 75 mm
	Tap material	Chrome plated
	Base floor surface	N.A
	Trailer Movement facility	Two axle of 50mm X 50mm X 1828mm with 4-tyres of size 6.00 X 16 with hubs and bearings for 4 seater and 6-seater
	Provision for vent pipe	From sludge/Septic tank
	Water mug(standard size)	N.A
	Electric point	1 No. electric point to be provided in all toilet 2 watt LED
	Stand provision to keep mobile toilet in static position	N.A
COLOUR & ETATION	Colour of cabin	As per buyer's choice
COLOUR & FINISH	Finish	With Primer and Paint
	Test reports to be furnished to buyer's on demand	NO
CERTIFICATION	OEM of offered product is ISO 9001:2015 certified	YES
	- 	+

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	State Bank of India
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	3.00

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा |The bidder shall furnish ePBG as applicable as per bid's terms and conditions

नियम और शर्तें|Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Scope of Supply.

Scope of supply (Bid price to include all cost components): Only supply of Goods

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

2.5 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

Dedicated /toll Free Telephone No. for Service Support: BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.7 Service & Support:

Escalation Matrix For Service Support: Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

2.8 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

Buyer Added text based ATC clauses
(1) Bidder should upload only required documents as asked in the bid document and ATC in pdf
(2) Annual Turn Over to be provided by the bidder duly supported with relevant documents alongwith ITR of last three financial years.
(3) The bidder should not be under liquidation; court receivership or similar proceedings should not be ban krupt. Bidder need to upload non-Blacklisted affidavit on notar ized Stamp Paper. (On the stamp paper bid der need to mention bid number)
(4) Bidder/Seller must upload GST Certificate, PAN Card and cancel cheque.
(5) Bidder/Seller must upload past performance Certificate
(6) Bidder/Seller must upload all product catalogue with duly signed, stamped and complete

(8) Certificate of Compliance, GMP, SMS, EMS, QMS, will be uploaded in the Bid

2.9 Forms of EMD and PBG:

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C (Name of the Buyer). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

2 11 Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.12 Certificates:

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

2.12 Cartificator

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item

2.14 Certificates:

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

2.15 Certificates:

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

02 DAYAS BEFORE

.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.