

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687701347830

अनुबंध तिथि | Generated Date : 12-Mar-2024

<b>संगठन विवरण   Organisation Details</b>	<b>खरीदार विवरण   Buyer Details</b>
प्ररूप   Type : State Government	पद   Designation : SMO
मंत्रालय   Ministry : -	संपर्क नंबर   Contact No. : 5692-236373-
विभाग   Department : Medical Health and Family Welfare Department Uttar Pradesh	ईमेल आईडी   Email ID : skyadav.75460@gov.in
संगठन का नाम   Organisation Name : N/A	जीएसटीआईएन   GSTIN : -
कार्यालय क्षेत्र   Office Zone: Farrukhabad	पता   Address : CHIEF MEDICAL OFFICERS FATEHGARH FARRUKHABAD, FARRUKHABAD, UTTAR PRADESH-209601, India

<b>वित्तीय स्वीकृति विवरण   Financial Approval Detail</b>	<b>भुगतान प्राधिकरण विवरण   Paying Authority Details</b>
आईएफडी सहमति   IFD Concurrence : No	Role: BUYER
प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: cmofkd	भुगतान का तरीका   Payment Mode: Offline
वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: cmofkd	पद   Designation : SMO
	ईमेल आईडी   Email ID : skyadav.75460@gov.in
	जीएसटीआईएन   GSTIN : -
	पता   Address: CHIEF MEDICAL OFFICERS FATEHGARH FARRUKHABAD, FATEHGARH, UTTAR PRADESH-209601, India

<b>विक्रेता विवरण   Seller Details</b>
जेम विक्रेता आईडी   GeM Seller ID : 060C180000356694
कंपनी का नाम   Company Name : M R SUPPLIERS
संपर्क नंबर   Contact No. : 09456038807
ईमेल आईडी   Email ID : rahul127k@gmail.com
पता   Address : 0, KHIDKIYA MANDIR, JAI JAI RAM, Kasganj, Uttar Pradesh-207123, -
एमएसएमई पंजीकरण संख्या   MSME Registration number : -
जीएसटीआईएन   GSTIN: 09AKVPA8477C1ZQ

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

<b>उत्पाद विवरण   Product Details</b>						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : DIBYA Table Top Dental Autoclave ब्रांड   Brand : DIBYA ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status : Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Dental autoclave with accessories (Q3) मॉडल   Model: Enclave Pro Series एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	50,000	NA	50,000
कुल ऑर्डर मूल्य   Total Order Value (in INR)						50,000

<b>परोक्षिती विवरण   Consignee Detail</b>						
क्र.सं.   S.No	परोक्षिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : chief pharmacist ईमेल आईडी   Email ID : con303.mhfdup.up@gembuyer.in संपर्क   Contact : - जीएसटीआईएन   GSTIN : - पता   Address : CHIEF MEDICAL OFFICERS FATEHGARH FARRUKHABAD, FARRUKHABAD, UTTAR PRADESH-209601, India	DIBYA Table Top Dental Autoclave	-	1	12-Mar-2024	27-Mar-2024

**Product Specification for DIBYA Table Top Dental Autoclave**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Performance Parameters	Purpose	Autoclaving of equipments, instrument etc for dental treatment
	Scope of Supply	Autoclave , servo stabilizer,water tank and sterilization pouches
	Type of Loading	Front
	Type of autoclave	Table Top
	No of separators to hold different types of instruments/ materials	2
	Sterilization Process	Automatic
	Drying process	Automatic
	Control management and monitoring	Completely microprocessor controlled, constant management and monitoring of autoclave functions and parameters
	Range of Capacity of autoclave in liters(Hint Seller to select the option based on capacity of autoclave offered)	20-22
	Provision of Pre vacuum cycles to remove air from the chamber	Yes
	Class type	B
	Provision of pre vacuum cycles to remove air from the chamber	Yes
	Provision of Dry cycle option with selectable time periods	Yes
	Type of display with soft touch pad	LED
	Material of construction of the perforated trays	Anodized aluminum
	Porosity of microbacterial filter	0.3 micron
	Location of Antimicrobial filter	The microbacterial filter is located inside the autoclave underneath autoclave to prevent dust from going inside the autoclave
	Weight of the autoclave in KG	35
	Availability of Alpha numeric display to set protocol with soft key pad	Yes
	Number of error messages and warning systems available	more than 30
	Table top autoclave has different pre program cycles of autoclaving different wrapped and unwrapped equipment/materials ie metal solid instruments,hollow metal instruments,rubber ,plastic,textile	Yes
	Type of monitoring systems available with the Autoclave	Constant monitoring of temperature, pressure, vacuum and drying cycle
	sterilization holding time for short load	over 3 minutes and less than or equal to 4 Minutes
	No of preprogrammed autoclaving cycles available	5
	Availability of Prion Program	Yes
	sterilization holding time for prion programme in minutes	17-20
	Door opening and closure indication	Acoustic
Availability of safety valve to release excess pressure to prevent accident	Yes	
Table top autoclave have automatic pressure locking system while sterilization to prevent accidental door opening	Yes	
Power supply	Supply voltage range 220-240 Volts, 50/60 Hz, single phase	
Accessories	Facility to print temperature ,Pressure , time and date of cycle	yes
	The item shall be supplied with an inbuilt water tank with automatic water level sensors	Yes
	There shall be provision to add water to chamber automatically when required	Yes
	Thermal Printer Provided with Autoclave	Yes
	Availability of RS 232 Port for connecting Thermal printer	Yes
	Servo stabiliser (atleast 3 kVA), provided either inbuilt or separate	Yes
	Number of sterilization pouches of 10 cm width, made of paper and polypropylene, with thermal chemical indicator provided	1000
	compatible distilled water plant manufactured by the same OEM	Yes

	Product/ model Certification	BIS certification
Certifications	Conformity to 93/42/CEE- Medical device directive	Yes
	Conformity to 97/23/CEE- Pressure equipment directive	Yes
	Conformity to 2002/96/CEE- Waste electrical and electronic equipment(WEEE)	Yes
	Conformity to IEC 61010-2-040- Safety requirement for electrical equipment for measurement control and laboratory use	Yes
	Technical demonstration and training to be arranged at buyer's premises after delivery before acceptance	Yes
	OEM and supplier certificate that equipment is original and new and not a refurbished / reconditioned product to be provided at time of supplies	Yes
	Guarantee & Warranty in years	5
	Comprehensive Maintenance service(CMC) included after the offered warranty period	5
	The equipment might be required to be installed at remote/ field location and OEM authorised service centres will provide prompt Installation, user training, service on-site as and when required	Yes

**टिप्पणी | Note::** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

### ईपीबीजी विवरण | ePBG Detail

NA

### नियम और शर्तें | Terms and Conditions

#### 1. Special terms and conditions- Version:1 effective from 24-07-2023

- 1.1
- All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
  - The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
  - In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of drug license held by them.
  - The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
  - Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.
- Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
  - Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
  - Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
  - Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any

other relevant details.

10. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
11. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
12. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
13. Software: All software updates should be provided free of cost during warranty period.

## 2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.