अनुबंध|Contract



अनुबंध क्रमांक|Contract No: GEMC-511687768148158

अनुबंध तिथि| Generated Date : 12-Mar-2024

संगठन विवरण|Organisation Details

प्ररूप|Type : Central Government मंत्रालय|Ministry : Ministry of Communications विभाग|Department : Department of Posts

संगठन का नाम|Organisation Name : Madhya Pradesh Postal Circle Department of Posts

कार्यालय क्षेत्र|Office Zone:

Madhya Praodesh

खरीदार विवरण | Buyer Details

पद | Designation : Supdt. Of Post Offices

संपर्क नंबर|Contact No.: -

ईमेल आईडी|Email ID : dochhatarpur.mp@indiapost.gov.in

जीएसटीआईएन|GSTIN: N

Supdt. of Post Offices, Chatarsal Chowk, Dak Ghar Chouraha,

पता|Address : Panna Road,

CHHATARPUR, MADHYA PRADESH-471001, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमित IFD Concurrence : No

प्रशासनिक अनुमोदन का पदनाम|

 $\label{lem:decomposition} \textbf{Designation of Administrative Approval:}$

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

spos chhatarpur division

spos chhatarpur division

भुगतान प्राधिकरण विवरण|Paying Authority Details

Role: PAO भुगतान का तरीका | Offline Payment Mode: पद | Designation : Postmaster

ईमेल आईडी|Email ID : chhatarpurho@indiapost.gov.in

जीएसटीआईएन|GSTIN : N

Supdt. of Post Offices, Chatarsal Chowk, Dak Ghar Chouraha,

पता|Address: Panna Road,

CHHATARPUR, MADHYA PRADESH-471001, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : FDB9190000813671 कंपनी का नाम|Company Name : ARHAM ENTERPRISES संपर्क नंबर|Contact No. : 09893721730 ईमेल आईडी|Email ID : sanu.anish@gmail.com

पता| Address : MIG-208, HOUSINGH BOARD COLONY, AISHBAG STADIUM,HOUSING BOARD COLONY,AISHBAG STADIUM,AISHBAG COLONY,

Bhopal, MADHYA PRADESH-462010, -

Male

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-MP-10-0048544 एमएसई सामाजिक श्रेणी|MSE Social Category : General

एमएसई सामाजिक श्रेणी|MSE Social Category : एमएसई लिंग श्रेणी|MSE Gender :

जीएसटीआईएन|GSTIN: 23AVUPK0510A1Z7

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण|Product Details

	#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
	1	उत्पाद का नाम Product Name : CP PLUS 2MP BULLET CAMERA ब्रांड Brand : CP PLUS ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थौश Category Name & Quadrant : Camera for CCTV System (Q2) मॉडल Model: CP-URC-TC24PL2C-V3 एचएसएन कोड HSN Code: HSN not specified by seller	4	pieces	1,350	NA	5,400
Ī	कुल	ऑर्डर मृल्य Total Order Value (in INR)					5,400

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : BUYER-CONSIGNEE ईमेल आईडी Email ID : dochhatarpur.mp@indiapost.gov.in संपर्क Contact : -					

Chouraha, Panna	dt. of Post Offices, Chatarsal Chowk, Dak Ghar CAMERA	4	12-Mar-2024 27-Mar-	
Product Specification fo	or CP PLUS 2MP BULLET CAMERA			
विनिर्देश Specification	उप-विनिर्देश Sub-Spec		मूल्य Value	
	Image Sensor Type	Image Sensor Type		
	Image Sensor Size		0.37 inch	
MAGE SENSOR	Camera Image Sensing capacity (Picture Mode)	2MP		
INIAGE SENSOR	Resolution	Full HD (1920 x 1080 l		
	Day/Night Capable	Yes		
	IR illumination Range(mtr)	20		
	Type of Camera Housing	Type of Camera Housing		
CAMERA TYPE	IP Camera		No	
	PTZ Camera	PTZ Camera		
	Lens Type	Lens Type		
DT.CC	Focal Length(mm)	Focal Length(mm)		
OPTICS	Iris Control		Yes	
	Focus Mode	Focus Mode		
	Frame Rate (fps)	Frame Rate (fps)		
/IDEO	Video Compression	H.264		
	Video Streaming	Video Streaming		
	Panning Range	anning Range		
	Pan Speed (deg/sec)		NA	
	Tilt Range below horizontal (deg)	Tilt Range below horizontal (deg)		
PAN / TILT / ZOOM	Tilt Range above horizontal (deg)	NA		
	Tilt Speed (deg/sec)	Tilt Speed (deg/sec)		
	Optical Zoom			
	Digital Zoom		NA	
	Audio Support		Yes	
	Audio Compression			
	Audio Streaming	•		
AUDIO	Number of Audio Input Channel		1	
	Number of Audio Output Channel			
	External Microphone Support	·		
	Alarm Support		No	
	Number of Alarm Digital Input		NA	
ALARM	Number of Alarm Relay Output			
	Pre/Post Alarm Buffer		No	
	Multi Level User ID/Password		Yes	
SECURITY	IP Address Filtering		No	
	Encrypted Data Transmission		HTTPS (SSL/TSL)	
	Minimum Illumination for Capturing Color Image		0.05 lux	
	Electronic Shutter Speed(sec)		1/50 to 1/10000	
ERFORMANCE	WDR (Wide Dynamic Range)			
	SNR (Signal to Noise Ratio)			
	Auto Exposure		60-70 Auto Level Control	
	Auto Exposure			
	White Balance (Indoor/Out door/Manual Selectable)		Yes	

	Back Light Compensation	Yes			
	Remote Administration (Remote configuration and status using web based tool)	Yes			
	Remote System Update Over Network	Yes			
FEATURE	PC Client (PC application client with a channel recording feature support)	Yes			
FEATURES	Web Client (Viewer through HTTP system configuration)	Yes			
	On Screen Display in English	Yes			
	ONVIF Support	Yes			
	Presets	0			
	Group Touring	0			
	Privacy Zones	1			
	Supported Protocols	NA			
	IP Support	NA			
	Signal Processing	Digital Signal Process			
NETWORK AND INTERFACE	IPv6 ready	No			
	Wireless	No			
	Simultaneous Connections	1			
	On Board SD Card Support	No			
STORAGE	SD Card Memory(GB)	NA			
	Installation Type	Outdoor			
	Material of the Housing construction	Plastic			
	Protection	IP67			
	Vandal Resistant Housing	No			
HOUSING	If Yes, IK rating	NA			
	Mounting bracket	Wall Mounted			
	Weight	140 gram			
	Dimensions (mm x mm x mm)	70mm×70mm×149mm (2			
POWER SUPPLY	Power Input	12 V DC			
	Power Consumption	3 Watt			
	Suitable Adapter Shall be Supplied to Make the Equipment Work on 230 V (+/- 10 %), 50 Hz	NA			
	Operating Temperature Range	- 40 to +60 deg C			
OPERATING CONDITIONS	Relative Humidity Non Condensing (%)	95			
	Warranty	2 year			
WARRANTY / SERVICES	Time for Replacement of Defective Product During Warranty Period	36 hour			
	Supply of Compatible drivers and software included	No			
	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	No			
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	No			
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	Yes			
ENVIRONMENTAL / CERTIFICATION	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	Yes			
	Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	Yes			
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes			
	Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	Yes			
	Test Report Number and Date	@ Time of Supply			
	Name and Address of Test Lab	@ Time of Supply			
	Certification	FCC,CE,BIS,RoHS			
	•	1			
उत्पाद का बीआईएस लाइसेंस BIS license of the product: 66000299					
ईपीबीजी विवरण ePBG Detail					

नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

 $Note: This is system generated file. \ No signature is required. \ Print out of this document is not valid for payment/ transaction purpose.$