

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687734584794

अनुबंध तिथि | Generated Date : 12-Mar-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4602933](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : State Local Bodies मंत्रालय Ministry : - विभाग Department : Urban Development Department Uttar Pradesh संगठन का नाम Organisation Name : e-Municipalities - eServices to citizens and Employees of Urban Local Bodies of Uttar Pradesh कार्यालय क्षेत्र Office Zone: nagar panchayat titron saharanpur	पद Designation : head clerk संपर्क नंबर Contact No. : 01331-262212- ईमेल आईडी Email ID : buycon1.np.titro@gembuyer.in जीएसटीआईएन GSTIN : 09MRTN00876B1D4 पता Address : NP TITRON, SAHARANPUR, UTTAR PRADESH-247343, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: EO वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: EO	Role: PAO भुगतान का तरीका Payment Mode: Internet Banking पद Designation : clerk ईमेल आईडी Email ID : pao18.eceulp.up@gembuyer.in जीएसटीआईएन GSTIN : 09MRTN00876B1D4 पता Address: Saharanpur, UTTAR PRADESH-247343, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 3B83190000841317 कंपनी का नाम Company Name : A & A EARTH MOVERS PRIVATE LIMITED संपर्क नंबर Contact No. : 09839509861 ईमेल आईडी Email ID : khanalliance@gmail.com पता Address : N-176,PANCHSHEEL PARK, NEW DELHI, DELHI-110070, - एमएसएमई सत्यापित MSME verified : No एमएसएमई पंजीकरण संख्या MSME Registration number : - जीएसटीआईएन GSTIN: 09AAACC9835G1ZH

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : JCB Backhoe Loader <=50 0.18 cubic meter ब्रांड Brand : JCB ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Backhoe Loaders (V2) (Q2) मॉडल Model: 2DX with GP Loader, IT एचएसएन कोड HSN Code: 84295900	1	pieces	2,499,999	जीएसटी GST (18%) : 381,355.78 जीएसटी उपकर 1 GST Cess 1 (0%) : 0 जीएसटी उपकर 2 GST Cess 2 (0 per accounting unit) : 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GST1 : - जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1 : - जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2 : -	2,499,999
कुल ऑर्डर मूल्य Total Order Value (in INR)						2,499,999

प्रेषिती विवरण Consignee Detail						
क्र.सं. S.No	प्रेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : - ईमेल आईडी Email ID : buycon1.np.titro@gembuyer.in					

1	संपर्क Contact : 01331-262212- जीएसटीआईएन GSTIN : 09MRTN00876B1D4 पता Address : NP TITRON, SAHARANPUR, UTTAR PRADESH-247343, India	JCB Backhoe Loader <=50 0.18 cubic meter	-	1	12-Mar-2024	11-Apr-2024
---	---	---	---	---	-------------	-------------

Product Specification for JCB Backhoe Loader <=50 0.18 cubic meter

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Certification Parameters	Vehicle Certification	ICAT
	Vehicle Certification ARAI/VRDE/ICAT Number	CAQN0217
	Compliance to AIS 160 for Earth-Moving Machinery—Safety Requirements For Backhoe Loaders	Yes
	On Buyer's Demand, Test certificate	Yes
Generic Parameters	Engine Model	4R8 10A
	Engine Maximum HP Range at Rated RPM (hp @ rpm)	<=50
	Engine Maximum HP at Rated RPM (hp)	49.5
	Rated RPM at Engine Maximum HP (@rpm)	2200
	No of Cylinders (Nos)	4
	Engine Bore (mm)	96 millimeter
	Engine Stroke (mm)	112 millimeter
	Engine Cooling System	Water Cooled
	Max Torque at Rated RPM (Nm @ rpm)	203
	Rated RPM at Max Torque (@rpm)	1400
	Vehicle Emission Compliance	BS-III
	Vehicle Mileage (declared by OEM) (Km/Ltr)	8
	Type of Gear Box	Synchroshuttle
	No of speeds Forward (Nos)	4
	Maximum Forward Speed (Km/hr)	28.8
	Maximum Reverse Speed (Km/Hr)	28.8
	Minimum Forward Speed (Km/Hr)	4.4
	Minimum Reverse Speed (Km/Hr)	4.4
	Power Steering	Yes
	Steering wheel dia (mm)	400 millimeter
	Brake type	Disc Type (Oil submerged)
	Minimum Turning Radius (mm) with brakes	5150 millimeter
	Minimum Turning Radius (mm) without brakes	5450 millimeter
	Fuel Type	Diesel
	Fuel Tank Capacity (Litres)	50 to 130
	CNG Tank Capacity in Water Liter Capacity (WLC)	NA
	Type of Wheel Drive	Two wheel Drive
	Type of Tyre	Industrial
	Front Tyre Size with ply rating (mm)	7.5x16-16PR
	Rear tyer Size with ply rating (mm)	14.9 x 24 - 12 PR
	Minimum Ground Clearance (mm)	280 millimeter
	Backhoe Bucket Width (mm)	745 millimeter
Backhoe Bucket Capacities (in Cubic Meter) with locking/bolted teeth	0.18 cubic meter	
Backhoe Bucket Digging Depth (in Meter)	3.02 meter	
Backhoe Bucket Digging Force in Kgf	3120	
Backhoe Bucket Dipper Tear out Force in Kgf	1750	
Backhoe Bucket Loading Height (in Meter)	2.74 meter	
Backhoe Bucket Cutting Height (in meter)	3.88 meter	
Backhoe Bucket Reach from swing Pivot (Meter)	3.93 meter	

	Type of Loader Bucket	Standard Bucket
	Loader Bucket Minimum Capacity (in Cubic Meter)	0.6 cubic meter
	Loader Bucket Dump height (in meter)	2.3 meter
	Loader Arm Break out Force in kgf	1834
	Loader Bucket Maximum lift height in meter	2.83 meter
	Loader Bucket Pay Load in kgs	800 kilogram
	Operating Weight (Kgs)	5220 kilogram
	Transmission Oil Capacity (Litres)	16 liter
	Hydraulic Oil Capacity (Litres)	60 liter
	Hydraulic Oil change period (in hours)	4000 hour
	Cold start Kit (to start the CI engine upto -25°C)	No
	Rock Breaker	No
	Rock Breaker Operating Weight	NA for without Rock Breaker
	Rock Breaker Operating Pressure (Kgf/cm2)	NA for without Rock Breaker
	Rock Breaker Strike rate (350 blows per minute)min	NA for without Rock Breaker
Constructional Parameters	Instrument Panel	Yes
	Hour Meter	Yes
	Fuel Gauge / Indicator	Yes
	Temperature Gauge / Indicator	Yes
	Battery Charge Indicator	Yes
	Horn	Yes
	Oil Pressure Gauge / Indicator	Yes
	Battery Type	Wet
	Battery Rating	12V
	Electrical Alternator	Yes
	Electrical Starter	Yes
	Front Lights	Yes
	Rear Lights	Yes
	Parking Lights	Yes
	Brake Lights	Yes
	Plough Lights	No
	Indicators Lights	Yes
	Overall Length (mm)	5500 millimeter
	Overall Width (mm)	1850 millimeter
	Overall Height (mm)	2650 millimeter
	Wheel Base (mm)	2080 millimeter
	Cabin/canopy All round visible cabin With easy Walk Through Access	Yes
	Cabin Instrumental panel with audio indicators	Yes
	Cabin Instrumental panel with visual indicators	Yes
	Rear view large convex mirror	Yes
	Front screen wipe	Yes
	Front and rear horn	Yes
	Co- Adjustable driver seat	Yes
	Doors Front door with fixed toughened glass & locking mechanism with wiper	Yes
	Windscreens	Yes
	Paint Standard automobile paint to the exterior body as per CVMR rules	Yes
		Noise level at operator s ear level (dB)
	Vibration at seat	No

Performance Parameters	Vibration at seat (if yes) (micron)	0
	Average travel speed (Km/hr)	7.1
	Average fuel consumption (litre/hr)	3.5
	Average distance travelled per litre of fuel(Km)	8
	Excavator loader to perform various functions such as digging	Yes
	Dozing	Yes
	Grabbing	Yes
	Grading	Yes
	Loading	Yes
	Spreading	Yes
	Warranty Time (Month)	12 month
	Operating hours during warranty period	2000 hour
	Battery Warranty (months)	12 month

शुद्धिपत्र | Corrigendum

1. तक बढ़ाया गया | Extended Upto : 2024-03-01 09:00:00
2. तक बढ़ाया गया | Extended Upto : 2024-03-07 10:00:00
3. तक बढ़ाया गया | Extended Upto : 2024-03-12 14:00:00

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

आरसीएम/एफसीएम के संबंध में सामान्य खंड | General Clauses w.r.t RCM/FCM

1. Where ever RCM is applicable, for sellers (Regular GST registered seller who opted out of FCM as per notifications of GST like GTA , unregistered seller), Buyer have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this contract. Seller will invoice buyer with Zero GST and GST cess.
2. For Registered sellers as per FCM, rates will be inclusive of prescribed rate of GST and GST cess. ITC available to buyer as shown in the bid document have been applied while evaluating the bids. Seller has liability of paying the GST and GST cess to the govt and same will be charged from buyer while invoice.
3. For Registered sellers who opted for RCM while quoting for specified category under section 9(3) like GTA rates will be exclusive of GST and GST cess. GST and GST cess as indicated by the buyer in the bid document payment of GST and GST Cess will be the liability of buyer.
4. For Unregistered sellers Liability of payment of GST and GST cess is in Buyers scope. GST and GST cess as indicated by the buyer in the bid document will be the liability of buyer . Unregistered seller will invoice buyer with zero GST and Zero GST cess.
5. For sellers under Composition Scheme: There is no liability of payment of GST and GST cess in Buyers cope. Seller will invoice Zero GST and GST cess in the invoice to buyer.

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic.

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Generic.

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2.3 Scope of Supply.

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.4 Turnover.

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2.5 Turnover.

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous

financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

2.6 OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

2.7 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2.8 Service & Support:

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.9 Service & Support:

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

2.10 Certificates:

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

2.11 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.