

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687702808418

अनुबंध तिथि | Generated Date : 12-Mar-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	State Government	पद Designation :	TDO Gandevi			
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	02634-262523-			
विभाग Department :	Panchayats and Rural Housing Department Gujarat	ईमेल आईडी Email ID :	tdo-gandevi@gujarat.gov.in			
संगठन का नाम Organisation Name :	N/A	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone :	DISTRICT PANCHAYAT NAVSARI	पता Address :	Taluka panchayat bulding Gandevi Ta. Gandevi Dist. Navsari, NAVSARI, GUJARAT-396360, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	tdo	भुगतान का तरीका Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	tdo	पद Designation :	Deputy Accountant			
		ईमेल आईडी Email ID :	pao21.prhdg.gj@gembuyer.in			
		जीएसटीआईएन GSTIN :	24SRRT00788E1DL			
		पता Address:	Taluka panchayat bulding Gandevi Ta. Gandevi Dist. Navsari, Navsari, GUJARAT-396360, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	3D41190000712679					
कंपनी का नाम Company Name :	Taru Enterprise					
संपर्क नंबर Contact No. :	08320525981					
ईमेल आईडी Email ID :	taruenterprise23@gmail.com					
पता Address :	shop no. - 119,,nishal center,,pal,adajan suray, Surat, GUJARAT-395009, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-GJ-22-0078235					
एमएसई सामाजिक श्रेणी MSE Social Category :	SC					
एमएसई लिंग श्रेणी MSE Gender :	Female					
जीएसटीआईएन GSTIN:	24APZPP3861J1Z4					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Drinking Water ATM Reverse Osmosis (RO) 200 ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Drinking Water ATM / Water Vending Machine (Version 2) (Q3) मॉडल Model: Drinking Water ATM / Water Vending Machine एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	499,900	NA	499,900
कुल ऑर्डर मूल्य Total Order Value (in INR)						499,900
परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : District Agriculture Officer ईमेल आईडी Email ID : dao-ddo-nav@gujarat.gov.in संपर्क Contact : 02637-233030- जीएसटीआईएन GSTIN : -	Unbranded Drinking Water ATM Reverse	-	1	12-Mar-2024	27-Mar-2024

पता | Address : District Panchayat Bhavan, Behind District Court,
Junathana, Navsari.,
NAVSARI, GUJARAT-396445, India

Osmosis (RO) 200

Product Specification for Unbranded Drinking Water ATM Reverse Osmosis (RO) 200

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Coin / Card Acceptor / Quantity of Dispensing Water	Number of Dispensing points	3
	Water Dispensing using coin acceptor	Yes
	Coins accepted for payment	Re.1, Rs. 2, Rs. 5, Rs.10
	Water Dispensing using RFID/NFC card	No
	Mobile Wallet accepted for payment	Yes
	Quantity of Dispensing Water	Configurable as Per Buyer Requirement
CAPACITY / TYPE / WATER SOURCE / OUTLET WATER QUALITY	Purification Capacity of Water ATM (LPH)	200
	Type of Operation	Automatic with Multi-Processor Integrated Control System and remotely controlled web based Server system
	Water Source	Surface Water
	Quality of outlet water from each dispenser of the Water ATM	Conforms to IS:10500(latest)
TECHNOLOGY	Technology	Reverse Osmosis (RO)
	UV Disinfection	Yes
	Filters deployed in the system hint: (Select applicable Parameters only)	Activated Carbon Filter
	Anti scalant dosing pump	No
	pH Correction Dosing Pump	No
CONSTRUCTIONAL	Raw water Storage capacity (Indicate '0' for direct connection to continuous Tap Water source)	200
	Raw water Storage Tank Material of Construction	HDPE
	Location of the Raw Water Storage Tank	Inside the ATM Enclosure
	Treated water Storage capacity	201-250
	Treated water Storage Tank Material of Construction	HDPE
	Equipped with an in-built chiller unit for providing continuous cold water of temperature around 15 degree Celcius	Yes
	In-built Chiller Tank Capacity (Liter)	21-50
	Chiller Tank Material of Construction	Stainless Steel 304 Gr
	ATM Installation Type	Floor mounted
	Number of Filtration steps	5
	Minimum Water Recovery Percentage @27 degree ambient temperature (%)	20-30
	Provided with suitable vending place for filling container of 20 liters capacity	No
	Agreed to STC of the product category	Yes
DISPLAY	Display of water purity parameters	No
	Display Type	LCD
	Backlit Display	Yes
	Touch Screen Display	No
	Display Size (Characters x Lines)	8 x 2 (8 Ch x 2 lines)
	Display of outlet water TDS level	No
	Display of outlet water pH level	No
	Display of outlet water Temperature	Yes
Inlet / Feed Pump to feed water from raw water storage tank to filter	Inlet / Feed Pump Type	Horizontal Centrifugal
	Number of Inlet / Feed Pumps	1
	Rated Heat (Meter)	<=40
	Pump Motor Rating (HP)	<=10

	Inlet / Feed Pump Capacity at rated head (LPH)	<=5000
	Pump Motor / Head (HP)	<=5
Multi Media Filter Vessels for First stage filtration for suspended particles	Type of Multi Media Filter Vessels	Vertical Multi Media Filter
	Material Of Construction for Multi Media Filter Vessels	FRP
	Number of Multi Media Filter Vessels	1
	Size of Multi Media Filter Vessels (mm)	1016
Multi-Port Valve to control filtration and backwash for media filter having sand & carbon	Type of Multi-Port Valve	Automatic
	Multi-Port Valve Material of Construction	ABS
	Number of Multi-Port Valves	2
	Nominal Bore (Size) of Multi-Port Valve	<=63
Anti scalent Dosing Pump to inhibit scaling of hardness salt and silica on RO Membranes, doze pH and Cl as per water quality	Type of Anti scalent Dosing Pump	NA
	Material Of Construction for Anti scalent Dosing Pump	NA
	Number of Anti scalent Dosing Pumps	NA
	Capacity of Anti scalent Dosing Pump (LPH)	NA
pH Correction Dosing Pump & Dosing Tank to dilute water with dosing chemicals	Type of pH Correction Pump	NA
	Material Of Construction for pH Correction Dosing Pump	NA
	Number of pH Correction Dosing Pumps	NA
	Capacity of pH Correction Dosing Pump (LPH)	0
	Dosing Tank Material of Construction	NA
	Dosing Tank Capacity (L)	0
High Pressure Pump to develop required pressure for Reverse Osmosis on RO Membranes	Type of High Pressure Pump	NA
	Material Of Construction for High Pressure Pump	NA
	Number of High Pressure Pumps	NA
	Low pressure switch for Protection of HP pump from burn-out	NA
RO Pressure Vessel	Type of RO Pressure Vessel	Membrane housing mounted on skid - End port type
	Material Of Construction for RO Pressure Vessel	FRP
	Number of RO Pressure Vessels	4
Ultra Violet (UV) System to disinfect water, kill bacteria and micro-organisms	Material Of Construction for UV System	SS
	Number of UV Systems	1
	Number of UV Lights	1
	Total UV Power	16 Watts
CIP (Clean-In-Place)Tank to mix / Dilute chemicals for membrane cleaning and permeate back wash	CIP Tank	No
	CIP Tank Material of Construction	NA
	Number of CIP Tanks	NA
	Capacity of CIP Tank (Liters)	NA
Piping	Material of Construction for Piping from storage tank to Raw water inlet, total internal piping HPP side / Low Pressure side, plant to product tank & through UV distribution system	ISI Marked U-PVC,ISI Marked C-PVC
Power Source	Power Source	AC & DC (for dispensing only) Power Supply
	Power Supply	230 ±10 V AC
	Battery Voltage	12 V
	Battery Chemistry	Lead Acid
	Battery Capacity (AH)	<=200
	Battery back-up time (Hours)	6
EMBEDDED DEVICES FOR AUTOMATION	Quantitative Monitoring (Select applicable Parameters only)	Number of Glasses of water dispensed in a day,Number of Bottles of water dispensed in a day,NA
	Outlet Water Quality Monitoring (Select applicable Parameters only)	Temperature of water
	Multi-Processor Integrated Control System with Interface cables/ connectors for integration	Dispense quantities re-configurable from server, Operator Log-in and log-out feature

	Other Features	Able to check daily waterdispense volume / total accounted amount of dispensed water / recharge amount by using GSM Sim card
	Additional features, if any	custom voice message
Water ATM - Enclosure	Structure	Rigid structure made of SS frame(3),
	Thickness of the frame of structure (mm)	2
	Material of Construction of Side Panels of Water ATM	Stainless Steel Sheet
	Side Panel Sheet Thickness (mm)	1
	PUF insulation of Side Panels of Water ATM	Without
	PUF insulation of the door of Water ATM	Without
	Provision for in-built litter space	Yes
	Covered area of treatment plant enclosure (Square Foot)	5.1-10
	Shape of the Water ATM housing	Cuboidal
	Top Canopy of the Water ATM housing	Sloped
	Floor area around the unit covered with vitrified / anti-skid tiles (Specify area of the tiles) (Square foot)	<=25
	Headroom for the Water ATM enclosure (Foot)	7.1-8.0
	Internal / External finish on Steel panels	As per Buyer requirements
	Floor area around the Water ATM enclosure covered with anti-skid tiles	Yes
Water ATM enclosure protected with enclosed MS grill / mesh	No	
Installation & Commissioning / Warranty	Installation and Commissioning inclusive in the scope of Supply	Yes
	Trial Run and Training provided (inclusive in the Scope of Supply) (Days)	5
	Warranty for storage Tanks (Year)	3
	Warranty for electrical motors (Year)	1
	Warranty for the filters (Year)	1
	Warranty for the system (Year)	1
Test Reports	Availability of Test Report from Central Govt /NABL/ILAC accredited lab to prove confirmity to specification	No
	Test Report Noand Date	NA
	Name and Address of the Lab	NA
	All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand	Yes

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

