

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687746238292

अनुबंध तिथि | Generated Date : 12-Mar-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details						
प्ररूप Type : मंत्रालय Ministry : विभाग Department : संगठन का नाम Organisation Name : कार्यालय क्षेत्र Office Zone:		पद Designation : संपर्क नंबर Contact No. : ईमेल आईडी Email ID : जीएसटीआईएन GSTIN : पता Address :						
Central Government Ministry of Communications Department of Posts Maharashtra Postal Circle Department of Posts Mumbai		Sr. Superintendent of Post Offices 022-27467959- donavimumbai.mh@indiapost.gov.in 27AAAGP0232N2Z9 O/o Sr. Superintendent of Post offices, Navi Mumbai Division, Vashi MDG Building, Ground Floor, Hindurao Patil Marg, Sector 16A Plot No.18, opposite to MTNL office Vashi, Vashi 400703, THANE, MAHARASHTRA-400703, India						
वित्तीय स्वीकृति विवरण Financial Approval Detail			भुगतान प्राधिकरण विवरण Paying Authority Details					
आईएफडी सहमति IFD Concurrence : प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :			Role: भुगतान का तरीका Payment Mode: पद Designation : ईमेल आईडी Email ID : जीएसटीआईएन GSTIN : पता Address:					
No ADPS, Navi Mumbai Region ADPS, Navi Mumbai Region			PAO Offline Postmaster HSG I panvelho@indiapost.gov.in N O/o Sr. Superintendent of Post offices, Navi Mumbai Division, Vashi MDG Building, Ground Floor, Hindurao Patil Marg, Sector 16A Plot No.18, opposite to MTNL office Vashi, Vashi 400703, Thane, MAHARASHTRA-400703, India					
विक्रेता विवरण Seller Details								
जेम विक्रेता आईडी GeM Seller ID : कंपनी का नाम Company Name : संपर्क नंबर Contact No. : ईमेल आईडी Email ID : पता Address : एमएसएमई पंजीकरण संख्या MSME Registration number : एमएसई सामाजिक श्रेणी MSE Social Category : एमएसई लिंग श्रेणी MSE Gender : जीएसटीआईएन GSTIN:								
C647190001006519 S R ENTERPRISES 09769616574 avishashingre@gmail.com Unit No. 4, 1st Floor,,Annex Building,,Thakker Ind. Est., Old Anjerwadi,,Mazgaon, MUMBAI, MAHARASHTRA-400010, - UDYAM-MH-19-0260359 General Female 27GJVP58313A1ZR								
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer								
वितरण निर्देश Delivery Instructions : NA								
उत्पाद विवरण Product Details								
#	आइटम विवरण Item Description			आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : PASHI DESIGN Executive Table with One side pedestal unit and E.R.U ब्रांड Brand : PASHI DESIGN ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Executive Table (V2) (Q3) मॉडल Model: PDC-01 एचएसएन कोड HSN Code: HSN not specified by seller			18	pieces	27,140	NA	488,520
कुल ऑर्डर मूल्य Total Order Value (in INR)								488,520
परोक्षी विवरण Consignee Detail								
क्र.सं. S.No	परोक्षी Consignee			वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start	वितरण पूरा कब तक करना है Delivery To Be

					After	Completed By
1	<p>पद Designation : BUYER-CONSIGNEE ईमेल आईडी Email ID : donavimumbai.mh@indiapost.gov.in संपर्क Contact : 022-27467959- जीएसटीआईएन GSTIN : 27AAAGP0232N2Z9 पता Address : O/o Sr. Superintendent of Post offices, Navi Mumbai Division, Vashi MDG Building, Ground Floor, Hindurao Patil Marg, Sector 16A Plot No.18, opposite to MTNL office Vashi, Vashi 400703, THANE, MAHARASHTRA-400703, India</p>	PASHI DESIGN Executive Table with One side pedestal unit and E.R.U	-	18	12-Mar-2024	26-Apr-2024
Product Specification for PASHI DESIGN Executive Table with One side pedestal unit and E.R.U						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
GENERIC	Structure /Frame of table	Top supported by storage unit(pedestal / ERU or both)				
	Frame type	Freestanding				
	Accessories /Optional requirement for table	Beam Support for Table Top				
	The type of Storage provided	One side pedestal unit and E.R.U				
	Keyboard tray	Not provided				
	Footrest	Not Provided				
	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller				
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates				
	Thickness of table top material (± 1 mm)	25 mm				
	Gable end material	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest				
	The thickness of the gable end	25 mm				
	Modesty panel material	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest				
	The thickness of the modesty panel material	18 mm				
	Gable end and modesty panel plain side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue				
	Table top edges	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue				
	Leg Material	Mild Steel (MS) ERW				
	The thickness of the Leg material	NA				
	Beam Material	NA				
	Number of buffers provided	6 Numbers at the bottom				
DIMENSION	Width of tabletop ±10 mm	2000 mm				
	Depth of table ±10 mm	1100 mm				
	Height of table ±10 mm	775 mm				
	Size (L x W) /diameter of leg material ± 5 mm	NA				
EXTENDED RETURN UNIT	ERU unit consists of	2 storage units with shutter				
	ERU top material	MDF board as per IS: 12406 with pigmented PU coating on both sides				
	ERU top material thickness ± 2 mm	25 mm				
	Width of ERU unit ± 10 mm	1200 mm				
	Depth of ERU unit ± 5 mm	450 mm				
	Height of ERU unit ± 5 mm	690 mm				
	ERU side panel material	Prelaminated MDF board				
	ERU side panel Thickness ± 2 mm	18 mm				
	Number of lockable castors at the bottom	NA				
	Size of lockable castors ± 2 mm	NA				
	Type of storage lock system	Central locking system				
	Drawer /storage shutter pull-up mechanism	Chrome plated handle				

	ERU outer Surface Finish	Laminate in color with matt finish 0.6 - 0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
	ERU shade	As per buyer's choice
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Two drawers
	Complete body fascia and drawer material in Pedestal Unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Thickness of the complete body fascia & drawer material	18 mm
	Material for back panel in pedestal unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Back Panel Thickness in Pedestal Unit	18 mm
	Drawer Bottom Material	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Drawer Bottom Material Thickness	18 mm
	Provision of Castor in Pedestal unit	Without
	Lock provided (for pedestal unit)	Central lock
	Pedestal handle material	SS 202
	Pedestal outer finish	Laminate in color with matt finish 0.6 - 0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
	Pedestal shade	As per buyer's choice
	Width of Pedestal unit in mm (±10 mm)	600 mm
	Depth of pedestal unit ±10mm	400 mm
	Height of pedestal unit ±5mm	550 mm
KEYBOARD TRAY	Material of keyboard tray and Right angle L-type supporting bracket	NA
	Material thickness of keyboard tray ±1mm	NA
	Fixing of supporting bracket	NA
	Length of telescopic channel ± 10 mm	NA
	Keyboard height±10mm	NA
	Keyboard front width±10mm	NA
	Keyboard depth±10mm	NA
FOOTREST	Material of footrest	NA
	Material thickness of footrest ±2mm	NA
	Height of footrest ±10mm	NA
	Width of footrest ±10mm	NA
	Depth of footrest ±10mm	NA
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	As per Buyer's choice
	Table /ERU /Pedestal Panel Plain Side	All exposed edges sealed with 2 mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degrees C with hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	Yes
	The product has BIFMA certification	Yes
	OEM of the offered product is ISO 9001:2015 certified	Yes
	OEM of the offered product is ISO 14001:2015 certified	Yes
	OEM of the offered product is ISO 45001:2 018 certified	Yes
	The product has GREENGUARD certification	Yes
	The product has Green Pro certification	Yes

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.