# अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687796098959

अनुबंध तिथि | Generated Date : 12-Mar-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2024/B/4468071</u>

संगठन विवरण|Organisation Details

प्ररूप|Type: State Government

मंत्रालय|Ministry:

विभाग|Department:

Health and Family Welfare Department Jammu and

Kashmir संगठन का नाम|Organisation Name N/A

कार्यालय क्षेत्र|Office Zone: CHIEF MEDICAL OFFICE KUPWARA खरीदार विवरण|Buyer Details

पद | Designation : CMO KUPWARA

संपर्क नंबर|Contact No.:

ईमेल आईडी|Email ID : drmohammamir.66212@jk.gov.in

जीएसटीआईएन|GSTIN:

CHIEF MEDICAL OFFICER KUPWARA, पता|Address :

KUPWARA, JAMMU & KASHMIR-193221, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति|IFD Concurrence :

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative

Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

District Development Commissioner Kupwara

District Development Commissioner Kupwara

भुगतान प्राधिकरण विवरण | Paying Authority Details

BUYER भुगतान का तरीका|

Offline Payment Mode:

पद|Designation : CMO KUPWARA

ईमेल आईडी|Email ID : drmohammamir.66212@jk.gov.in

जीएसटीआईएन|GSTIN:

CHIEF MEDICAL OFFICER KUPWARA, पता|Address: KUPWARA, JAMMU & KASHMIR-193221, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : 3F3E200001234314

कंपनी का नाम|Company Name : ZENOTREX MEDICO PRIVATE LIMITED

संपर्क नंबर|Contact No. :

ईमेल आईडी|Email ID : zenot rexmedico @gmail.com

PLOT NO-375, SECTOR-2, HSIIDC, IGC, SAHA, पता| Address :

Ambala, HARYANA-133104, -एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-HR-01-0000220

एमएसई सामाजिक श्रेणी|MSE Social Category : NA

एमएसई लिग श्रेणी|MSE Gender : NA

जीएसटीआईएन|GSTIN: 06AABCZ5449G1Z5

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

|   | #   | आइटम विवरण Item Description  | आइटम<br>विवरण <br>Ordered<br>Quantity | इकाई  <br>Unit | इकाई मूल्य<br>(INR) <br>Unit Price<br>(INR) | कर विभाजन<br>(INR) <br>Tax Bifurcation<br>(INR) | मूल्य<br>(INR में सभी<br>शुल्क और कर<br>सहित) <br>Price<br>(Inclusive of<br>all Duties and<br>Taxes in INR) |
|---|---|--|---------------------------------------|----------------|---|---|---|
|   | 1   | उद्याद का नाम   Product Name : ZENOTREX MEDICO SS 316 Cylindrical Autoclave (Horizontal), Working pressure 30 (PSI) ब्रांड  Brand : ZENOTREX MEDICO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थीश Category Name & Quadrant : Autoclave (Horizontal) (Q3) मॉडल Model: ZPL-AH01S एचएसएन कोड HSN Code: HSN not specified by seller | 1                                     | pieces         | 326,000                                     | NA  | 326,000   |
| - | कुल ऑर्डर मूल्य  Total Order Value (in INR) |  |                                       |                |   |   | 326,000   |

# परेषिती विवरण|Consignee Detail

| क्र.सं. S.No | परेषिती Consignee  | वस्तु Item         | लॉट नंबर <br>Lot No. | मात्रा Quantity | दिनांक के बाद<br>डिलीवरी शुरू<br>करना है <br>Delivery Start<br>After | वितरण पूरा कब<br>तक करना है <br>Delivery To<br>Be<br>Completed<br>By |
|--------------|--|--------------------|----------------------|-----------------|--|--|
|              | पद  Designation : -<br>ईमेल आईडी Email ID : drmohammamir.66212@jk.gov.in | ZENOTREX MEDICO SS |                      |                 |  |  |

| पता Addr               | itact : -<br>ईएन GSTIN : -<br>ess : CHIEF MEDICAL OFFICER k<br>A, JAMMU & KASHMIR-193221,   |  |  |  |  |  |  |  |
|------------------------|---|--|--|--|--|--|--|--|
| Product Specificat     | ion for ZENOTREX MEDI   | CO SS 316 Cylindrical Autoclave (Horizontal), Working pressure 30 (PSI)  |  |  |  |  |  |  |
| विनर्देश Specification | उप-विनिर्देश Sub-Spec   | मूल्य Value  |  |  |  |  |  |  |
|                        | All piping  | SS 304   |  |  |  |  |  |  |
|                        | LID   | SS 304 w/ Pressure locking device  |  |  |  |  |  |  |
|                        | Safety Valve  | For excess pressure inside jacket and steam generator  |  |  |  |  |  |  |
|                        | External chamber  | Stainless Steel 304 Grade Corrosion Resistant  |  |  |  |  |  |  |
|                        | Construction Material   | SS 316   |  |  |  |  |  |  |
|                        | Tray  | Perforated tray made of SS 304   |  |  |  |  |  |  |
|                        | Radial locking system   | Stainless Steel 304  |  |  |  |  |  |  |
|                        | Heaters   | ISI mark immersion heaters   |  |  |  |  |  |  |
| onstruction            | Stand   | Chrome plated MS   |  |  |  |  |  |  |
|                        | Wall Type   | Triple Walled  |  |  |  |  |  |  |
|                        | Door  | Single or Double Doors w/ automatic pressure locking   |  |  |  |  |  |  |
|                        | Chamber condensate line   | Fitted with steam trap and check valve   |  |  |  |  |  |  |
|                        | Finishing   | Mirror finished inner and external surface   |  |  |  |  |  |  |
|                        | Design Type   | Cylindrical  |  |  |  |  |  |  |
|                        | Boiler Specifications   | Made of SS 304 sheet, Water inlet & outlet valves, Water level glass window, Boiler safety valve   |  |  |  |  |  |  |
|                        | Insulation  | Glass wool   |  |  |  |  |  |  |
|                        | Inner chamber   | SS 304 with full argon welding   |  |  |  |  |  |  |
|                        | Multiport valve   | Full chamber / jacket both pressure release  |  |  |  |  |  |  |
|                        | Working temperature   | 121 degree Celsius   |  |  |  |  |  |  |
|                        | Sterilizing Temperature   | 134 degree Celsius   |  |  |  |  |  |  |
|                        | Working pressure(PSI)   | 30   |  |  |  |  |  |  |
|                        | Steam Exhaust   | 5 minute   |  |  |  |  |  |  |
| erformance             | Sterilization Period  | 4 minute   |  |  |  |  |  |  |
| arameter               | Sensor  | PT100  |  |  |  |  |  |  |
|                        | Controller type   | PID temperature controller   |  |  |  |  |  |  |
|                        | Hydraulic tested on(PSI)  | 40   |  |  |  |  |  |  |
|                        | Pressure  | Automatic pressure control switch,Analog dial type pressure gauge,Manual pressure release valves for chamber & jacket  |  |  |  |  |  |  |
|                        | Volume (Capacity)   | 280 liter  |  |  |  |  |  |  |
|                        | Height  | 1500 millimeter  |  |  |  |  |  |  |
|                        | Diameter  | 500 millimeter   |  |  |  |  |  |  |
| imensions              | Depth   | 1200 millimeter  |  |  |  |  |  |  |
|                        | Width   | 900 millimeter   |  |  |  |  |  |  |
|                        | Phase   | 3  |  |  |  |  |  |  |
|                        | Frequency   | 50 Hertz   |  |  |  |  |  |  |
| ower Supply            | Power Consumption   | 12 kiloWatt  |  |  |  |  |  |  |
|                        | Voltage   | 440 Volt   |  |  |  |  |  |  |
|                        | Voltage   |  |  |  |  |  |  |  |
| dditional Parameters   | Features  | Working at 30 psi with 134C,Provision of vacuum drying,Low water cut-off,Digital pressure display,Auto release of pressure through solenoid valves,Complete SS 304 / SS 316 construction (GMP model),PLC + Color HMI with Data logging USB interface, Ethernet,Thermal printer,At 15 PSI temp. shall be 121 deg c & Color HMI with Data Logging,USB Interface,Ethernet & Complete SS 304 / SS 316 Construction (As per costumer requirement) |  |  |  |  |  |  |
|                        | Standard fittings   | Mains MCB,Silicon gasket,Vacuum breaker,Stream trap,Pressure safety valve,Boiler safety valve  |  |  |  |  |  |  |
|                        | Copies of reports and certifications to be furnished to buyer on demand at time of supplies | NA   |  |  |  |  |  |  |
|                        | Name and address of the   |  |  |  |  |  |  |  |

|                              | Lab where Test conducted   | NA                     |
|------------------------------|--|------------------------|
|                              | Test Report Number and<br>Date   | NA NA                  |
| Test<br>Report/Certification | MSDS Certificate Supplied with material  | No                     |
|                              | Is ISO certified   | Yes                    |
|                              | Availability Of Test Report<br>From Central Govt/Nabl/Ilac<br>Accredited Lab To Prove<br>Conformity To Specification | No                     |
|                              | Product Certification  | CE                     |
|                              | Manufacturer Certifications  | ISO 9001:2015 orLatest |

## शुद्धिपत्र|Corrigendum

1. तक बढ़ाया गया|Extended Upto: 2024-01-23 16:00:00

## ईपीबीजी विवरण | ePBG Detail

| सलाहकार बैंक   Advisory Bank :            | NA |  |
|---|----|--|
| ईपीबीजी प्रतिशत (%)   ePBG Percentage(%): | NA |  |

## नियम और शर्तें|Terms and Conditions

- 1. Special terms and conditions- Version:1 effective from 15-02-2023
- All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued
  by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of
  Chemicals & Fertilizers time to time in this regard.
  - The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses. test reports etc.
  - 3. In case of authorized resellers/distributors, it will be the responsibility of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of drug license held by them. All legal & regulatory liability in respect of the offered/supplied product shall be totally of both manufacturer and reseller/distributor.
  - 4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
  - 5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.
- 2. General Terms and Conditions-
- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 3. Buyer Added Bid Specific Terms and Conditions-
- 3.1 Generic.

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

## 3.2 Generic.

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

## SUB DISTRICT HOSPITAL SOGAM

- -
- -
- 3.3 Scope of Supply:

Scope of supply (Bid price to include all cost components): Supply Installation Testing and Commissioning of Goods

## 3.4 Turnover.

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

## 3.5 Turnover:

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

### 3.6 Service & Support:

Dedicated /toll Free Telephone No. for Service Support: BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

#### 3.7 Service & Support

Escalation Matrix For Service Support: Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

#### 3.8 Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 3.9 Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

### 3.10 Certificates:

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item

### 3.11 Certificates:

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

### 3.12 Warranty

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

### 3.13 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

The supplier should extend the support services as and when required.

Supplier also needs to ensure training to end user on equipment along with software/application

The equipment's should have been already installed in the leading health institutions with performance guarantee in the UT of Jammu and Kashmir especially SKIMS, associated hospitals of GMC's.

Complete user operational guide shall have to be supplied along with each machine.

All the related detail needs to be provided like Service support details- Contact details of manufacturer, supplier and local service agent.

Presentation of the product is to be done during technical evaluation. Separate date will be notified only for those who will qualify in documentary part.

Only those bidders will be qualified whose presentation will be accepted by the procurement committee and will move t o next evaluation stage.

BIS or USFDA or CE certified License is mandatory.

Experience of past three years is mandatory

Catalogue of the product is to be uploaded with the bid document.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.