

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687749075197

अनुबंध तिथि | Generated Date : 13-Mar-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	State Autonomous	पद Designation :	VDO			
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	-			
विभाग Department :	Department of Panchayat Raj	ईमेल आईडी Email ID :	gppalse-mh@panchayat.gov.in			
संगठन का नाम Organisation Name :	NASHIK District Panchayats	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone :	PALSE183407	पता Address :	Grampanchayat Office Palse Tal Dist Nashik, NASHIK, MAHARASHTRA-422102, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	BUYER			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	Gramsevak	भुगतान का तरीका Payment Mode:	MOPR			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	Gramsevak	पद Designation :	VDO			
		ईमेल आईडी Email ID :	gppalse-mh@panchayat.gov.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	Grampanchayat Office Palse Tal Dist Nashik, Nashik, MAHARASHTRA-422102, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	OPBS240010919096					
कंपनी का नाम Company Name :	Supertek India					
संपर्क नंबर Contact No. :	07757044137					
ईमेल आईडी Email ID :	supertek.indiansk@gmail.com					
पता Address :	ANNAPURNA PREMISES MAINT. CO.OP.SOC,F-1/11,SHALAKA POLYMERS,AMBAD, Nashik, MAHARASHTRA-422010, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-MH-23-0190199					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Female					
जीएसटीआईएन GSTIN:	27BLMPC1848N1ZO					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 7.5 kVA ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Off - Grid Solar Photovoltaic (PV) Power Plant (Q3) मॉडल Model: Entity Green off-gird III एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	399,999	NA	399,999
कुल ऑर्डर मूल्य Total Order Value (in INR)						399,999
परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
		Unbranded Polycrystalline Off-Grid				
	पद Designation : VDO ईमेल आईडी Email ID : gppalse-mh@panchayat.gov.in संपर्क Contact : -					

1	जीएसटीआईएन GSTIN : - पता Address : Grampanchayat Office Palse Tal Dist Nashik, NASHIK, MAHARASHTRA-422102, India	Solar Photovoltaic (PV) power plant, Capacity 7.5 kVA	-	1	13-Mar-2024	28-Mar-2024
---	--	---	---	---	-------------	-------------

Product Specification for Unbranded Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 7.5 kVA

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
PV Module	Module glass air withstand capacity (km/hrs)	>=200km/hr
	Type of Solar Module	Polycrystalline
	Additional features	PID Resistance Technology,Multi-Layer EVA Encapsulation
	Rated power of each PV module used	110W
	Module conformity to specification	IEC 61215 Ed2,IEC 61701,IEC 61730 -1,IEC 61730-2
	Module linear power output degrading warranty	25 year
	Zero negative power tolerance	Yes
	Module frame material	anodised aluminium alloy frame
	Junction box Protection class	IP67
	open circuit voltage	21 Volt
	Marking on PV module	Name of manufacturer,month & year of manufacturing,I-V curve of module,Peak Power,Im,Vm,Fill factor,Serial no.,Model number,Name of Lab issuing IEC,date & year of obtaining IEC PV module qualification
	Module efficiency	>=17%
	Module product warranty	25 year
Power Conditioning Unit (PCU)	Power factor for lead	>=0.8
	Charger technology	MPPT
	Warranty of PCU	60 month
	Electrical protections	Under/over voltage protection at input & output of battery,Reverse polarity protection for array & battery,Output overload protection,Short circuit protection,Over temperature protection,Surge protection
	Output phase	Single
	Charging stages	Boost,Absorption,Float
	Output waveform type	Pure Sine Wave
	Rated Output Voltage (AC)	230 Volt
	Rated Power (kVA)	6
	Conformity to specification	IEC 61683,IEC 60068,IEC 60529
	Controller	32 bit DSP controller
	Automatic changeover between solar & AC mains provided	Yes
	Efficiency at STP for linear loading	>=95%
	Protection class	IP20
	Rated Frequency	50 Hertz
	Input Phase	Single
	Maximum operating ambient temperature	50 degree Celsius
	Switching device	IGBT
Nominal battery DC system voltage	72 Volt	
Display parameter	Array voltage,Array current,Array power,Battery voltage,Battery current,Grid Voltage,Output. Day kWh,Date,Time	
Power factor for lag	>=0.8	
Module Mounting Structure	Material of all nuts, bolts & factners etc	Stainless steel
	Adjacent Module air gap	27 millimeter
	Mounting structure wind withstand ability	>=150km/hr
	Weather proof Junction box provided for connections	Yes
	Module tilt angle	10 degree

	Type	Galvanised module mounting structures(MMS)
	Thickness(micron)	>=80
Generic	Component	Balance of System (BOS) Items/Components,Module Mounting Structure,Battery Rack/Trolley,Electrical Connections,DC MCB/DC Distribution Box,AC DISTRIBUTION BOARD (ACDB),Earthing & Lightning Protection
	Additional features to be specified	NA
	capacity of power plant (kVA)	7.5
Battery specifications	Suitable battery stand/size with roller provided	Yes
	Acid level indicator provided	Yes
	Battery voltage	12 Volt
	Battery warranty	5 year
	No of battery	12
	Battery type	Lithium Ferro phosphate (Lifepo4)
	Battery capacity (Ah)	110
	Carrying handle	Yes
	Terminal cover provided	Yes
BOS items	Switches/Circuit breaker/connector with SPD as per	IEC 529,SPD as per IEC 61643-11/12,IEC 60947,IS 60947
	PVC insulated cable for working voltage and UV protected for outer installation as per	TUV,IEC 60228,IS 694,IS 1554
	Protection class of junction box/enclosure box	IP 55,IP 65
	Earthing & Lighting protection as per	IEC- 62561-7
Certifications and Standards	ISO certification number and date	2019101403GS
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Manufacturer should be ISO certified	Yes

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.