

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687722776375

अनुबंध तिथि | Generated Date : 13-Mar-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्ररूप Type :	State Government	पद Designation :	admfrmahoba
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	5281-254902-
विभाग Department :	Revenue Department Uttar Pradesh	ईमेल आईडी Email ID :	sdmmab@nic.in
संगठन का नाम Organisation Name :	Disaster Management Department	जीएसटीआईएन GSTIN :	09KNPC01389D1DZ
कार्यालय क्षेत्र Office Zone:	Collectorate Mahoba	पता Address :	Office of District Magistrate , Collectorate, Mahoba, MAHOBIA, UTTAR PRADESH-210427, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	BUYER
प्रशासनिक अनुमोदन का पदनाम	ADM	भुगतान का तरीका	Offline
Designation of Administrative Approval:	ADM	पद Designation :	admfrmahoba
वित्तीय अनुमोदन का पदनाम	ADM	ईमेल आईडी Email ID :	sdmmab@nic.in
Designation of Financial Approval :		जीएसटीआईएन GSTIN :	09KNPC01389D1DZ
		पता Address:	Office of District Magistrate , Collectorate, Mahoba, Mahoba, UTTAR PRADESH-210427, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	AXK6230010526654
कंपनी का नाम Company Name :	GROUPON ENTERPRISES
संपर्क नंबर Contact No. :	07007947362
ईमेल आईडी Email ID :	grouponenterprises859@gmail.com
पता Address :	1,KESHAR VIHAR,KESHAR VIHAR,Kanpur Nagar,KESHAR VIHAR,KESHAR VIHAR,Kanpur Nagar,UTTAR PRADESH, Kanpur Nagar, UTTAR PRADESH-208012, -
एमएसएई पंजीकरण संख्या MSME Registration number :	UDYAM-UP-52-0007488
एमएसई सामाजिक श्रेणी MSE Social Category :	General
एमएसई लिंग श्रेणी MSE Gender :	Male
जीएसटीआईएन GSTIN:	09DPRPA8308N1Z8

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : GOOD

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : BETCO Laboratory Steel Furniture Island bench with table top ब्रांड Brand : BETCO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भूति Category Name & Quadrant : Laboratory Steel Furniture (Q3) मॉडल Model: BETCO-LB-202 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	60,477	NA	60,477
कुल ऑर्डर मूल्य Total Order Value (in INR)						60,477

परेष्ठी विवरण | Consignee Detail

क्र.सं. S.No	परेष्ठी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : Primary User ईमेल आईडी Email ID : adm.mh-up@gov.in संपर्क Contact : 05281-254902- जीएसटीआईएन GSTIN : -	BETCO Laboratory Steel Furniture Island bench	-	1	13-Mar-2024	27-Apr-2024

Product Specification for BETCO Laboratory Steel Furniture Island bench with table top

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
GENERIC	Type of Lab furniture	Island bench with table top
	Type of Frame for installation of bench	C type frame
	Type of laboratories furniture and allied accessories	Modular
	Cabinet design	Facilitating future equipment retrofits and full reconfigurations without requiring any major modification to the structure
	Ground clearance ± 5 mm	25 mm
	Table back bottom skirting	1 number
	Rear panel	Door type (two doors)
	Provision of Electrical raceway	Yes
	Provision of Electrical points	Yes
	Provision of modular type reagent rack	Door type (two doors)
	Provision of Electrical service panels	Door type (two doors)
	Provision of Gas service panels	Door type (two doors)
	Provision of Verticals	N.A
	Verticals (single)	N.A
	Verticals (double)	N.A
	Mini Vertical Service channel connector	N.A
	Provision of blower (to remove airborne contaminants)	No
	Provision of ducting (for purpose of ventilation)	No
	Scope of supply (offer price to include all cost components)	Furnishing/Installation all the laboratories furnitures and allied accessories along with the supporting structures
	Transportation /freight charges	Offer prices are on free delivery at consignee site
	Approval of laboratory layout plan	No provision of layout plan approval
Technical	Type of Frame	C type Frame - One piece Deep Drawn moulded in EDD CRCA C' frame work with 50 mm width x 50 mm height and epoxy powder coated with self adjusting levellers (No tubular construction) – 2 numbers per table
	Each moulded C frame leg have a load carrying capacity	600 Kgs.
	Material of Frame	Galvanized (Zinc coated) GI steel sheet double skin pass
	Thickness of Frame	1.1 mm
	Cabinets body (casing) material	GI steel sheets
	Thickness of Cabinet frame cover panel	1.1 mm
	Base Cabinets UDL (uniformly distributed load)	300 Kgs
	Drawers support brackets shelves slides thickness	1.1 mm
	Side cover panels material	1.1 mm
	Side cover panels thickness	1.1 mm
	Handles thickness	1.1 mm
	Sandwich type metal shutters (within filled sound deadening material) made up of	GI steel sheets epoxy powder coated
	Sandwich type metal shutters thickness	1.1 mm
	Shelves and Drawers load carrying capacity	40 Kgs
	Overall load carrying capacity of Cabinet	80 Kg (40 Kgs. On each shelf and 40 Kgs. On bottom)
	Rear panel material	GI steel sheets epoxy powder coated
	Rear panel material thickness	1.1 mm
	Vertical construction (for reagent racks)	N.A
	Verticals provided with	N.A
	Each Verticals with Nylon levellers bolts (for levelling)	N.A
	All Verticals with top caps in plastic	N.A

MATERIAL	Reagent shelves bracket made up of	N.A
	Glass for framed sliding and swinging doors	N.A
	Glass for reagent shelfs	6 mm thick wire glass
	Drawers and Doors pulls	Made up of aluminium presser die cast (PDC) handles
	Minimum length of handle	320 mm epoxy powder coated
	Hinges	Made up of SS 304 5 digit knuckle butt hinges (at least 95 degree opening) compliant to SEFA 8M standard
	Minimum thickness of hinges raw material	2 mm
	Number of hinges for shutters / doors under 36 inches in height	Hung on 2 numbers of hinges
	Number of hinges for shutters / doors over 36 inches in height	Hung on 3 numbers of hinges
	Locks	N.A
	"O" ring over the lock barrel	N.A
	Shelf supports	Power coated shelf support clips
	Drawer slides	Heavy duty type telescopic ball bearing slides and CED coated in black colour
	Legs made up of	2.5 mm thick EDD quality GI steel square having 2.5 mm wall thickness
	Leg size	50 mm x 50 mm
	Service pipe supports	L type supports duly perforated
	Service pipe supports made up of	32 mm x 2 mm thick GI flats slotted at a particular pitch epoxy coated
	Work tops	Acid resistant granite 18 mm thick
	Colour of work top	Jet black
DIMENSION	Granites edges	Half rounded mouldings on all working sides of the edges
	Worktop placed on	4 mm thick neoprene rubber stop back (placed in between table tops and table frames work)
	Electrical points	Provided with one number of 3 Module Plate having 5/15Amps combined switch and 1 set of sockets
	Modular type reagent rack	One number rack with 2 Shelf of grade Aluminium and 6 mm thick wired glass (to fit the table)
	Size of side benches/Island benches (LxWxH)	900 mm X 1500 mm X 900 mm
	C Type Fixed Under Bench Cabinet size	500 mm x 500 mm x 540 mm (having one door, one drawer and one adjustable/removable shelf)
SIDE SINK ACCESSORIES	C Type Sliding Under Bench Cabinet size	500 mm x 500 mm x 540 mm (having one door, one drawer and one adjustable/removable shelf)
	Electrical raceway size	150 mm(H) x 150 mm(W) x 900 mm
	Electrical service panels slideable size	200 mm (H) x 150 mm(W) x 900 mm
	Size of Verticals	N.A
	Sink made up of	SS 202
	Sink Size	560 mm(L) x 460 mm(W) x 250 mm(D)
	Number of Sink	1 number
	Water fitting	N.A
BLOWER	Splash guard	N.A
	Peg board	N.A
	Eye Wash fountain (table mounted)	One number (2-way)
	Storage unit	One set Dummy storage unit with two doors
	Exhaust system	N.A
	Fan made up of	N.A
	Condensate drain tube	N.A
	Air suction Capacity	N.A
	Fan mounted on	N.A
	Motor	N.A
	Motor speed	N.A
	Casing made up of	N.A

	Impeller (forward curved centrifugal type) made up of	N.A
DUCTING	Ducting made up of	N.A
	Size of ducting	N.A
LAB STEEL STOOL	Stool with backrest	No
	Revolving type stool	No
	Provision of adjustable height	N.A
	At bottom of legs of stool	N.A
	Seat made up of	N.A
	Backrest made up of	N.A
	Provision of prongs legs	N.A
	Colour shade of the table	As per buyer's choice
STEEL PAINT FINISH AND PERFORMANCES	Furniture finish (C frame, GI steel sheet and Aluminum alloy structure) except table top	Epoxy powder coated
	Making and drilling holes in table top for accommodating the electrical gas	Yes
	Dry Film thickness (test by Elecometer or DFT meter as per ASTM-D 1186-93, IS 13871 : 1993, IS 101)	35 micron (minimum)
	Gloss at 600 reflection (test by Gloss meter as per ASTM-D 523-89 RA 1994 ISO 2813, DIN-67530, IS 13871:1993, IS 101)	70 ± 5 units
	Scratch hardness [test by Scratch hardness tester as per BS-3900PART E2 1970 , IS 101 (part-5/SEC-2) 1988, IS 13871 : 1993]	3 Kgs
	Impact resistance (Test by Impact tester as per ASTM-D2794-93, BS-3900 Part E3 1979, IS 101, JIS K 5400 – 1979, IS 13871 : 1993)	275 Kg.cm
	Cross cut adhesion (Test method : DIN 53151 , ISO 2409 , ASTM D 3002 ASTM D 3359 JIS K 5400-1979, IS 13871 : 1993)	1x1 mm
	Flexibility (test by Cylindrical mandrel bending tester as per DIN-53152, ISO 1519 ASTM D 522 BS 3900 Part E1, IS 101 Part-5 SEC-2 1988)	3.25 mm
	Erichsen Cupping (Test by Erichsen Cupping tester as per JIS K-5400-1990, IS 101 (part5 Sec2) 1988, IS 13871 : 1993	8 mm
	Salt Spray (Test by Salt Spray chamber as per IS 101 (part 6 Sec 1) 1988, ASTM B117-95, IS 13871:1993	1000 hours
TEST REPORT	Availability of Test certificate of the furniture system as per SEFA 8M duly certified by SEFA approved laboratory to prove conformity of products to the specification	No
	Test Report Number - Must declare, if test report available	NA
	Name of the Lab - must declare, if test report available	NA

टिप्पणी|Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें| Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.