

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-51168777198834

अनुबंध तिथि | Generated Date : 13-Mar-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4596224](#)

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्ररूप   Type : State Local Bodies मंत्रालय   Ministry : - विभाग   Department : urban development and housing department संगठन का नाम   Organisation Name : urban development and housing department कार्यालय क्षेत्र   Office Zone : NAGAR PARISHAD SAHEBGANJ	पद   Designation : clerk संपर्क नंबर   Contact No. : - ईमेल आईडी   Email ID : con20.udhd.bh@gembuyer.in जीएसटीआईएन   GSTIN : - पता   Address : URBAN DEVELOPMENT NAGAR PARISHAD SAHEBGANJ BIHAR PIN CODE 843125, MUZAFFARPUR, BIHAR-843125, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval : executive officer वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval : executive officer	Role: BUYER भुगतान का तरीका   Payment Mode: Offline पद   Designation : clerk ईमेल आईडी   Email ID : con20.udhd.bh@gembuyer.in जीएसटीआईएन   GSTIN : - पता   Address : URBAN DEVELOPMENT NAGAR PARISHAD SAHEBGANJ BIHAR PIN CODE 843125, Muzaffarpur, BIHAR-843125, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : 8076180000627316 कंपनी का नाम   Company Name : RUDRA ENTERPRISES संपर्क नंबर   Contact No. : 08405881155 ईमेल आईडी   Email ID : rudraenterprises1155@gmail.com पता   Address : B-10, MAHALAXMI LAXMI, GT ROAD, SAHIBABAD, Ghaziabad, UTTAR PRADESH-201005, - एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-BR-12-0012099 एमएसई सामाजिक श्रेणी   MSE Social Category : General एमएसई लिंग श्रेणी   MSE Gender : Male जीएसटीआईएन   GSTIN: 10DSUPK2097A1ZV

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : RUDRA ENTERPRISES--RUDRA ENTERPRISES Medium Truck Chassis Mounted Suction Cum Jetting Machine with 6000 liter Tank capacity ब्रांड   Brand : RUDRA ENTERPRISES--RUDRA ENTERPRISES ब्रांड प्रकार   Brand Type : Unregistered Brand कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Truck Chassis Mounted Suction Cum Jetting Machine (Medium) (Q3) मॉडल   Model: RUDRA ENTERPRISES--TCMSCJM 6KL एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	6,000,000	NA	6,000,000
कुल ऑर्डर मूल्य   Total Order Value (in INR)						6,000,000

क्र.सं.   S.No	परोक्षिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By

1	<p>पद   Designation :-  ईमेल आईडी   Email ID : con20.udhd.bh@gembuyer.in  संपर्क   Contact :-  जीएसटीआईएन   GSTIN :-  पता   Address : URBAN DEVELOPMENT NAGAR PARISHAD SAHEBGANJ  BIHAR PIN CODE 843125,  MUZAFFARPUR, BIHAR-843125, India</p>	<p>RUDRA ENTERPRISES--  RUDRA ENTERPRISES  Medium Truck Chassis  Mounted Suction Cum  Jetting Machine with  6000 liter Tank capacity</p>	-	1	13-Mar-2024	11-Jun-2024
---	--	--	---	---	-------------	-------------

**Product Specification for RUDRA ENTERPRISES--RUDRA ENTERPRISES Medium Truck Chassis Mounted Suction Cum Jetting Machine with 6000 liter Tank capacity**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Certification	Chassis Certification ARAI/VRDE/ICAT	Yes
	Chassis Certification ARAI/VRDE/ICAT No	AASN0367
	Form 22 A - For compliance with pollution standards, safety standards of components and road worthiness as per CMVR Rules	Yes
	Conforming to IS:13496 for Suction Machine for cleaning Sewers, Manholes and ancillary structures provided on sewer line and closed storm water drains	Yes
	Conforming to IS:11387 for high pressure jetting machine for sewer cleaning	Yes
	Availability of test reports for all critical components from the manufacturer or OEM of Jetting Pumps, vacuum pumps, power takeoff unit, Jetting Hose etc shall be from any ILAC /NABL accredited / Central Govt Lab to be furnished to buyers on demand	Yes
	Registration To Local RTO (Regional Transport Office)/RTA(Regional Transport Authority) By Seller	Yes
	NGT approval needs to be provided bu the Govt department	Yes
Generic Parameters	Make and Model of Vacuum Pump	JUROP/MORO/EQV.
	Make and Model of Jetting Pump	PRATTASOLI/P JET/EQV
	Make and Model of Jetting Hose	PARKER OR EQUIVALENT
	Make and Model of PTO	PZB OR EQUIVALENT
	Make and Model of Hydraulic Motor	PARKER OR EQUIVALENT
	Make and Model of Hydraulic Pump	BOSS OR EQUIVALENT
	Make and Model of Suction Hose	DURAFLEX OR EQU
	Make and Model of Jetting Nose	NUOVA CON OR EQUI
	Chassis Make and Model	TATA LPT 1216
	Chassis Model Number	TATA LPT 1216
	Chassis Type	Medium Motor Vehicle
	Type of Fuel	Diesel
	Chassis Gross Vehicle Weight	11990 kilogram
	Kerb Weight	3870 kilogram
	Engine Capacity (cc)	3770
	Pay Load Capacity (Tonne Load)	8.1
	Vehicle Emission Compliance	BS-VI
	Engine BHP	123 horsepower
	Engine Torque Max@rpm	400 Newton
	Maximum Speed of Vehicle(KM/Hr)	80
	No of Speed/ Forward Gears	6
	Braking Distance	30.5 meter
	Gradeability of Vehicle (%)	13.3
Wheel Base	4300 millimeter	
Engine Aspiration System	Turbocharged Intercooler	
Mount Type	Truck Mounted Unit	
Fuel Tank Capacity	160 liter	
Capacity of Split Shaft PTO of the vehicle (kgm)	400	
Overall Length	7000 millimeter	
Overall Width	2500 millimeter	

Equipment Length	5490 millimeter
Equipment Height	3500 millimeter
Equipment Rear Over Hang	Yes
If Yes, Declare Equipment Rear Over Hang	2160 millimeter
Type of Front Axle and Suspension System	Semi-elliptical
Type of Rear Axle and Suspension System	Semi-elliptical
Derrick Arm Available	No
Vacuum Pump - Rotary Vane / Sliding Vane	Yes
Type Of Cooling	AIR Cooling
Vacuum Pump Flow (cum/hr)	540
Vacuum Pump Power (hp@rpm)	15.2
Vacuum Relief Valve Size	1.5 inch
Vacuum Suction Depth	8 meter
Suction Hose - Lightweight, heavy duty ,reinforced ,PVC along with quick connect coupling arrangement	Yes
Suction Hose Internal Diameter	100 millimeter
Suction Hose Length	3 meter
Number of Suction Hose (Nos)	5
Safety Equipments	Yes
Silencer/ Filter(Micro Strainer)	Yes
Exhaust Silencer and injection cooling air Inlet Silencer/ Filter	Yes
Blower Outlet and Air- Exhaust Silencer	Yes
Check valve	Yes
Vacuum Limitation Valve	Yes
Drain Off valve	Yes
High Pressure Jetting Pump With pressure regulating Arrangement	Yes
Jetting Pump - Triplex plunger reciprocating pump	Yes
Working Pressure Range of Jetting Pump	140 bar
Water Flow for Pump of Jetting Machine (LPM)	226
Pressure Relief Valve Size	1.5 inch
Jetting hose inner Diameter (Capable of withstanding one point five times the maximum pressure generated by the pump)	25 millimeter
Jetting Hose Length	120 meter
Number of Nozzles for removing Blockage (Conical Head)	1
Number of Nozzles for Flushing Sewer lines( Round Head)	1
Number of balanced Nozzles for dry silt	1
Water storage Tank Capacity	3500 liter
Sludge Storage Tank capacity	2500 liter
Total Tank Capacity (sludge tank+water tank)	6000 liter
Maximum working pressure of Jetting Hose	172 bar
Minimum Burst pressure of Jetting Hose	430 bar
Thickness of tank plate of SS 304 with proper re inforcement to withstand the required forces	6 millimeter
Material of tank - Steel of Grade SS-304	Mild Steel (Grade-A) Confirming to IS 2062 latest
Surface preparation and finish of tank's Exterior - sanded prior to spray painting and spray painted with two coats of superior quality anti corrosive primer and two coats of enamel metal paint	Yes
Surface preparation and finish of Tank's Interior - clean water two coats anti corrosive primer & two coats of grey enamel paint & Sludge shall be with two coats of epoxy paint to resist corrosion	Yes
Provision for locking and unlocking arrangement of rear gate of tank, to be operated hydraulically for quick tipping and cleaning	Yes
Hose Reel Drive operated by hydraulic motor	Yes

Constructional  
Parameters

	Dished Head	Yes
	Tank Rear Door Opening by hydraulic system	Yes
	Reinforcement rings in pipes	Yes
	Hydraulic Pump Type	Gear Type
	Water Level Indicator Type (with safety coverage)	ACRYLIC TUBE
	Water Level Indicator Nos	2
	Thickness of Cover for Engine, Pump and Hose Reel compartment	3 millimeter
	Material of Cover for Engine, Pump and Hose Reel compartment	MS Sheet
	Full bore Quick Acting Valves in the sewage path	Yes
	Air Pumps to safeguard the pump from overloading	Yes
	Make and Model of Air Pump	Standard
	Sludge Trap between the Air Pump and the Tank	Yes
	Float cut out valve to seal the pump suction line	Yes
	Lubricating system for reducing friction loss	Yes
	Three sewer cleaning nozzles with varying rearward angles	Yes
	One nozzle extension for easy fixing of the hose and the nozzle	Yes
	Two stop tank strainer elements	Yes
	Two sets of operation and service manuals and spare parts lists	Yes
	Hose guide	Yes
	Counter	Yes
Essential Spares	Set of seal kit for Hydraulic Cylinder	Yes
	Set of seal kit for Hydraulic Motors	Yes
	Set of seal kit for Hydraulic Pumps	Yes
	Set of Filters for Hydraulic Systems	Yes
	Suction hose 30mtr and Jetting hose 120mtr	Yes
Performance Parameters	Warranty Time	24 month
	Warranty Distance	50000 kilometer
	No of Free Service (Minimum 3 per year)	Yes

#### शुद्धिपत्र | Corrigendum

1. तक बढ़ाया गया | Extended Upto : 2024-02-21 14:00:00
2. तक बढ़ाया गया | Extended Upto : 2024-02-22 14:00:00

#### ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक   Advisory Bank :	NA
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	NA

#### नियम और शर्तें | Terms and Conditions

##### 1. Special terms and conditions- Version:2 effective from 03-11-2023

- 1.1 ARAI of complete product / equipment. If it is not available then ARAI of chassis will be required along with confirmation from supplier (OEM/fabricator only) that they are conforming the CMVR rules for compliance of equipment and registration of equipment with RTO is their responsibility.,Only bid /RA option will be available for buyer as these equipments are not standard and freight Intensive product.,Test reports if any, desired by buyer will be provided by seller at the time of supply.,Operational and maintenance contract if desired by buyer will be provided as per their requirement.,Delivery period will be 90 days (normal).
- 1.2 Test reports if any, desired by buyer will be provided by seller at the time of supply.
- 1.3 Operational and maintenance contract if desired by buyer will be provided as per their requirement.
- 1.4 Delivery period will be 90 days (normal).

##### 2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

### 3. Buyer Added Bid Specific Terms and Conditions-

#### 3.1 *Generic*

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### 3.2 *Generic*

After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 5 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 5 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing– the delivery period shall be refixed without LD for the period of delay in approval of Drawing.

#### 3.3 *OEM*

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

#### 3.4 *Inspection.*

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

NABL

Post Receipt Inspection at consignee site before acceptance of stores:

NABL

#### 3.5 *Financial Criteria:*

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

#### 3.6 *Scope of Supply.*

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

#### 3.7 *Certificates:*

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

#### 3.8 *Certificates:*

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

#### 3.9 *Buyer Added Bid Specific ATC:*

Buyer Added text based ATC clauses

ISO Certificate 14855:20122. Bidder must submit CVC Certificate 3. Bidder must submit 10721-1: 2012 Certificate 4. Bidder must submit ISO 9001IAF Certificate 5. Bidder must submit OEM Certificate. 6. Bidder must submit Green certificate, CE, GMP 7. ISO 14001, ISO 38341, ISO 45001, ISO 16732, IEC 61010. 8. AFF IDAVIT Non-blacklisting RS 100 in Bihar J udiciary. 9. Bidder must have service centre in Bihar.

#### 3.10 *Turnover:*

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

#### 3.11 *Turnover:*

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

#### 3.12 *Service & Support:*

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

#### 3.13 *Service & Support:*

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

#### 3.14 *Service & Support:*

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.