

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687772798861

अनुबंध तिथि | Generated Date : 13-Mar-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : Statutory bodies मंत्रालय Ministry : Ministry of Agriculture and Farmers Welfare विभाग Department : Department of Agriculture Cooperation and Farmers Welfare संगठन का नाम Organisation Name : National Co-operative Development Corporation (NCDC) कार्यालय क्षेत्र Office Zone: Pune	पद Designation : Deputy Director संपर्क नंबर Contact No. : 020-26127049- ईमेल आईडी Email ID : surbhi@ncdc.in जीएसटीआईएन GSTIN : 27AAACN1964F1ZK पता Address : NATIONAL COOPERATIVE DEVELOPMENT CORPORATION B J ROAD 5 PUNE 411001 NEAR WOODLAND HOTEL, PUNE, MAHARASHTRA-411001, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : Yes प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: Director वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : Director	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : Assistant Director ईमेल आईडी Email ID : pay1.ncdc.pune@gembuyer.in जीएसटीआईएन GSTIN : N पता Address: NATIONAL COOPERATIVE DEVELOPMENT CORPORATION B J ROAD 5 PUNE 411001 NEAR WOODLAND HOTEL, PUNE CITY, MAHARASHTRA-411001, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 77F4180000553048 कंपनी का नाम Company Name : YASH ENTERPRISES संपर्क नंबर Contact No. : 08788016399 ईमेल आईडी Email ID : yeshwantjadhav4@gmail.com पता Address : S.NO. 260/2/2A, NEAR BADRINATH MANDIR, KALWAD WASTI, LOHEGAON, PUNE, MAHARASHTRA-411032, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-MH-26-0105259 एमएसई सामाजिक श्रेणी MSE Social Category : OBC एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 27AMJPJ5165A1Z8

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : SEGi LED--SOURABH ENGINEERS & GRAPHICS (INDIA) 2400 x 3240 (HxL) (MM) LED Based Information Display System ब्रांड Brand : SEGi LED--SOURABH ENGINEERS & GRAPHICS (INDIA) ब्रांड प्रकार Brand Type : Unregistered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : LED Based Information Display System (Q4) मॉडल Model: SP10X0 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	52,000	NA	52,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						52,000

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : BUYER-CONSIGNEE ईमेल आईडी Email ID : surbhi@ncdc.in	SEGi LED--SOURABH				

1	संपर्क Contact : 020-26127049- जीएसटीआईएन GSTIN : 27AAACN1964F1ZK पता Address : NATIONAL COOPERATIVE DEVELOPMENT CORPORATION B J ROAD 5 PUNE 411001 NEAR WOODLAND HOTEL, PUNE, MAHARASHTRA-411001, India	ENGINEERS & GRAPHICS (INDIA) 2400 x 3240 (HxL)(MM) LED Based Information Display System	-	1	13-Mar-2024	28-Mar-2024
Product Specification for SEGi LED--SOURABH ENGINEERS & GRAPHICS (INDIA) 2400 x 3240 (HxL)(MM) LED Based Information Display System						
विनिर्देश Specification		उप-विनिर्देश Sub-Spec			मूल्य Value	
Display Details	Height (min)(mm)				2400	
	Length(min)(mm)				3240	
	LED Pitch (max) (mm)				10	
	LED Display Board Type				Single	
	LED Colour				Red	
	LED Type				SMD	
	Language				English,Regional	
	Unicode Support				Other	
	Number of Display Lines				24	
	Type of Displayed information				static + Scrolling both	
	Viewing Angle				Horizontal 160 Deg or higher & Vertical 130 Deg or higher	
	Viewing Distance (Meter)				10	
	Automatic Brightness Control				Yes	
	LED Brightness(Cd/m2)				2001 - 3000	
	pixel Pitch (mm)				10	
	Minimum Pixel Density (Dots/meter2)				2500	
	Maintenance				Rear	
Duty Cycle				16 x 7		
Life Span (Hours)				50000		
Construction	Display System				It is consisting of LED Display Board + embedded controller	
	Cabinet				Steel/Alluminium Box Duly Powder Coated	
	Type of Installation				Outdoor	
Connectivity & Ports	Gigabit Ethernet Port Availability				1	
	Wi Fi Connectivity				No	
	If Yes, Type of Wi Fi connectivity				NA	
	USB Port				1	
	GSM connectivity				No	
	If Yes, cellular Data Support				NA	
Controller	Controller availability				Yes	
	Capable of sensing and sending its Geo-location to the server for language localization and remote asset monitoring				No	
	Data transaction should be encrypted and secured				Yes	
	Supports Unicode				No	
	On-board Real Time Clock with Battery backup				Yes	
	On-board Flash Memory to store operational data				Yes	
	Software / Firmware updation)				On Site	
	Protocol Supported				NA	
	Self diagnostics and status report on request from remote server				Yes	
	Number of Analog Input				0	
	Number of Digital Input				0	
	Number of Analog Output				0	

	Number of Digital Output	0
Generic	Input Voltage (VAC)	110-240
	Maximum Power Consumption (Watt)	900
	Weight (KG)	120
Test and Protection	Ingress Protection (Minimum IP)	65
	Endurance Test at 27 C +/- 2 Deg C	Yes
	Vibration Test at 1 point 5 mm peak to peak over a specified frequency Range, i e 5 - 50 Hz and return to 5 Hz at a linear sweep period of 1 minute / complete sweep cycle and 10 g at maximum frequency for 1 Hour	Yes
	Dust Test as per IS/IEC 60529:2001	Yes
	Water Test as per IS/IEC 60529:2001	Yes
	Dry Heat Test as per IS: 9000 at 85 deg C +/- 2 Deg C for 16 Hrs	Yes
	Humidity Test as per IS: 9000 at 25 deg C +/- 3 Deg C and 95% Humidity for 1 Hours	Yes
	Cold Test as per IS: 9000 at -25 deg C +/- 2 Deg C for 2 Hrs	Yes
Certification	BIS Registration under CRS of Meity for LED Based Display including Controller	Yes
	If Yes, BIS Registration Number and its validity (Certificate may be furnished to the buyer as and when demanded by the buyer)	R-81009385 & 15.7.25
	RoHS Compliance	Yes
	Other Certifications available	UL,CE,FCC
	ISO 9001/2015 Certification for Design, production and After Sales Service	Yes
Operating Conditions	Minimum Operating Temperature (degree C)	-20
	Maximum Operating Temperature (degree C)	70
	Minimum Operating Humidity (%RH)	10
	Maximum Operating Humidity (%RH)	95
Scope of Supply	Installation integration and commissioning shall be included in the scope of supply	Yes
Warranty	On Site OEM Warranty (Year)	1

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.