

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687734228356

अनुबंध तिथि | Generated Date : 13-Mar-2024

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्ररूप   Type : State Government	पद   Designation : ACCOUNT NRHM
मंत्रालय   Ministry : -	संपर्क नंबर   Contact No. : 0712-2458833-
विभाग   Department : Public Health and Family Welfare Department	ईमेल आईडी   Email ID : buycon97.phfwdm.mh@gembuyer.in
संगठन का नाम   Organisation Name : N/A	जीएसटीआईएन   GSTIN : 27NGPD05887A1D6
कार्यालय क्षेत्र   Office Zone: REGIONAL MENTAL HOSPITAL NAGPUR	पता   Address : GANDHIBAG NAGPUR, NAGPUR, MAHARASHTRA-440018, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No	Role: BUYER
प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: MS	भुगतान का तरीका   Payment Mode: Offline
वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: MS	पद   Designation : ACCOUNT NRHM
	ईमेल आईडी   Email ID : buycon97.phfwdm.mh@gembuyer.in
	जीएसटीआईएन   GSTIN : 27NGPD05887A1D6
	पता   Address: GANDHIBAG NAGPUR, Nagpur, MAHARASHTRA-440018, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : 29YK210002145513
कंपनी का नाम   Company Name : Vishwakarma Enterprises
संपर्क नंबर   Contact No. : 07385790017
ईमेल आईडी   Email ID : vishwakarmaenterprises010894@gmail.com
पता   Address : PLOT NO 02,vidhya nagar,wathoda road,nandanvan, Nagpur, MAHARASHTRA-440009, -
एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-MH-20-0005319
एमएसई सामाजिक श्रेणी   MSE Social Category : OBC
एमएसई लिंग श्रेणी   MSE Gender : Male
जीएसटीआईएन   GSTIN: 27ASCPV8701H1ZH

\*जिसके नाम के पक्ष में GST/TAX इनवाइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : ok

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : Imperial Biotech Blood Bag Tube Sealer (Dielectric Tube Sealer) Bench Top ब्रांड   Brand : Imperial Biotech ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Blood Bag Tube Sealer (Dielectric Tube Sealer) (Q2) मॉडल   Model: ITS-03 एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	149,149	NA	149,149
कुल ऑर्डर मूल्य   Total Order Value (in INR)						149,149

क्र.सं.   S.No	परोक्षिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिलोक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
	पद   Designation : ACCOUNT NRHM ईमेल आईडी   Email ID : buycon97.phfwdm.mh@gembuyer.in	Imperial Biotech Blood				

1	संपर्क   Contact : 0712-2458833- जीएसटीआईएन   GSTIN : 27NGPD05887A1D6 पता   Address : GANDHIBAG NAGPUR, NAGPUR, MAHARASHTRA-440018, India	Bag Tube Sealer (Dielectric Tube Sealer) Bench Top	-	1	13-Mar-2024	28-Mar-2024
---	--	--	---	---	-------------	-------------

**Product Specification for Imperial Biotech Blood Bag Tube Sealer (Dielectric Tube Sealer) Bench Top**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
GENERAL FEATURES	Product Description	Blood Bag Tube Sealer (Dielectric Tube Sealer)
	Purpose	Blood bag tube sealer is a compact equipment to seal the blood bag tubing
PRODUCT TECHNICAL INFORMATION	Type of Model	Bench Top
	Able to seal the blood bag tubing quickly and effectively	Yes
	Simple to handle and easy to clean	Yes
	Shall not cause hemolysis of blood within the tubing	Yes
	Provides uniform sealing irrespective of power supply variations	Yes
	Mode of operation	Continuous
	Technology used for sealing	Radiofrequency Heating
	RF output frequency	40.68 MHz
	RF output power for sealing	≤ 20 watt
	RF signal is applied only after the tube is fully squeezed	Yes
	Sealing time	≤ 3 seconds (Adjustable)
	Seal thickness	2-6 mm
	Maximum tube diameter than can be sealed	6 mm
	Sealing Trigger	Automatic
	Equipped with extended portable hand unit with coaxial cable	Yes
	Length of coaxial cable	1.5 to 2.0 meter
	Visual indication for	Ready,Seal,Power
	Indicator lamp for sealing process	On Handle,On Main Unit
	Warm up time	No warm up time required
	Separable rupture line to ensure easy separation of tube segments after the sealing	Yes
Electrodes shall be well protected by a cover to prevent blood splutter	Yes	
Weight of the equipment	Less than 8 Kg	
Dimensions in mm (L x W x H)	275X175X120	
POWER SOURCE	Power Source	Both Mains (230 ± 10 Volts / 50 Hz AC, fitted with appropriate Indian Plug) and Rechargeable Battery Operated (with more than 10 hours of back up)
	Suitable Battery Charger operable with 230 V± 10, 50 Hz AC inclusive in the scope of supply	Yes
	Number of seals per charge	≥ 1000 continuous seals of PVC tubes from a fully charged battery
	Minimum number of seals per hour	≥ 40
	Suitable voltage corrector with spike protector inclusive in the scope pf supply	Yes
ENVIRONMENTAL CONSIDERATIONS	Capable of operating continuously in ambient temperature of 10 to 40 deg celcius and relative humidity of 15 to 90 %	Yes
	Capable of being stored continuously in ambient temperature of 0 to 50 deg celcius and relative humidity of 15 to 90 %	Yes
CERTIFICATIONS, STANDARDS & SAFETY	Availability of test report from the principal manufacturer to prove conforminty to the declared specifications	Yes
	Product certifications	EU-CE Class II A,US-FDA,CDSCO
	Four digit number of notified body If product is EU-CE certified	1915/1/2023
	Manufacturer certifications	ISO : 13485 & ISO:9001,ISO:9001,ICMED : 13485
	Certifications for electrical safety	IEC (class 1) or class II type B (or Equivalent BIS) to protect against electric shock

	Certification for electromagnetic compatibility	IEC-60601-1-2 (or Equivalent BIS) General requirements of safety for Electromagnetic Compatibility
	Calibration certificate to be provided in respect of all the parameters that require calibration	Yes
	Submission of all necessary certifications, licenses and test reports to the buyer along with supplies	Yes
INSTALLATION & TRAINING	Supplier to perform installation, safety and operation checks before handover	Yes
	Training of users in operation till familiarity with the system and basic maintenance to be provided	Yes
WARRANTY & MAINTENANCE	Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	3 year
	Downtime	Less than 48 hours
DOCUMENTATIONS	Electronic and hard copies of user and service manual in English to be provided	Yes
	Product catalogue, technical write up in English to be provided both in hard and electronic copies	Yes
	Complete construction details in respect of material, Specifications, thickness, finish etc to be furnished	Yes
	Log book with instruction for daily, weekly, monthly and quarterly maintenance checklist to be provided	Yes
ADDITIONAL REQUIREMENTS	Set of equipments required for calibration and routine preventive maintenance as per manufacturer documentation in service/technical manual to be provided	Yes
	Equipment shall specify qualifications for design installation, operation and performance	Yes
	Performance, efficiency other factors applicable to be furnished	Yes
NOTES	Service support contact details to be provided	Yes
	Any recommendations for best use and supplementary warning for safety shall be declared by the manufacturer	Yes

## ईपीबीजी विवरण | ePBG Detail

NA

## नियम और शर्तें | Terms and Conditions

### 1. Special terms and conditions- Version:2 effective from 24-11-2023

#### 1.1.1. Comprehensive warranty:

Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

#### 2. Service centres:

Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

#### 3. Source of supply:

It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.

#### 4. Packing and Marking:

Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity ,. Packing list reference number , country of origin of goods and any other relevant details.

#### 5. Spare Parts:

Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to

the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied

**6. Installation, Training, Manuals:**

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.

**7. Electrical safety checking:**

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

**8. Software:**

All software updates should be provided free of cost during warranty period.

**2. General Terms and Conditions-**

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.