

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687703045082

अनुबंध तिथि | Generated Date : 14-Mar-2024

<b>संगठन विवरण   Organisation Details</b>		<b>खरीदार विवरण   Buyer Details</b>				
प्ररूप   Type :	State Government	पद   Designation :	Deputy CMO			
मंत्रालय   Ministry :	-	संपर्क नंबर   Contact No. :	0547-222386-			
विभाग   Department :	Medical Health and Family Welfare Department Uttar Pradesh	ईमेल आईडी   Email ID :	buycon264.mhfwdup.up@gembuyer.in			
संगठन का नाम   Organisation Name :	N/A	जीएसटीआईएन   GSTIN :	-			
कार्यालय क्षेत्र   Office Zone:	CHIEF MEDICAL OFFICER MAU	पता   Address :	CMO OFFICE MAU, MAU, UTTAR PRADESH-275101, India			
<b>वित्तीय स्वीकृति विवरण   Financial Approval Detail</b>		<b>भुगतान प्राधिकरण विवरण   Paying Authority Details</b>				
आईएफडी सहमति   IFD Concurrence :	No	Role:	BUYER			
प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval:	CMO MAU	भुगतान का तरीका   Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval :	CMO MAU	पद   Designation :	Deputy CMO			
		ईमेल आईडी   Email ID :	buycon264.mhfwdup.up@gembuyer.in			
		जीएसटीआईएन   GSTIN :	-			
		पता   Address:	CMO OFFICE MAU, Mau, UTTAR PRADESH-275101, India			
<b>विक्रेता विवरण   Seller Details</b>						
जेम विक्रेता आईडी   GeM Seller ID :	IH28200001664848					
कंपनी का नाम   Company Name :	SHIV SHAKTI ENTERPRISES					
संपर्क नंबर   Contact No. :	09452510608					
ईमेल आईडी   Email ID :	SHIVSHAKTIENTERPRISESF28@GMAIL.COM					
पता   Address :	F-28,TRANSPORT NAGAR, Lucknow, UTTAR PRADESH-226012, -					
एमएसएमई पंजीकरण संख्या   MSME Registration number :	UDYAM-UP-50-0040838					
एमएसई सामाजिक श्रेणी   MSE Social Category :	General					
एमएसई लिंग श्रेणी   MSE Gender :	Male					
जीएसटीआईएन   GSTIN:	09ASRPS4659N1ZH					
<b>*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा   GST / Tax invoice to be raised in the name of - Buyer</b>						
<b>वितरण निर्देश   Delivery Instructions : NA</b>						
<b>उत्पाद विवरण   Product Details</b>						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   <b>Product Name</b> : ASKP SOLUTIONS Attendant Controlled Non Powered Wheel Chair with Adjustable Seat Height ब्रांड   <b>Brand</b> : ASKP SOLUTIONS ब्रांड प्रकार   <b>Brand Type</b> : Registered Brand कैटलॉग की स्थिति   <b>Catalogue Status</b> : Catalogue not verified by OEM कैसे बेचा जा रहा है   <b>Selling As</b> : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   <b>Category Name &amp; Quadrant</b> : Wheel Chairs (V2) (Q3) मॉडल   <b>Model</b> : ASKP-WC-V2 एचएसएन कोड   <b>HSN Code</b> : HSN not specified by seller	20	pieces	5,900	NA	118,000
कुल ऑर्डर मूल्य   Total Order Value (in INR)						118,000
<b>परोक्षी विवरण   Consignee Detail</b>						
क्र.सं.   S.No	परोक्षी   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
	पद   Designation : Deputy CMO ईमेल आईडी   Email ID : buycon264.mhfwdup.up@gembuyer.in संपर्क   Contact : 0547-222386-	ASKP SOLUTIONS Attendant Controlled				

1	जीएसटीआईएन   GSTIN : - पता  Address : CMO OFFICE MAU, MAU, UTTAR PRADESH-275101, India	Non Powered Wheel Chair with Adjustable Seat Height	-	20	14-Mar-2024	29-Mar-2024
Product Specification for ASKP SOLUTIONS Attendant Controlled Non Powered Wheel Chair with Adjustable Seat Height						
विनिर्देश   Specification		उप-विनिर्देश   Sub-Spec			मूल्य   Value	
Ungrouped	Low voltage Alarm			NA		
	Hand Rim Outside Diameter (mm)			450		
	Material of Seat			MS		
	Total weight of Wheel Chair (Kg)			16		
	Foot rest Material			PVC		
	Range of Seat Height Adjustment (mm)			FIXED		
	Battery Charger output current rating (Amps)			NA		
	Density of Cushoin material on armrest,seat and Backrest (Kg/m3)			32		
	Leg Guard Width (mm)			19		
	Back rest with Cushion			Yes		
	Hardness of Axle (HRC)			15		
	Hand rim Tube thickness (mm)			5		
	Front castor Dia (mm)			125		
	Cushion on Seat			Without		
	Front castor Swivel Type			Yes		
	Overall Width in unfolded condition of wheel chair (mm)			460		
	Leg guard type			Swinging and Detachable		
	Slope of Seat (Degree)			1		
	Type of Back rest			Removable		
	Overall Length (mm)			1020		
	Type of Wheel Hub			MS		
	Hand Rim Material			MS		
	Foldable			Yes		
	Overall Width in folded condition of the wheelchair (mm)			250		
	Leg Guard Thickness (mm)			12		
	Types of Wheel Chairs			Attendant Controlled Non Powered		
	Material of Handle			MS		
	Frame tube thickness (mm)			1.8		
	Material of Arm Rest			MS		
	Material of Hand Grip			PVC		
	Material of Cushion on armrest, Seat and Backrest			RACCINE		
	Clearance of frame from floor (mm)			160		
	Battery Voltage Rating (Volts)			NA		
	Dia of Axle (mm)			15		
	Overall Height (mm)			810		
	Range of Width Adjustment (mm)			FIXED		
Length of Foot Rest (mm)			170			
Loading Capacity (Kg)			95			
Rear Wheel Rim Material			METAL SHEET			
Thickness of Arm Rest (mm)			50X38			
Battery Charger Input Supply Voltage (Volts)			NA			
Battery Type			NA			
Battery Capacity Rating (AH)			NA			
Rear wheel tyre tread width (mm)			4			

Material of Axle	MS
Arm rest Type	Detachable
Cushion Material Thickness (mm)	2
Seat Depth (mm)	410
Material of Folding Mechanism	MS
Diameter of Tube/ thickness of flat of folding mechanism (mm)	22
Type of Braking System	MANUAL HAND BRAKE
Rear wheel rim thickness (mm)	19
Distance between seat and foot rest (mm)	375
Foot rest surface finish anti slip type	Yes
Clearance of footrest from floor (mm)	127
Seat Cushion Material	NA
Motor power rating (Watts)	NA
Finish of Aluminium casts	Anodized
Hand Rim	Without
Handle for push/pull action of Wheel Chair	Yes
Thickness of Seat (mm)	13.5
Slope of the backrest with respect to floor (Degree)	6
Foot rest thickness (mm)	15
Width of foot rest (mm)	170
Rear wheel tyre type	Pneumatic
Battery Charger output voltage rating (Volts)	NA
Arm rest height from seat (mm)	210
Cushion on Arm rest	With
Number of Speeds (No)	NA
Greadability (Degree)	NA
Material of Back rest	MS
Thickness of Cushion material of Arm rest (mm)	32
Material of frame	MS
Types of foot rest	Swinging with Height Adjustment
Speed max (Kmph)	NA
Warranty (Years)	0.6
Frame tube Dia (mm)	20
Width of wheel chair	Fixed
Seat Height	Adjustable
Seat hight from floor at the front (mm)	3604
Speed Selector	NA
Thickness of back rest (mm)	10
Leg guard Material	MS
Painting of mild steel components	Powder Coated
Product Code Number	NA
Drawing available on web	No
Drawing Number	NA
Product code available on web	No

**टिप्पणी | Note::** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

NA

## नियम और शर्तें | Terms and Conditions

## 1. Special terms and conditions- Version:1 effective from 18-10-2022

## 1.1

1. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
2. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
3. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
4. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
5. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
6. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
7. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
8. Software: All software updates should be provided free of cost during warranty period.
9. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

## 2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.