

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687773955258

अनुबंध तिथि | Generated Date : 14-Mar-2024

संगठन विवरण   Organisation Details		खरीदार विवरण   Buyer Details
प्ररूप   Type :	State Government	पद   Designation : BASAVARAJ AINAPUR
मंत्रालय   Ministry :	-	संपर्क नंबर   Contact No. : 08352-295406-
विभाग   Department :	Rural Development and Panchayat Raj Department Karnataka	ईमेल आईडी   Email ID : basavaraj.ainapur@edukar.gov.in
संगठन का नाम   Organisation Name :	N/A	जीएसटीआईएन   GSTIN : -
कार्यालय क्षेत्र   Office Zone:	TALUK PANCHAYAT TIKOTA	पता   Address : TALUK PANCHAYAT OFFICE NEAR HAJI MASTANA DARGA TIKOTA, BIJAPUR, KARNATAKA-586130, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail		भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence :	No	Role: BUYER
प्रशासनिक अनुमोदन का पदनाम	EO TIKOTA	भुगतान का तरीका   Offline
Designation of Administrative Approval:		Payment Mode:
वित्तीय अनुमोदन का पदनाम	EO TIKOTA	पद   Designation : BASAVARAJ AINAPUR
Designation of Financial Approval :		ईमेल आईडी   Email ID : basavaraj.ainapur@edukar.gov.in
		जीएसटीआईएन   GSTIN : -
		पता   Address : TALUK PANCHAYAT OFFICE NEAR HAJI MASTANA DARGA TIKOTA, Bijapur, KARNATAKA-586130, India

विक्रेता विवरण   Seller Details	
जेम विक्रेता आईडी   GeM Seller ID :	800Y230010314191
कंपनी का नाम   Company Name :	GLOBAL ENTERPRISES
संपर्क नंबर   Contact No. :	08618410708
ईमेल आईडी   Email ID :	globalenterprises13@gmail.com
पता   Address :	SHOP NO 03,SANGAMESHWAR COMPLEX,SAI PARK ROAD,EKTA NAGAR, BIJAPUR, KARNATAKA-586109, -
एमएसएमई पंजीकरण संख्या   MSME Registration number :	-
जीएसटीआईएन   GSTIN:	29DNVPM7125P1ZT

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : JKSS 8MP BULLET CAMERA ब्रांड   Brand : JKSS ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भाँश   Category Name & Quadrant : Camera for CCTV System (Q2) मॉडल   Model: 8MP BULLET CAMERA एचएसएन कोड   HSN Code: HSN not specified by seller	12	pieces	18,341.6	NA	220,099.2
कुल ऑर्डर मूल्य   Total Order Value (in INR)						220,099.2

परेषिती विवरण | Consignee Detail

क्र.सं.   S.No	परेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : BASAVARAJ AINAPUR ईमेल आईडी   Email ID : basavaraj.ainapur@edukar.gov.in संपर्क   Contact : 08352-295406- जीएसटीआईएन   GSTIN : - पता   Address : TALUK PANCHAYAT OFFICE NEAR HAJI MASTANA DARGA	JKSSE 8MP BULLET CAMERA	-	12	14-Mar-2024	29-Mar-2024

**Product Specification for JKSS 8MP BULLET CAMERA**

विवरण   Specification	उप-विवरण   Sub-Spec	मूल्य   Value
IMAGE SENSOR	Image Sensor Type	CMOS
	Image Sensor Size	0.37 inch
	Camera Image Sensing capacity (Picture Mode)	8MP
	Resolution	4K HD (3840 X 2160 Pixel), 4MP(2560×1440)
	Day/Night Capable	Yes
	IR illumination Range(mtr)	50
CAMERA TYPE	Type of Camera Housing	BULLET CAMERA
	IP Camera	Yes
	PTZ Camera	No
OPTICS	Lens Type	Fixed
	Focal Length(mm)	3.6
	Iris Control	Fixed iris
	Focus Mode	Auto, Manual
VIDEO	Frame Rate (fps)	25, 30, 50, 60, 15, 20
	Video Compression	H.264, H.265+, H.265+
	Video Streaming	Triple compressed stream
PAN / TILT / ZOOM	Panning Range	NA
	Pan Speed (deg/sec)	NA
	Tilt Range below horizontal (deg)	NA
	Tilt Range above horizontal (deg)	NA
	Tilt Speed (deg/sec)	NA
	Optical Zoom	NA
	Digital Zoom	16X
AUDIO	Audio Support	No
	Audio Compression	NA
	Audio Streaming	NA
	Number of Audio Input Channel	NA
	Number of Audio Output Channel	NA
	External Microphone Support	No
ALARM	Alarm Support	No
	Number of Alarm Digital Input	NA
	Number of Alarm Relay Output	NA
	Pre/Post Alarm Buffer	No
SECURITY	Multi Level User ID/Password	Yes
	IP Address Filtering	Yes
	Encrypted Data Transmission	HTTPS (SSL/TSL)
PERFORMANCE	Minimum Illumination for Capturing Color Image	0.01 lux
	Electronic Shutter Speed(sec)	1 to 1/100,000
	WDR (Wide Dynamic Range)	120 dB
	SNR (Signal to Noise Ratio)	50-60
	Auto Exposure	Auto Level Control, Electronic Level Control
	White Balance ( Indoor/Out door/Manual Selectable)	Yes
	Auto Gain Control (On/Off selectable)	Yes
	Back Light Compensation	Yes
	Remote Administration (Remote configuration and status using web based tool)	Yes

FEATURES	Remote System Update Over Network	Yes
	PC Client (PC application client with a channel recording feature support)	Yes
	Web Client (Viewer through HTTP system configuration)	Yes
	On Screen Display in English	Yes
	ONVIF Support	Yes
	Presets	0
	Group Touring	0
	Privacy Zones	4
NETWORK AND INTERFACE	Supported Protocols	UDP,SNMP,IGMP,DHCP,RTP,RSTP,HTTP,SMTP
	IP Support	Static,Dynamic
	Signal Processing	Digital Signal Process
	IPv6 ready	Yes
	Wireless	No
	Simultaneous Connections	4
STORAGE	On Board SD Card Support	Yes
	SD Card Memory(GB)	512
HOUSING	Installation Type	Indoor,Outdoor
	Material of the Housing construction	Alluminium
	Protection	IP67
	Vandal Resistant Housing	No
	If Yes, IK rating	NA
	Mounting bracket	Wall Mounted
	Weight	380 gram
POWER SUPPLY	Dimensions (mm x mm x mm)	-
	Power Input	12 V DC
	Power Consumption	8 Watt
OPERATING CONDITIONS	Suitable Adapter Shall be Supplied to Make the Equipment Work on 230 V (+/- 10 %), 50 Hz	Yes
	Operating Temperature Range	- 30 to +60 deg C
	Relative Humidity Non Condensing (%)	95
WARRANTY / SERVICES	Warranty	1 year
	Time for Replacement of Defective Product During Warranty Period	72 hour
	Supply of Compatible drivers and software included	Yes
ENVIRONMENTAL / CERTIFICATION	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	Yes
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	Yes
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	Yes
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	Yes
	Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	Yes
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes
	Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report Number and Date	-
	Name and Address of Test Lab	-
	Certification	FCC,CE,BIS,RoHS
उत्पाद का बीआईएस लाइसेंस   BIS license of the product: 91013226		
ईपीबीजी विवरण   ePBG Detail		

**नियम और शर्तें| Terms and Conditions****1. General Terms and Conditions-**

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.