

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687723048632

अनुबंध तिथि | Generated Date : 14-Mar-2024

## संगठन विवरण | Organisation Details

प्ररूप | Type : Central PSU  
मंत्रालय | Ministry : Ministry of Railways  
विभाग | Department : Railways Public Sector Undertakings  
संगठन का नाम | Organisation Name : Container Corporation of India Limited  
कार्यालय क्षेत्र | Office Zone : Corporate Office

## खरीदार विवरण | Buyer Details

पद | Designation : Asst Executive Tech  
संपर्क नंबर | Contact No. : -9560970180-  
ईमेल आईडी | Email ID : buycon207.ccil.gj@gembuyer.in  
जीएसटीआईएन | GSTIN : -  
पता | Address : Container Corporation of India Ltd., Jamiyatpura Village Road, Near Khodiyar Railway Station, Sarkhej Gandhinagar Highway, Distt. Gandhinagar, Ahmedabad-382421, GANDHI NAGAR, GUJARAT-382421, India

## वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No  
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval: CM/KHDB  
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : CM/KHDB

## भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO  
भुगतान का तरीका | Payment Mode: Offline  
पद | Designation : Dy General Manager F and A  
ईमेल आईडी | Email ID : pay13.ccil.gj@gembuyer.in  
जीएसटीआईएन | GSTIN : 24AAACC1205A1ZT  
पता | Address : Container Corporation Of India Ltd., North West Region 301, B- Block, 3rd Floor, Sakar-VII, Nehru Bridge Corner, Ashram Road, Ahmedabad-380006, Ahmedabad, GUJARAT-380009, India

## विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : B7A8180000314177  
कंपनी का नाम | Company Name : HARIKRUPA FIRE INDUSTRIES  
संपर्क नंबर | Contact No. : 09898948444  
ईमेल आईडी | Email ID : harikrupafire@gmail.com  
पता | Address : 15D BLOCK B,,SUMEL BUSINESS PARK,,NEAR,CHAMANPURA CIRCLE,,ASARWA, Ahmedabad,, Gujarat-380018, -  
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-GJ-01-0006866  
एमएसई सामाजिक श्रेणी | MSE Social Category : General  
एमएसई लिंग श्रेणी | MSE Gender : Female  
जीएसटीआईएन | GSTIN: 24ANIPP7061M1ZJ

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

## उत्पाद विवरण | Product Details

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : KRUPAL Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure ≤19 bar) Foam Based (as per IS 4989) Class -A ब्रांड   Brand : KRUPAL ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Portable Fire Extinguishers (V2) as per IS 15683:2018 (Q2) मॉडल   Model: KRUPAL FIRE / REFILLING OF 9 LTR MECHANICAL FOAM एचएसएन कोड   HSN Code: HSN not specified by seller	17	pieces	756	NA	12,852
कुल ऑर्डर मूल्य   Total Order Value (in INR)						12,852

## परेषिती विवरण | Consignee Detail

क्र.सं.   S.No	परेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed
----------------	---------------------	--------------	--------------------	-------------------	---	---

						By
1	<p>पद   Designation : Asst Executive Tech ईमेल आईडी   Email ID : buycon207.ccil.gj@gembuyer.in संपर्क   Contact : -9560970180- जीएसटीआईएन   GSTIN : - पता   Address : Container Corporation of India Ltd., Jamiyatpura Village Road, Near Khodiyar Railway Station, Sarkhej Gandhinagar Highway, Distt. Gandhinagar, Ahmedabad-382421, GANDHI NAGAR, GUJARAT-382421, India</p>	<p>KRUPAL Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure <math>\leq</math>19 bar) Foam Based (as per IS 4989) Class -A</p>	-	17	14-Mar-2024	29-Mar-2024
<b>Product Specification for KRUPAL Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure <math>\leq</math>19 bar) Foam Based (as per IS 4989) Class -A</b>						
विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value				
Generic	Conformity to Standard	IS: 15683: 2018 (Latest amendments)				
	Type	Stored Pressure				
	Extinguishing Media	Foam Based (as per IS 4989)				
	Expellant Medium	N2 Based (Stored Pressure)				
Constructional Material	Type of Extinguisher	Low Pressure Extinguisher (Service Pressure $\leq$ 19 bar)				
	Material Specification for the body of High Pressure Extinguisher	NA				
	Material Specification for the body of Low Pressure Extinguisher	Welded low carbon steel cylinders (as per Clause 9.2.5 of IS 15683)				
Construction	Foam Based Extinguishing Media	Aqueous Film Forming Foam (AFFF)				
	Powder Based Extinguishing Media	NA				
	Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3)	NA				
	Name of Clean Agent as per (CL 5-1-3)	Not available				
	Foam Based Fire Extinguisher Capacity in Liters	9				
	Powder Based Fire Extinguisher Capacity in Kg	NA				
	Carbon Dioxide Based Fire Extinguisher Capacity in Kg	NA				
	Water Based Fire Extinguisher Capacity in Liters	NA				
	Clean Agents Fire Extinguisher Capacity in Kg	NA				
	Water Mist Fire Extinguisher Capacity in Liters	NA				
	Weight of Filled Portable Fire Extinguisher	12 kilogram				
	Features of Fire Extinguisher	Carrying Handle (Mandatory If Extinguisher having mass $\geq$ 1.5Kg or Cylinder diameter,Safety Devices (Mandatory for High Pressure Extinguisher),Rechargeable,Hose Assemblies (Mandatory If mass or volume of Extinguishing medium > 3 Kg or Litres)				
	Marking	As per clause 10.2 of IS 15683 (latest)				
	Colour Coding Band (As per CL 10-1)	Yellow (Foam)				
	Presssure Gauge Range for Low-Pressure Extinguishers	15 bar				
	Class of fire for which Fire Extinguisher is suitable	Class -A				
Performance	Operating Temperature ( $^{\circ}$ C)	+5 $^{\circ}$ C to +60 $^{\circ}$ C				
	Test Pressure for all Fire extinguisher except CO2	35 bar				
	Burst Pressure for all Fire extinguisher except CO2	55 bar				
	Minimum Effective discharge time for Fire Extinguisher	28 second				
	Fire Rating of different class of fires	3A				
	Discharge Range of Class-A and Class-B Fire Extinguisher (As per table 1 of CL 7-2-2) (Hint : $\geq$ 2 in case applicable on Class-A or Class A & B both / $\geq$ 1 in case applicable on Class-B only)	3 meter				
Certification	BIS Marking	Yes				
	CM/L No With Validity Period	7200114994-6/3/22				
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Availability of Test Report from NABL accredited Laboratory				
	Test Report No	1579				
	Test Report Date	7-6-2019				

	Name of the lab	AFTRL
	Address of the lab	NEW DELHI
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes
ईपीबीजी विवरण   ePBG Detail		
NA		
नियम और शर्तें   Terms and Conditions		
1. General Terms and Conditions-		
1.1 This contract is governed by the <a href="#">General Terms and Conditions</a> , conditions stipulated to this Product/Service as provided in the Marketplace.		
1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable		
नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।		
Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.		