

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687729429407

अनुबंध तिथि | Generated Date : 14-Mar-2024

## संगठन विवरण | Organisation Details

प्ररूप | Type : State Government  
मंत्रालय | Ministry : -  
विभाग | Department : Revenue Department Gujarat  
संगठन का नाम | Organisation Name : N/A  
कार्यालय क्षेत्र | Office Zone : MAMLATDAR OFFICE IDAR

## खरीदार विवरण | Buyer Details

पद | Designation : Dy Mam  
संपर्क नंबर | Contact No. : -  
ईमेल आईडी | Email ID : buycon591.rdg.gj@gembuyer.in  
जीएसटीआईएन | GSTIN : -  
पता | Address : near tiranga circle, at and post and ta-idar, SABARKANTHA, GUJARAT-383430, India

## वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No  
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval : MAMLATDAR  
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : MAMLATDAR

## भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: BUYER  
भुगतान का तरीका | Payment Mode: Offline  
पद | Designation : Dy Mam  
ईमेल आईडी | Email ID : buycon591.rdg.gj@gembuyer.in  
जीएसटीआईएन | GSTIN : -  
पता | Address : near tiranga circle, at and post and ta-idar, Sabarkantha, GUJARAT-383430, India

## विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 0023190000716935  
कंपनी का नाम | Company Name : MANAV ENTERPRISE  
संपर्क नंबर | Contact No. : 09714372724  
ईमेल आईडी | Email ID : manaventerprise2018@gmail.com  
पता | Address : 1, ANAND PAREKH APARTMENT, paldi fatehpura, fatehpura road paldi, AHMEDABAD, Ahmedabad, GUJARAT-380007, -  
एमएसएमई पंजीकरण संख्या | MSME Registration number : -  
जीएसटीआईएन | GSTIN : 24AXQPT8717Q1ZA

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

## उत्पाद विवरण | Product Details

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : Impact By Honeywell 16 Channels NVR with Full HD (1920 x 1080) ब्रांड   Brand : Impact By Honeywell ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Video Recorder for CCTV System (V2) (Q2) मॉडल   Model: NVR 20 CH Without HDD एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	15,940.79	NA	15,940.79
कुल ऑर्डर मूल्य   Total Order Value (in INR)						15,940.79

## परेषिती विवरण | Consignee Detail

क्र.सं.   S.No	परेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : Dy Mam ईमेल आईडी   Email ID : buycon591.rdg.gj@gembuyer.in संपर्क   Contact : - जीएसटीआईएन   GSTIN : - पता   Address : near tiranga circle, at and post and ta-idar,	Impact By Honeywell 16 Channels NVR with Full HD (1920 x 1080)	-	1	14-Mar-2024	29-Mar-2024

## Product Specification for Impact By Honeywell 16 Channels NVR with Full HD (1920 x 1080)

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Generic	Description	The video recorder is the device used to backup for storage & viewing video signal received from CCTV cameras
	Type of Recorder	NVR
	Mounting	Wall Mounted
	Housing construction	metal/Alluminium alloy
	Rack Mount configuration	NA
Performance	Total Number of Input Channels	16
	Number of IP based Video input Channels	16
	Maximum Recording Resolution supported	Full HD (1920 x 1080)
	Supported Compression Technique	H.264,H.265
	Maximum Number of cameras to be viewed on a single display	16
	Simultaneous Monitoring Connections for All Cameras (Users in Local Network for Client Connection)	2
	Recording Speed for all channels (fps)	Upto 25
	Incoming and output bandwidth limit (Mbps)	Upto 80
Audio	Audio Support	Yes
	Audio Input	1
	Audio Output	1
	Audio Compression	G.711
	Minimum Number of Simultaneous Channels for Two-way Audio Support	NA
SECURITY	Type of Encryption	HTTPS (SSL/TSL),HTTP (SSL/TSL),WPA, WPA2,TKIP,AES256,TLS ENCRYPTION,WATER MARKING,FISMA,SSH,NA
	Multi Level User ID / Password	Yes
Alarm	Alarm Support	No
	Alarm Input	NA
	Alarm Output	NA
	Pre / Post Alarm Buffer	No
	Pre-Alarm Recording	0 second
	Post-Alarm Recording	0 second
NETWORK PROTOCOLS / INTERFACE / OPERATING SYSTEM	Operating System Supported	Windows,Linux
	Supported Network Protocols	UDP,SNMP,IGMP,DHCP,RTP,RSTP,HTTP,HTTPS,DNS,DDNS,RTSP,RTCP,NTP,UPnP,SMTP,FTP,ICMP,QOS,TCP/IP,NA
	Supported Interface	Ethernet,Wifi,HDMI,VGA,CVBS,Bluetooth,USB,RS 232,RS-422,RS-485,2 Number of e-SATA external Port,4 Number of e-SATA external Port
	Physical Layer of Ethernet	10/100/1000 Base TX
	Network transmission Speed	Real time display @ D1 resolution,Synchronous Playback up to 16 Ch full HD,Constant Bit Rate (CBR),Variable Bit Rate (VBR),REAL TIME DISPAY @2mP RESOLUTION

	Number of USB Ports	2
	Number of PoE Ports	1
	Number of Ethernet Ports	1
	Supported SIM Slot	NA
	Other Ports/Slots	NA
PLAYBACK / VIEW / MANAGEMENT	Search	Date,Time,Event,Log,Motion,Bookmarks,Time- Lapse,Thumbnail,Text-In,ANALYTICS OVER LAY,REPORT MODE,LIST BASED SEARCH,ALARM,TIME-LINE BASED SEARCH,Color Based,Size Based,All systems messages,All configuration messages,state changes,operator login,System Activity,System error,Video Alarms,Video Clip Access,Objects Created,Objects Deleted,Objects Changes,References added and removed
	Bookmarks	Forward,Backward,adjustable playback speed,Full Screen,Next Camera,Previous Camera,Repeat,TAGGING,NAMING,RETENTION OF VIDEO CLIPS,Video vault
	Page preview	Multi Monitor Support,Video Window,Video matrix,Event monitor,Alarm monitoring window,Log window,Health monitoring window
	Total Management	Group add,Delete,Group management,Remote Data Export,FAILOVER MANAGEMENT LIKE SPARE SERVER MAY BE ADDED TO A FAILOVER,SERVER SOFTWARE UPADTES,ALARM MANAGEMENT,USER MANAGEMENT,EMAIL VERIFICATION,HEALTH WARNING TEMPERATURE,STORAGE,ARCHIVE
	Camera Management	Add,Edit,Delete,Use Master account,Use Specific account,( TEMPORARY USER ACCESS TIME START AND SCHEDULE)
STORAGE	Hard Disks Provided	No
	Total Storage Capacity (TB) of the hard disk provided	1
	Details of number of HDD x each HDD capacity to fulfil of total storage requirments	1x10
	Internal Hard Drive Interface	SATA III
	Internal Storage Expandable upto (TB)	0
	Number of Hard Disks supported	1
	Redundancy Option	NA
Salient Features	Salient Features	Video Loop Support,Video Recorder supports recording on NAS Directly,Remote Administration (Remote Configuration And Status Using Web Based Tool),System Update (Remote System Update Over Network Using Web Client),PC Client (PC Application Client With A Channel Recording Feature Support),Web Client (Viewer through HTTP system configuration),On Screen Display (In English),Drivers / Compatible Software (Wherever Applicable) Part Of Supply,Recording schedule support,Bandwidth Control,Camera Notification,Search management inbuilt features,Page preview support,Capability of Recorder to Work with Other Makes of CCTV Cameras (ONVIF support),NA
	Video Content Analytics (VCA)	Trip-wire Detection,Motion Detection,Crossing line,Intrusion Detection,Face Recognition,Object counting,Tampering,Object Removal,Number Plate Recognition,Video Loss,Text-IN,Digital Zoom 12X and more,Suspect Tracking (Supported),VIDEO MOTION,INPUT TRIGGER,SERIAL PORT,SERIAL PROFILE,HEALTH MONITORING,IP CAMERA CONNECTION, SECURITY INTEGRATION ALARM,SOFT TRIGGER,THIRD PARTY ALARM INTEGRATION,CROWD FORMATION,DIRECTION,DWELL,ENTER,EXIT,LINGER,PERIMETER,OBJECT ABANDONED/REMOVED,OBJECT DETECTION,QUEUE ANALYSIS,COLOR FILTERING,HEAT MAPPING,POINT OF SALE,TRIP WIRE,Suspect Tracking,NA
	Other features, if any	NA
Buyer Specific Requirements	Accessories Requirments	NA
	Buyer SpecificTest Requirements	Conformity to Dry Heat test at Specified Maximum Operating Temperature for 16 hours as per IS :9000 latest, Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest, Conformity to Cold test at Specified Minimum Operating Temperature for 4 hours as per IS: 9000 latest,NA
	valid BIS certificate as per IS 13252 under CSR	Yes ( required)
	Other Buyer Specific Requirments	NA
POWER SUPPLY	Power Input	230 VAC $\pm$ 10%,50Hz,12 VDC,24 VDC,48 VDC
	Auxiliary/redundant power input	230 VAC $\pm$ 10%,50Hz,12 VDC,24 VDC,48 VDC,NA
	Power Consumption	10 Watt
	Suitable Adapter to be Supplied to Make the Equipment Work on 230 V $\pm$ 10 %, 50 Hz	Yes

Operating Conditions	Minimum Operating Temperature	-5 degree Celsius
	Maximum Operating Temperature	55 decidegree Celsius
	Relative Humidity Non Condensing at 40 deg C	95 percent
WARRANTY / SERVICES	Warranty	2year
	After sales service ( Turn Around Time)	Within 24 hours
	Other Services Provided ( Inclusive in the scope of supply)	24*7 Customer Online Service,Demonstration of features & functioning and setting-up of camera at consignees place,NA
Certification	Type of lab which carried out Test of Complete Product to prove the conformity of product as per specification	OEM certificate
	Agree to provide all relavant documents Test Report/suporting document /reports to the buyer at the time of bidding or on demand	Yes
ईपीबीजी विवरण   ePBG Detail		
NA		
नियम और शर्तें   Terms and Conditions		
1. General Terms and Conditions-		
1.1 This contract is governed by the <a href="#">General Terms and Conditions</a> , conditions stipulated to this Product/Service as provided in the Marketplace.		
1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable		
नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।		
Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.		