

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687726604195

अनुबंध तिथि | Generated Date : 14-Mar-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : State Government
मंत्रालय | Ministry : -
विभाग | Department : Health & Family Welfare Department Gujarat
संगठन का नाम | Organisation Name : Gujarat Medical Education and Research Society (GMERS)
कार्यालय क्षेत्र | Office Zone : GMERS MEDICAL COLLEGE PORBANDAR

खरीदार विवरण | Buyer Details

पद | Designation : PROFESSOR
संपर्क नंबर | Contact No. : 0286-2990205-
ईमेल आईडी | Email ID : prof-gmers-por@gujarat.gov.in
जीएसटीआईएन | GSTIN : 24RKTG06202A1DE
NEAR LADY HOSPITAL, KHIJADI PLOT, PANCH HATDI,
पता | Address : PORBANDAR 360575,
PORBANDAR, GUJARAT-360575, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम |
Designation of Administrative Approval : DEAN
वित्तीय अनुमोदन का पदनाम |
Designation of Financial Approval : ACCOUNT OFFICER

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO
भुगतान का तरीका |
Payment Mode: Offline
पद | Designation : ADMIN OFFICER
ईमेल आईडी | Email ID : admin-gmers-por@gujarat.gov.in
जीएसटीआईएन | GSTIN : 24RKTG06202A1DE
NEAR LADY HOSPITAL, KHIJADI PLOT, PANCH HATDI,
पता | Address: PORBANDAR 360575,
Porbandar, GUJARAT-360575, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : F614180000597384
कंपनी का नाम | Company Name : SAHYOG KHADE GRAMODYOG T RUST
संपर्क नंबर | Contact No. : 09824140066
ईमेल आईडी | Email ID : sahyogkhadi@gmail.com
पता | Address : sarjan complex „Sarjan-1,Opp- Madhur Hall,NR Anand Nagar Cross Road, Satellite,
Ahmedabad, GUJARAT-380051, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-GJ-01-0007501
एमएसई सामाजिक श्रेणी | MSE Social Category : General
एमएसई लिंग श्रेणी | MSE Gender : Male
जीएसटीआईएन | GSTIN: 24AAATS7522D1ZS

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Sahyog Hydraulic Actuator (Pump Operated) Delivery Bed ब्रांड Brand : Sahyog ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Delivery Bed (Q3) मॉडल Model: labour table bad एचएसएन कोड HSN Code: HSN not specified by seller	2	pieces	149,999	NA	299,998
कुल ऑर्डर मूल्य Total Order Value (in INR)						299,998

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : PROFESSOR ईमेल आईडी Email ID : prof-gmers-por@gujarat.gov.in संपर्क Contact : 0286-2990205-	Sahyog Hydraulic				

1	जीएसटीआईएन GSTIN : 24RKTG06202A1DE पता Address : NEAR LADY HOSPITAL, KHIJADI PLOT, PANCH HATDI, PORBANDAR 360575, PORBANDAR, GUJARAT-360575, India	Actuator (Pump Operated) Delivery Bed	-	2	14-Mar-2024	29-Mar-2024
Product Specification for Sahyog Hydraulic Actuator (Pump Operated) Delivery Bed						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec		मूल्य Value			
Standards	Conformity to standard for product		European CE			
	Certification number and date		QMS/028188/0622			
	Conformity to standard for Electromagnetic compatibility & safety		IEC-60601-1-2:2001 Standard /IS 13450			
Performance Parameters	Purpose		It used in Obstetrics/Gynecology deparment for baby delivery in labour room with comfortable requirment of patient and easy accessible professional need for delivery team			
	Bed movement functionality		Manual control			
	Type of delivery bed actuator		Hydraulic Actuator (Pump Operated)			
	Type of mechanism for controlling angular motion of bed		Hydraulic mechanism			
	Type of mechanism for fuctioning or controlling height of bed		Hydraulic mechanism			
	Number of section provided in bed top		3			
	Large perineal cut in C shape must be provided in seat section		Yes			
	Side safety belt provided		Yes			
	Type of side panel		Detachable type			
	Number of Side panel		2			
	Head panel/Board provided		Yes			
	Shape of Head panel		B-type shape			
	Type of Head Panel		Detachable type			
	Foot panel provided		Yes			
	Shape of Foot panel		B-type shape			
	Type of foot Panel		Detachable type			
	Provision to convert bed in to table		Yes			
	Good grip provided to head/foot or side panel		Yes			
	Delivery bed should be Hand grip /push grip handles on both side		Yes			
	Adjustable leg rest provided		Yes			
	Lithotomy position & padded knee crutches provided		Yes			
	Slots for IV rod a head section provided		Yes			
	Chromium plated IV rod provided		Yes			
	Number of hooks provided in IV Rod		2			
	Power of motor in HP		0.5 hp			
	Availability of Noiseless, non rusting swivel castor wheel/ roller with for easy Mobility & Steering		Yes			
	Braking and locking mechanism provided in castor roller		Yes			
	No of caster to which braking system provided		2			
	Corner buffer provided in all four corner to protect patient from collision shock		Yes			
	Functionality of Foot side panel		Detachable type			
	Safe working load capacity of delivery bed in kg		150			
	Facility of instant non powered/mechanical CPR(Cardiopulmonary Resuscitation) release at the head end for emergency		NA			
	Urine Bag holder provided		Yes			
	Mattress provided with delivery bed		Yes			
	Mattress foam of the Bed should be with Anti Microbial agent incorporated into all components that assists in Prohibiting growth of bacteria & fungi and easy to clean		Yes			
	Mattress shall be made of High resilient & bio-density foam		Yes			

	Operating temperature & Humidity	10 -40 Degree Celsius and relative humidity of 15-90%
	"Power Supply "	Single phase 220-240 Volt, 50 Hz (AC Supply)
	Spares Pair of Bed Ends, detachable supplied	Not supplied
	Spares Mattress	Not supplied
	Facility of Resettable overcurrent breaker shall be fitted for protection	Yes
	Electric Shock Protection level	Class-B/Class -1
	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	1
	Base frame and support frame should be fabricated using metallic square / rectangular section of adequate cross section and thickness to provide high structural strength and stability	Yes
	Delivery Bed should be made up of high quality metal, pretreated with materials providing good finish, scratch resistant, bacteriostatic coating	Yes
	Type of powder/Paint coating done to delivery Bed frame,top & side panel	Epoxy Polyester Coating 50-60 microns (In Case of MS)
	Process used for pre chemically treatment of metallic bed component	Dip tank processes (In Case of MS)
	Provision of easily cleaning /sterlize(Especially Blood Stains)/maintenance to delivery Bed	Yes
	Product instruction manual shall be supplied	Yes
	Demonstration of equipment and training to be provided after completing supplies before Acceptance	Yes
Material Parameters	Material for the frame of bed	MS
	Material Side Safety belt	Velcro
	Material for Head & Foot Panel/Board	MS
	Material for Bed top Section	MS
	Material of wheels	MS
	Material for IV Rod	MS
	Material for bowl	SS
	Material for waste receptacle bucket	Plastic
	Material for delivery Bed Mattress	PU Foam
Dimensional Parameters	Maximum Adjustable Back Rest Angle in Degree	60
	Maximum Trendlenburg Angle in Degree	30
	Maximum Reverse Trendlenburg Angle in Degree	30
	Adjustable bed height in mm with 5% tolerance	550-850
	Diameter of Castor Roller in mm	125
	Clearance between Bed Base frame and Floor surface in mm	126
	Maximum thickness of Mattress in mm with tolerance of plus minus 2mm	75
	Approx foam Density in kg/m3 tolerance	30-50
	Therapeutic Weight limit for mattress in kg	125
	Length range of delivery bed in mm	2001-2150
	Width range of delivery bed in mm	800-900
	Weight of delivery Bed in Kg	40
Reports	Availability of ISO certification for manufacturer	Yes
	ISO certification No and Date if ISO certificate not available then put NA	BN19222/18344 DATED: 30-09-2019
	Copies of certificates and other certifications to be furnished to buyer on demand at time of supplies	Yes
ईपीबीजी विवरण ePBG Detail		
NA		
नियम और शर्तें Terms and Conditions		

1. Special terms and conditions- Version:2 effective from 25-10-2023

- 1.1
1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by *Central Drugs Standard Control Organisation (CDSCO)*, Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 2. The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
 3. The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
 4. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 5. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 6. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 7. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 8. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.
OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 9. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 10. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 11. Software: All software updates should be provided free of cost during warranty period.
 12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.