

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687719731859

अनुबंध तिथि | Generated Date : 16-Mar-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4497548](#)

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्रकार Type :	State Government	पद Designation :	Station Fire Officer
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	0177-2629945-171002
विभाग Department :	Home Department Himachal Pradesh	ईमेल आईडी Email ID :	sto-firehp@gov.in
संगठन का नाम Organisation Name :	Himachal Pradesh Fire Services Department	जीएसटीआईएन GSTIN :	02PTLC11113E1D
कार्यालय क्षेत्र Office Zone:	Shimla	पता Address :	O/o Chief Fire Officer, near Rajbhawan, Chhota Shimla, SHIMLA, HIMACHAL PRADESH-171002, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	DIRECTOR FIRE SERVICES HIMACHAL PRADES H	भुगतान का तरीका Payment Mode:	Internet Banking
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	DIRECTOR FIRE SERVICES HIMACHAL PRADES H	पद Designation :	Superintendent Grade1 DDO
		ईमेल आईडी Email ID :	fpo-firehp@gov.in
		जीएसटीआईएन GSTIN :	-
		पता Address:	O/o Chief Fire Officer, near Rajbhawan, Chhota Shimla, Shimla, HIMACHAL PRADESH-171002, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	E425180000311964
कंपनी का नाम Company Name :	SAI FIRE PROTECTION
संपर्क नंबर Contact No. :	09899821683
ईमेल आईडी Email ID :	saifire83@gmail.com
पता Address :	GROUND FLOOR,BEGUMPUR,Kh. No.10/5/1, 5/2, Extn.,BEGUMPUR, Delhi, Delhi-110086, -
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-DL-06-0007336
एमएसई सामाजिक श्रेणी MSE Social Category :	General
एमएसई लिंग श्रेणी MSE Gender :	Male
जीएसटीआईएन GSTIN:	07AVEPK8051A1ZX

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुक्र और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : LIFESECURE Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure \leq 19 bar) Foam Based (as per IS 4989) Class -B ब्रांड Brand : LIFESECURE ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्भासा Category Name & Quadrant : Portable Fire Extinguishers (V2) as per IS 15683:2018 (Q2) मॉडल Model: lifesecure एचएसएन कोड HSN Code: 84241000	150	pieces	1,818	NA	272,700
कुल ऑर्डर मूल्य Total Order Value (in INR)						272,700

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : - ईमेल आईडी Email ID : sto-firehp@gov.in	LIFESECURE Portable Fire Extinguishers as per				

1	संपर्क Contact : 0177-2629945-171002 जीएसटीआईएन GSTIN : 02PTLC11113E1DJ पता Address : O/o Chief Fire Officer, near Rajbhawan, Chhota Shimla, SHIMLA, HIMACHAL PRADESH-171002, India	IS 15683 (2018) Low Pressure Extinguisher (Service Pressure ≤19 bar) Foam Based (as per IS 4989) Class -B	-	150	16-Mar-2024	31-Mar-2024
Product Specification for LIFESECURE Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure ≤19 bar) Foam Based (as per IS 4989) Class -B						
विवरण Specification		उप-विवरण Sub-Spec	मूल्य Value			
Generic	Conformity to Standard		IS: 15683: 2018 (Latest amendments)			
	Type		Gas Cartridge Type (as per IS 4947)			
	Extinguishing Media		Foam Based (as per IS 4989)			
	Expellant Medium		CO2 Cartridge Based			
Constructional Material	Type of Extinguisher		Low Pressure Extinguisher (Service Pressure ≤19 bar)			
	Material Specification for the body of High Pressure Extinguisher		NA			
	Material Specification for the body of Low Pressure Extinguisher		Welded low carbon steel cylinders (as per Clause 9.2.5 of IS 15683)			
Construction	Foam Based Extinguishing Media		Aqueous Film Forming Foam (AFFF)			
	Powder Based Extinguishing Media		NA			
	Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3)		NA			
	Name of Clean Agent as per (CL 5-1-3)		NA			
	Foam Based Fire Extinguisher Capacity in Liters		9			
	Powder Based Fire Extinguisher Capacity in Kg		NA			
	Carbon Dioxide Based Fire Extinguisher Capacity in Kg		NA			
	Water Based Fire Extinguisher Capacity in Liters		NA			
	Clean Agents Fire Extinguisher Capacity in Kg		NA			
	Water Mist Fire Extinguisher Capacity in Liters		NA			
	Weight of Filled Portable Fire Extinguisher		13 kilogram			
	Features of Fire Extinguisher		Carrying Handle (Mandatory If Extinguisher having mass ≥1.5Kg or Cylinder diameter,Safety Devices (Mandatory for High Pressure Extinguisher),Rechargeable,Hose Assemblies (Mandatory If mass or volume of Extinguishing medium > 3 Kg or Litres),NA			
	Marking		As per clause 10.2 of IS 15683 (latest)			
	Colour Coding Band (As per CL 10-1)		Yellow (Foam)			
	Pressure Gauge Range for Low-Pressure Extinguishers		0 bar			
	Class of fire for which Fire Extinguisher is suitable		Class -B			
Performance	Operating Temperature (°C)		+5°C to +60°C			
	Test Pressure for all Fire extinguisher except CO2		35 bar			
	Burst Pressure for all Fire extinguisher except CO2		55 bar			
	Minimum Effective discharge time for Fire Extinguisher		13 second			
	Fire Rating of different class of fires		89B			
	Discharge Range of Class-A and Class-B Fire Extinguisher (As per table 1 of CL 7-2-2) (Hint : ≥ 2 in case applicable on Class-A or Class A & B both / ≥1 in case applicable on Class-B only)		3 meter			
Certification	BIS Marking		Yes			
	CM/L No With Validity Period		2720953 30/09/2023			
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification		Availability of Test Report from NABL accredited Laboratory			
	Test Report No		215997190522K2M16000			
	Test Report Date		14/06/2019			
	Name of the lab		Delhi Test House			
	Address of the lab		Delhi			
	Agreed to furnish all the test reports and certificates to buyer					

on demand	Yes
उत्पाद का बीआईएस लाइसेंस BIS license of the product: 2720953	
ईपीबीजी विवरण ePBG Detail	
सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA
<p>नियम और शर्तें Terms and Conditions</p> <p>1. General Terms and Conditions-</p> <p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p> <p>2. Buyer Added Bid Specific Terms and Conditions-</p> <p>2.1 Generic OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.</p> <p>2.2 Service & Support: Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.</p> <p>2.3 Sample Clause: After award of contract – Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit</p> <p>1 samples for Buyer's approval, within 21 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 21 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller. Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.</p> <p>2.4 Generic After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 21 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 21 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing- the delivery period shall be refixed without LD for the period of delay in approval of Drawing.</p> <p>2.5 Forms of EMD and PBG: Bidders can also submit the EMD with Account Payee Demand Draft in favour of</p> <p>Chief Fire Officer, Himachal Pradesh Shimla payable at Shimla</p> <p>Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.</p> <p>2.6 Generic Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.</p> <p>2.7 Certificates: Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.</p> <p>2.8 Warranty: Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.</p> <p>2.9 Generic Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.</p> <p>2.10 OEM: IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.</p>	

2.11 Certificates:

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

2.12 Financial Criteria:

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

2.13 Certificates:

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

2.14 Generic:

The seller is required to print logo as per buyer's requirement.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.