

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687768093713

अनुबंध तिथि | Generated Date : 16-Mar-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : State Government
मंत्रालय | Ministry : -
विभाग | Department : Solapur Zilla Parishad, Maharashtra
संगठन का नाम | Organisation Name : N/A
कार्यालय क्षेत्र | Office Zone : PANCHAYAT SAMITI PANDHARPUR

खरीदार विवरण | Buyer Details

पद | Designation : sarpanch
संपर्क नंबर | Contact No. : -
ईमेल आईडी | Email ID : buycon160.szpm.mh@gembuyer.in
जीएसटीआईएन | GSTIN : -
पता | Address : TAVASHI GRAM PANCHAYAT, SOLAPUR.,
SOLAPUR, MAHARASHTRA-413304, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval : TAVASHI GRAM PANCHAYAT, SOLAPUR
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : TAVASHI GRAM PANCHAYAT, SOLAPUR

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: BUYER
भुगतान का तरीका | Payment Mode: Offline
पद | Designation : sarpanch
ईमेल आईडी | Email ID : buycon160.szpm.mh@gembuyer.in
जीएसटीआईएन | GSTIN : 27PNEG19387E1DI
पता | Address : TAVASHI GRAM PANCHAYAT, SOLAPUR.,
Solapur, MAHARASHTRA-413304, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : R38O210003427373
कंपनी का नाम | Company Name : MAULI ENTERPRISES
संपर्क नंबर | Contact No. : 09975734829
ईमेल आईडी | Email ID : galavesomeshwar@gmail.com
पता | Address : AT/P GALAVEWADI, TAL - ATPADI, ATPADI,
Sangli, MAHARASHTRA-415315, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : -
जीएसटीआईएन | GSTIN : 27AXJPG8031B3ZQ

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	<p>उत्पाद का नाम Product Name : Research Center for Sustainable Solutions Pvt.Ltd Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 1.5 kVA</p> <p>ब्रांड Brand : Research Center for Sustainable Solutions Pvt.Ltd</p> <p>ब्रांड प्रकार Brand Type : Registered Brand</p> <p>कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM</p> <p>कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM</p> <p>श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Off - Grid Solar Photovoltaic (PV) Power Plant (Q3)</p> <p>मॉडल Model: SPP1.5kWOFF72V100A</p> <p>एचएसएन कोड HSN Code: HSN not specified by seller</p>	1	pieces	201,200	NA	201,200

कुल ऑर्डर मूल्य | Total Order Value (in INR)

201,200

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	<p>पद Designation : sarpanch</p> <p>ईमेल आईडी Email ID : buycon160.szpm.mh@gembuyer.in</p> <p>संपर्क Contact : -</p> <p>जीएसटीआईएन GSTIN : -</p> <p>पता Address : TAVASHI GRAM PANCHAYAT, SOLAPUR., SOLAPUR, MAHARASHTRA-413304, India</p>	Research Center for Sustainable Solutions Pvt.Ltd Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 1.5 kVA	-	1	16-Mar-2024	31-Mar-2024

Product Specification for Research Center for Sustainable Solutions Pvt.Ltd Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 1.5 kVA

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
PV Module	Module glass air withstand capacity (km/hrs)	>=200km/hr
	Type of Solar Module	Polycrystalline
	Additional features	PID Resistance Technology,Multi-Layer EVA Encapsulation
	Rated power of each PV module used	260W
	Module conformity to specification	IEC 61215 Ed2,IEC 61701,IEC 61730 -1,IEC 61730-2
	Module linear power output degrading warranty	25 year
	Zero negative power tolerance	Yes
	Module frame material	anodised aluminium alloy frame
	Junction box Protection class	IP67
	open circuit voltage	38.5 Volt
	Marking on PV module	Name of manufacturer,month & year of manufacturing,Peak Power,Im,Vm,Fill factor,Serial no.,Model number
	Module efficiency	>=15%
	Module product warranty	25 year
Power Conditioning Unit (PCU)	Power factor for lead	>=0.8
	Charger technology	PWM
	Warranty of PCU	60 month
	Electrical protections	Under/over voltage protection at input & output of battery,Reverse polarity protection for array & battery,Output overload protection,Short circuit protection,Over temperature protection,Surge protection
	Output phase	Single
	Charging stages	Boost,Absorption,Float
	Output waveform type	Pure Sine Wave
	Rated Output Voltage (AC)	230 Volt
	Rated Power (kVA)	1.5
	Conformity to specification	IEC 61683,IEC 60068,IEC 60529
	Controller	32 bit DSP controller
	Automatic changeover between solar & AC mains provided	Yes
	Efficiency at STP for linear loading	>=90%
	Protection class	IP20
	Rated Frequency	50 Hertz
	Input Phase	Single
	Maximum operating ambient temperature	50 degree Celsius
	Switching device	IGBT
	Nominal battery DC system voltage	72 Volt
	Display parameter	Array voltage,Array current,Array power,Battery voltage,Battery current,Grid Voltage,Output. Day kWh
	Power factor for lag	>=0.8
Module Mounting Structure	Material of all nuts, bolts & factners etc	Stainless steel
	Adjacent Module air gap	25 millimeter
	Mounting structure wind withstand ability	>=150km/hr
	Weather proof Junction box provided for connections	Yes
	Module tilt angle	20 degree
	Type	Galvanised module mounting structures(MMS)
	Thickness(micron)	>=80

Generic	Component	Balance of System (BOS) Items/Components,Module Mounting Structure,Battery Rack/Trolley,Electrical Connections,DC MCB/DC Distribution Box,AC DISTRIBUTION BOARD (ACDB)
	Additional features to be specified	RMS on request
	capacity of power plant (kVA)	1.5
Battery specifications	Suitable battery stand/size with roller provided	Yes
	Acid level indicator provided	Yes
	Battery voltage	12 Volt
	Battery warranty	5 year
	No of battery	6
	Battery type	C 10 Tubular Lead Acid
	Battery capacity (Ah)	100
	Carrying handle	Yes
	Terminal cover provided	Yes
BOS items	Switches/Circuit breaker/connector with SPD as per	IEC 529,SPD as per IEC 61643-11/12,IEC 60947,IS 60947
	PVC insulated cable for working voltage and UV protected for outer installation as per	IS 694,IS 1554
	Protection class of Junction box/enclosure box	IP 55
	Earthing & Lighting protection as per	IEC- 62561-7
Certifications and Standards	ISO certification number and date	MSYS/0634/15
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Manufacturer should be ISO certified	Yes
<div>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</div>		
<div>ईपीबीजी विवरण ePBG Detail</div>		
NA		
<div>नियम और शर्तें Terms and Conditions</div> <div>1. General Terms and Conditions-</div> <div>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</div> <div>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</div> <div>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</div> <div>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</div>		