

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687719878934

अनुबंध तिथि | Generated Date : 16-Mar-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्ररूप Type :	Central Autonomous	पद Designation :	AAO PURCHASE 1
मंत्रालय Ministry :	Ministry of Agriculture and Farmers Welfare	संपर्क नंबर Contact No. :	-
विभाग Department :	Department of Agricultural Research and Education (DARE)	ईमेल आईडी Email ID :	buyer107.icari.up@gembuyer.in
संगठन का नाम Organisation Name :	Indian Council of Agricultural Research (ICAR)	जीएसटीआईएन GSTIN :	-
कार्यालय क्षेत्र Office Zone:	Indian Veterinary Research Institute	पता Address :	ICAR-Indian Veterinary Research Institute, Izatnagar, Bareilly, BAREILLY, UTTAR PRADESH-243122, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	Yes	Role:	PAO
प्रशासनिक अनुमोदन का पदनाम	Pi, DBT Project	भुगतान का तरीका	Offline
Designation of Administrative Approval:		Payment Mode:	
वित्तीय अनुमोदन का पदनाम	SF&AO	पद Designation :	Asstt Admn Officer
Designation of Financial Approval :		ईमेल आईडी Email ID :	pay13.icari.up@gembuyer.in
		जीएसटीआईएन GSTIN :	-
		पता Address:	ICAR-Indian Veterinary Research Institute, Izatnagar, Bareilly, BAREILLY, UTTAR PRADESH-243122, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	5E3C200001194234
कंपनी का नाम Company Name :	KUDOS INSTRUMENTS
संपर्क नंबर Contact No. :	09313556664
ईमेल आईडी Email ID :	kudos.instrument@gmail.com
पता Address :	4E/TF/24, SEC 4 AND 7, RHB COLONY, BHIWADI, Alwar, RAJASTHAN-301019, -
एमएसएमई पंक्तीकरण संख्या MSME Registration number :	UDYAM-RJ-02-0015396
एमएसई सामाजिक श्रेणी MSE Social Category :	General
एमएसई लिंग श्रेणी MSE Gender :	Male
जीएसटीआईएन GSTIN:	08BZXPS3632P1Z7

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुक्र और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Esco Biosafety Cabinet Freestanding ब्रांड Brand : Esco ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue केसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्धारा Category Name & Quadrant : Biosafety Cabinet (Q2) मॉडल Model: AC2-4S8-NS एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	469,920	NA	469,920

कुल और्डर मूल्य | Total Order Value (in INR) 469,920

परेष्ठी विवरण | Consignee Detail

क्र.सं. S.No	परेष्ठी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : AAO IVRI STORE ईमेल आईडी Email ID : con127.icari.up@gembuyer.in संपर्क Contact : -					

1	जीएसटीआईएन GSTIN : 09AAAAI1830P3ZF पता Address : ICAR-Indian Veterinary Research Institute, Izatnagar, Bareilly., BAREILLY, UTTAR PRADESH-243122, India	Esco Biosafety Cabinet Freestanding	-	1	16-Mar-2024	31-Mar-2024
Product Specification for Esco Biosafety Cabinet Freestanding						
विवरण Specification		उप-विवरण Sub-Spec	मूल्य Value			
Standards	Conformity to Certifications		European CE (with verified no.)			
	Certification number and date		63797559 & 12/02/2013			
	Conformity to Manufacturing Standards		ISO 9001 & ISO 13485			
	Conformity to Safety Standards		IEC 60601- or BIS equivalent			
Performance Parameters	Purpose		Biological safety cabinets are used to precisely control ventilation to sweep airborne particles produced during routine microbiological procedures away from the user while maintaining a controlled environment for the specimen			
	Type of Configuration		Freestanding			
	Class of biosafety cabinet		CLASS II(A2 TYPE)			
	Type of air cleanliness class limits(air quality) in the working area		ISO 14644 - 1 and 2 (Class 100)			
	Noise level in dB		60			
	Nominal inflow velocity in feet per min with air volume @450 cube feet/min		105			
	Nominal down flow velocity in feet per min		53			
	Direction of air flow		Vertical			
	Type of air flow pattern		70% air recirculated through filter 30% air exhausted			
	Pressure Monitoring System with pressure drop		13-14 mm Hg pre fiber			
	Material used for working area		Stainless steel 304 grade			
	Material used for the cabinet area		Stainless steel 304 grade			
	Type of Sterilization used in the cabinet		UV Germicidal tube			
	Type of illumination used for working surface		The work surface should be illuminated with a fluorescent light which should be positioned at the front side.			
	Intensity of light in lux		≥ 900			
	Type of filter used for air supply and exhaust		HEPA(High efficiency particulate air) and ULPA(Ultra Low Particulate Air)			
	Pre filter provided		Yes			
	Filtration efficiency of HEPA filter		99.99% for 0.3 micron particles			
	Filtration efficiency of ULPA filter		≥99.9995%, @0.12micron particles			
	Maximum opening height of the sash (door) in mm (Put 0 if not applicable)		252			
	Width of the working area in feet		4ft and more			
	Depth of the working area in feet		2ft and more			
	Height of the working area in feet		2ft and more			
	Type of Display		LCD			
	Front door		clear, toughened sliding door of 5mm thickness			
	Type of power supply in VAC,Hz		230V ± 10V, 50Hz			
	Automatic airflow adjustment provided		Yes			
	Microprocessor control of air velocities in real time with display provided		Yes			
	UV Lamp provided		With separate switch			
	Control system for the choice of timed UV exposure provided		Yes			
	The exposure time of UV light to be controlled through timer (in mins)		15			
	Casing		Epoxy coated CRCA frame			
	Castors provided		Yes			
	Leveling jacks provided		Yes			

Locking facility provided	Yes
Corrosion proof interior design and easy clean	Yes
Drain outlet with flexible hose	Yes
Inside space to provide full length hanging with removable shelves for storage or smaller items	No
Auto speed increase on the opening door for maintaining velocity	Yes
The time range to be controlled by the control system for the choice of timed UV exposure (in mins)	5-10
Biosafety cabinet should have smooth interior and exterior	Yes
Audio and visual alarms for HEPA filter failure	Yes
Bio safety cabinet should have Provision for fitting taps	Not provided
Additional Accessories	Magnehelic Gauge provided
	Hepafilter
	Number of UV Lamp
	Gas burner
Miscellaneous Parameters	User/Technical/Maintenance manuals to be supplied in English in hard and soft copy
	Installation, Demonstration and training to be provided at consignee end
	The Principal Manufacturer Must Have Direct Presence/approved service center In India
	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)
	Calibration Certificates
	Copies of all certifications and reports to be provided to buyer on demand at time of supplies

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें| Terms and Conditions

1. Special terms and conditions- Version:2 effective from 06-01-2023

1.1

- **Comprehensive warranty**
Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares.. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturers's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
- **Service centres**
Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled .Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
- **Source of supply**
It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
- **Packing and Marking**
Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity , Packing list reference number , country of origin of goods and any other relevant details.
- **Spare Parts**
Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are

available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.

- Installation, Training, Manuals

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignees's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.

- Electrical safety checking

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

- Software All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.