अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687767567991 अनुबंध तिथि | Generated Date : 16-Mar-2024

संगठन विवरण|Organisation Details

प्ररूप|Type: State Autonomous

मंत्रालय|Ministry:

विभाग | Department : Education Department Guiarat संगठन का नाम | Organisation Name : Sarva Shiksha Abhiyan (SSA)

कार्यालय क्षेत्र|Office Zone:

DISTRICT PROJECT CO ORDINATOR OFFICE SURAT

खरीदार विवरण|Buyer Details

पद|Designation: ARVE STP

संपर्क नंबर|Contact No. :

ईमेल आईडी|Email ID: buycon678.ssas.gj@gembuyer.in

जीएसटीआईएन|GSTIN :

Samagra Shiksha, School NO 19/20, 2nd Floor, Opp Dutch

पता|Address : Garden, Nanpura, Surat, SURAT, GUJARAT-395001, India

No

DPC

DAO

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति IFD Concurrence : प्रशासनिक अनुमोदन का पदनाम| Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval:

भुगतान प्राधिकरण विवरण|Paying Authority Details

BUYER Role: भुगतान का तरीका| Offline Payment Mode: पद|Designation: ARVE STP

ईमेल आईडी|Email ID: buycon678.ssas.gj@gembuyer.in

जीएसटीआईएन|GSTIN :

Samagra Shiksha, School NO 19/20, 2nd Floor, Opp Dutch

पता|Address: Garden, Nanpura, Surat,

Surat, GUJARAT-395001, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID: AD0B200001420602 कंपनी का नाम|Company Name : KENIL CORPORATION संपर्क नंबर|Contact No. : 08980098950

ईमेल आईडी|Email ID : kenil.corporation@gmail.com

D-402, SILVER CREST, B/H VARACHHA BANK, YOGI CHOK, पता| Address :

Surat, GUJARAT-395006, -

एमएसएमई पंजीकरण संख्या|MSME Registration number :

जीएसटीआईएन|GSTIN: 24HHXPS4218H1ZP

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण|Product Details

#	# आइटम विवेरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Polyester Woven Track Suits - Sports ब्रांड Brand : NA ब्रांड Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थाश Category Name & Quadrant : Track Suit - Sports (Q3) मॉडल Model: HSPL-TS एचएसएन कोड HSN Code: HSN not specified by seller	150	pieces	780	NA	117,000
ą	ल ऑर्डर मूल्य Total Order Value (in INR)			117,000		

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना हैं Delivery To Be Completed By
1	पद Designation : ARVE STP ईमेल आईडी Email ID : buycon678.ssas.gj@gembuyer.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : Samagra Shiksha, School NO 19/20, 2nd Floor, Opp	Unbranded Polyester Woven Track Suits – Sports	-	150	16-Mar-2024	31-Mar-2024

	JJARAT-395001, India			
Product Specifica	tion for Unbranded Polyester Woven Track Suits – Sports			
विनिर्देश Specificatior	उप-विनिर्देश Sub-Spec	मूल्य Value		
JTILITY	UTILITY	Unisex		
COMPONENTS	Components	Complete Set consisting of Upper and Low		
	Fabric (Composition)	Polyester		
	Percentage of Blending (in case of Blended Fabric)	Polyester 50 % and Cotton 50 %		
	Mass (gram per square mtrs)	200 gram		
	Fabric Construction	Woven		
	Weave (In case of Woven Fabric)	Plain		
	Any other weave as per buyer's requirements (in case weave is other than already mentioned above)	AS PER BUYER		
	Knitting (In case of knitted Fabric)	Plain (Single Jersey) Knitted,		
	Ends per dm	50		
	Picks per dm	50		
	Courses per dm	50		
	Wales per dm	50		
	Count of knitting yarn	50		
	Raising at inner side of Main Fabric	No		
	Upper Lining	No		
	Lower Lining	No		
	Lining Material	100% Polyester Mesh		
	Mass of Lining (Gram per Square Meter)	55		
MATERIAL	Netting mesh No of holes on base & bias within 625 Square millimeter	155		
	Technical Requirements of Slide Fastener for Upper Closing	Light Duty as per IS 14181 Latest		
	Technical Requirements of Slide Fastener for Pocket Closing (For Pockets with Slide Fastner for closing)	Light Duty as per IS 14181 Latest		
	Slide Fastners are BIS Marked	Not Applicable		
	Width of Tape Elastic at Waist of Trouser	3.5 cm		
	Width of Tape Elastic at Bottom of Upper	3.5 cm		
	Technical Requirements of Waist Band	Waist band as per IS 9686- 1980 latest		
	Waist Draw Cord	Polypropylene Cord of 4mm dia		
	Draw Cord Ends	Fused		
	Breaking Strength of Draw Cord	340 N minimum		
	Sleeve Ends (Cuff)	Elastic Tape		
	Upper provided with Piping	No		
	Lower provided with Piping	No		
	Piping Fabric- Composition	100 percent Polyester		
	Piping Fabric- Any other material as per buyer's requirements (Other than mentioned above)	AS PER BUYER		
	Piping Fabric Mass (gram per square mtrs)	Not Applicable		
	Embroidery Thread	Polyester		
IZE	Size	Extra Large (XL)		
	Width Across Chest 25 mm below under arm	57.5 cm (Extra Large)		
	Width Across Bottom Opening (relaxed)	50 cm (Extra Large)		
	Length at front from top of collar to bottom	70 cm (Extra Large)		
IMENSIONS OF	Sleeve length (from center of back to bottom of sleeve	89.5 cm (Extra Large)		
DIMENSIONS OF JPPER	Sleeve opening relaxed (Cuff) Width	12 centimeter		
	Front Neck Drop	10 centimeter		
	· P			

	Length of Slide Fastener	68 cm (Extra Large)
	Side Seam Length	109.5 cm (Extra Large)
	Waist relaxed (Width Across)	47 cm (Extra Large)
	Waist stretched (Width Across)	57.5 cm (Extra Large)
	Seat/ Hip (15 cm below waist band)	57.5 cm (Extra Large)
DIMENSIONS OF	Thigh (at Crotch) (Width Across)	38 cm (Extra Large)
LOWER	Bottom Opening (Width Across)	26 centimeter
	Front rise including waist band	30 cm (Extra Large)
	Back rise including waist band	40 cm (Extra Large)
	Length of Waist Tying Cord	170 centimeter
	Bottom Fold (Hem) with full turn in(cm)	1.5
	Number of Pockets (Upper)	Without Pockets
	Size of Side Pockets-Upper (Length X Width) (cm)	17 cm X 18 cm
	Size of Inside Pocket at Chest- Upper	11 cm X 15 cm
	Side Pocket opening - Upper	15.0 cm
	Side Pocket Closure with Slide Fastener -Upper	Not Applicable
OCKETS	Number of Pockets (Lower)	2 Side Pockets
	Size of Side Pockets - Lower (Length X Width) (cm)	17 cm X 18 cm
	Side Pocket Opening- Lower	15 centimeter
	Pocket Closure with Slide Fastener - Lower	All Pockets without Slide Fastener
	Material of Pockets	Main Basic Fabric
	Collar Type	Stand and Fall Type, Made of two layers of se
OLLAR	Collar Reinforcement	Without Reinforcement
LEEVE	Sleeve Type	Reglan Sleeve
PIPING	Position and Dimensions of Piping on Upper	AS PER BUYER
	Position and Dimensions of Piping on Lower	AS PER BUYER
	Sewing Thread	145 d tex X 3, Polyester
	Raw edges, if any shall be bound by overlock stitching	Yes
	Waist band stitching of Upper	Stitched in single rows with chain stitch on the
	Sleeve Bottom (Cuff) Stitching	Stitched in single rows with chain stitch on the elastic
TITCHING	Waist band stitching of Lower	Stitched in single rows with chain stitch on the elastic
	Lining seams	Inverted
	Bartack Stitching (Reinforcement Stitching) at stress bearing areas	No
	Tunnel at Waist Band for Lower	Two holes stitched to allow the draw cord wit insertion free movement
	Stitches per dm (min)	36
	Colour	Navy Blue
	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements	AS PER BUYER
	Sublimation Printing (for 100 % polyester only)	Not applicable
	Sublimation Print as per buyer's requirements	AS PER BUYER
	Colourfastness to Light (IS 2454)	5
DLOUR/ PRINT	Colourfastness to Washing (IS/ ISO 105-C10, Test- C (3))	Change in Colour- 4; Staining of Adjacent Fab 3-4
	Colourfastness to Rubbing (IS 766)	Dry- 4 / Wet- 3
	Colourfastness to perspiration (IS 971)	4
	Colour of Mesh Lining	Not Applicable
	Any other colour of Mesh Lining as per buyer's requirements	AS PER BUYER

	Colourfastness to Washing (IS/ISO 105-C10, Test- C (3))- Mesh Lining	Not Applicable
	Colourfastness to perspiration (IS 971)- Mesh Lining	Not Applicable
	Colour of Piping Material	Any other colour as per buyer's requirements
	Any other colour as per buyer's requirements	AS PER BUYER
	Pilling Resistant [after 5 hours Test as per IS 10971 (Part 1)], min	4
OTHER REQUIREMENTS	Dimensional stability to washing, Shrinkage or Elongation Percentage, max (IS 2977 latest), in lengthwise and widthwise direction	3
	Logo/ Totem Marking	No
	Type of Logo	Not Applicable
LOGO AND MARKING	Number of Logos on Upper	Not Applicable
	Number of Logos on Lower	Not Applicable
	Size, Design and Location of Logo as per buyer's requirement	AS PER BUYER
	Availability of Test Report from designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes
	Test Report No	PHY/1121
TEST REPORT	Test Report Date	17-02-2021
	Name of the Lab	NITRA POWER LOOM
	Address of the Lab	KESARGANJ MEERUT
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes
ADVANCE SAMPLE	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes

दिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.