अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687720389472

अनुबंध तिथि | Generated Date: 16-Mar-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2024/B/4430532</u>

संगठन विवरण|Organisation Details

प्ररूप|Type: Central PSU मंत्रालय|Ministry:

POWER GRID Corporation OF INDIA Limited विभाग | Department : संगठन का नाम|Organisation Name : POWER GRID Corporation OF INDIA Limited

कार्यालय क्षेत्र|Office Zone: Corporate Office Gurgaon खरीदार विवरण|Buyer Details

पद | Designation : Chief Manager 2

संपर्क नंबर|Contact No.:

ईमेल आईडी|Email ID :

पता|Address:

Role:

पता|Address:

buycon263.pgcil.cg@gembuyer.in

जीएसटीआईएन|GSTIN:

Power Grid Corporation of India Ltd 765/400kV Champa pooling Station & +/-800kV HVDC Terminal Vill: Taga, Tah:

Akaltara Dist: Janjgir - Champa Chhattisgarh,

Janjgir Champa, CHHATTISGARH-495668, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति|IFD Concurrence : प्रशासनिक अनुमोदन का पदनाम| CGM

Designation of Administrative Approval: वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval:

CGM

भुगतान प्राधिकरण विवरण|Paying Authority Details PAO

भुगतान का तरीका| **PGCIL** Payment Mode:

पद|Designation: Mgr1

ईमेल आईडी|Email ID : pao28.pgcil.mh@gembuyer.in

जीएसटीआईएन|GSTIN : 29AAACP0252G1ZP

> Power Grid Corporation of India Limited, Southern Region Transmission System-II, Near RTO Test Driving Track,

Singanayakanahalli, Yelahanka Hobli, Bangalore - 560064, Bangalore, KARNATAKA-560064, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : 1AD2190001041267

कंपनी का नाम|Company Name : EVERSHINE PAINTS AND CHEMICAL INDS

संपर्क नंबर|Contact No. : 09811180913

ईमेल आईडी|Email ID : evershinerpdhawan@gmail.com W-19,OKHLA INDUSTRIAL AREA PHASE II, पता| Address :

New Delhi, DELHI-110020, -एमएसएमई सत्यापित|MSME verified : Yes

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-DL-08-0020417

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिग श्रेणी|MSE Gender : Male

जीएसटीआईएन|GSTIN: 07AAFPD5278C1ZZ

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवेरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
Fini ब्रांड ब्रांड कैटल कैसे श्रेणी Coa मॉडल	ाद का नाम Product Name: EVERSHIN Enamel , Synthetic, Exterior: (a) Undercoating (b) ishing Paint Part 1 For Domestic And Decorative Applications 20 Litre Brand : EVERSHIN प्रकार Brand Type: Registered Brand Registere	30	container(s)	2,336.4	NA	70,092
Fini ब्रांड ब्रांड कैटल 2 कैसे श्रेणी Coa	ाद का नाम Product Name : EVERSHIN Enamel , Synthetic, Exterior: (a) Undercoating (b) ishing Paint Part 1 For Domestic And Decorative Applications 1 Litre, Brand : EVERSHIN प्रकार Brand Type : Registered Brand लॉग की स्थिति Catalogue Status: OEM verified catalogue बेचा जा रहा है Selling As : OEM के जानाम और चतुर्यांच Category Name & Quadrant : Enamel, Synthetic, Exterior (A) Under ating (B) Finishing Paint (V2) as per IS 2932 (Q3) ल Model: ENAMEL PAINT	100	container(s)	153.4	NA	15,340

1	एचएसएन कोड HSN Code: HSN not specified by seller				1	
3	उत्पाद का नाम Product Name: EVERSHIN Enamel, Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre ब्रांड Brand: EVERSHIN ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As: OEM श्रेणी का नाम और चतुर्थाश Category Name & Quadrant: Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932 (Q3) मॉडल Model: ENAMEL PAINT एचएसएन कोड HSN Code: HSN not specified by seller	15	container(s)	566.4	NA	8,496
4	उत्पाद का नाम Product Name : EVERSHIN Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre ब्रांड Brand : EVERSHIN ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थाश Category Name & Quadrant : Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932 (Q3) मॉडल Model: ENAMEL PAINT एचएसएन कोड HSN Code: HSN not specified by seller	10	container(s)	660.8	NA	6,608
5	उत्पाद का नाम Product Name: EVERSHIN Enamel, Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre ब्रांड Brand: EVERSHIN ब्रांड प्रकार Brand Type: Registered Brand केटलॉग की स्थित Catalogue Status: OEM verified catalogue केसे बेचा जा रहा है Selling As: OEM श्रेणी का नाम और चतुर्थाथ Category Name & Quadrant: Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932 (Q3) मॉडल Model: ENAMEL PAINT एचएसएन कोड HSN Code: HSN not specified by seller	9	container(s)	660.8	NA	5,947.2
6	उत्पाद का नाम Product Name: EVERSHIN Enamel, Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre ब्रांड Brand: EVERSHIN ब्रांड प्रकार Brand Type: Registered Brand केटलॉग की स्थिति Catalogue Status: OEM verified catalogue केसे बेचा जा रहा है Selling As: OEM श्रेणी का नाम और चतुर्थांच Category Name & Quadrant: Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932 (Q3) मॉडल Model: ENAMEL PAINT एचएसएन कोड HSN Code: HSN not specified by seller	30	container(s)	601.8	NA	18,054
7	उत्पाद का नाम Product Name: EVERSHIN As per BHEL Spec. AA56708 (Attached) Thinner For Epoxy Paints (BHEL) ब्रांड Brand: EVERSHIN ब्रांड Brand: EVERSHIN ब्रांड Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As: Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant: Thinner For Epoxy Paints (BHEL) (Q3) मॉडल Model: THINNER एचएसएन कोड HSN Code: HSN not specified by seller	500	liter	86.14	NA	43,070
कु	कुल ऑर्डर मूल्य Total Order Value (in INR)					

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
		EVERSHIN Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 20 Litre	-	30	16-Mar-2024	15-Apr-2024
		EVERSHIN Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 1 Litre,	-	100	16-Mar-2024	15-Apr-2024

	पद Designation : - ईमेल आईडी Email ID : buycon288.pgcil.cg@gembuyer.in	EVERSHIN Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre	-	15	16-Mar-2024	15-Apr-2024
1	संपर्क Contact: -8956510147- जीएसटीआईएन GSTIN: 22AAACP0252G1Z3 पता Address: Power Grid Corporation of India Ltd 765/400kV Champa pooling Station & +/-800kV HVDC Terminal Vill: Taga, Tah: Akaltara Dist: Janjgir - Champa Chhattisgarh, Janjgir Champa, CHHATTISGARH-495668, India	EVERSHIN Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre	-	10	16-Mar-2024	15-Apr-2024
		EVERSHIN Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre	-	9	16-Mar-2024	15-Apr-2024
		EVERSHIN Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre	-	30	16-Mar-2024	15-Apr-2024
		EVERSHIN As per BHEL Spec. AA56708 (Attached) Thinner For Epoxy Paints (BHEL)	-	500	16-Mar-2024	15-Apr-2024

Product Specification for EVERSHIN Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 20 Litre

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
ITEM	Item	Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications
	Uses	For exterior Finishing
SPECIFICATION	Conformity to Specification	IS 2932 latest
SPECIFICATION	Product is BIS marked	Yes
REQUIREMENT of SYNTHETIC ENAMEL PAINT	Class	Both (Brushing and Air Spraying thinning)
COLOUR	Colour shade of enamel Paint with ISC no	Post office red(538)
Shelf Life	Shelf life (in Years)	1
	Packing Size	20 Litre
Packing	Packing Material	Steel Drums (galvanized and ungalvanized) as per IS 2552
ADVANCE SAMPLE	Agree to provided advance sample(s) for buyer's approval before commencement of bulk supply (Hint: Application in case of orders placed against bid and not applicable in case of Direct Buying)	Yes
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove confirmity to specification	Yes
	Test report no	0000
TEST REPORT	Test report date	0000
	Name of the Lab	NA
	Address of the Lab	NA
	Test Report to be furnished to the buyer on demand	Yes

Product Specification for EVERSHIN Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 1 Litre,

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
ITEM	Item	Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications
	Uses	For exterior Finishing
SPECIFICATION	Conformity to Specification	IS 2932 latest
SPECIFICATION	Product is BIS marked	Yes
REQUIREMENT of SYNTHETIC ENAMEL PAINT	Class	Both (Brushing and Air Spraying thinning)
COLOUR	Colour shade of enamel Paint with ISC no	Grass green(218)
Shelf Life	Shelf life (in Years)	1
Packing	Packing Size	1 Litre,
racking	Packing Material	Round Paint Tins as per IS 1407
ADVANCE SAMPLE	Agree to provided advance sample(s) for buyer's approval before commencement of bulk supply (Hint: Application in case of orders placed against bid and not applicable in case of Direct Buying)	Yes
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove confirmity to specification	Yes
	Test report no	0000
TEST REPORT	Test report date	0000
	Name of the Lab	NA
	Address of the Lab	NA
	Test Report to be furnished to the buyer on demand	Yes

Product Specification for EVERSHIN Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
ITEM	Item	Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications
	Uses	For exterior Finishing
SPECIFICATION	Conformity to Specification	IS 2932 latest
SECULICATION	Product is BIS marked	Yes
REQUIREMENT of SYNTHETIC ENAMEL PAINT	Class	Both (Brushing and Air Spraying thinning)
COLOUR	Colour shade of enamel Paint with ISC no	Black
Shelf Life	Shelf life (in Years)	1
Packing	Packing Size	4 Litre
Packing	Packing Material	Round Paint Tins as per IS 1407
ADVANCE SAMPLE	Agree to provided advance sample(s) for buyer's approval before commencement of bulk supply (Hint: Application in case of orders placed against bid and not applicable in case of Direct Buying)	Yes
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove confirmity to specification	Yes
	Test report no	0000
TEST REPORT	Test report date	0000
	Name of the Lab	NA
	Address of the Lab	NA
	Test Report to be furnished to the buyer on demand	Yes

Product Specification for EVERSHIN Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
ITEM	Item	Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications
	Uses	For exterior Finishing
SPECIFICATION	Conformity to Specification	IS 2932 latest
SPECIFICATION	Product is BIS marked	Yes
REQUIREMENT of SYNTHETIC ENAMEL PAINT	Class	Both (Brushing and Air Spraying thinning)
COLOUR	Colour shade of enamel Paint with ISC no	Golden yellow(356)
Shelf Life	Shelf life (in Years)	1
Packing	Packing Size	4 Litre
racking	Packing Material	Round Paint Tins as per IS 1407
ADVANCE SAMPLE	Agree to provided advance sample(s) for buyer's approval before commencement of bulk supply (Hint: Application in case of orders placed against bid and not applicable in case of Direct Buying)	Yes
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove confirmity to specification	Yes
	Test report no	0000
TEST REPORT	Test report date	0000
	Name of the Lab	NA
	Address of the Lab	NA
	Test Report to be furnished to the buyer on demand	Yes

Product Specification for EVERSHIN Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
ITEM	Item	Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications
	Uses	For exterior Finishing
SPECIFICATION	Conformity to Specification	IS 2932 latest
SPECIFICATION	Product is BIS marked	Yes
REQUIREMENT of SYNTHETIC ENAMEL PAINT	Class	Both (Brushing and Air Spraying thinning)
COLOUR	Colour shade of enamel Paint with ISC no	White
Shelf Life	Shelf life (in Years)	1
Packing	Packing Size	4 Litre
racking	Packing Material	Round Paint Tins as per IS 1407
ADVANCE SAMPLE	Agree to provided advance sample(s) for buyer's approval before commencement of bulk supply (Hint: Application in case of orders placed against bid and not applicable in case of Direct Buying)	Yes
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove confirmity to specification	Yes
	Test report no	0000
TEST REPORT	Test report date	0000
	Name of the Lab	NA
	Address of the Lab	NA
	Test Report to be furnished to the buyer on demand	Yes

Product Specification for EVERSHIN Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
ITEM	Item	Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications
	Uses	For exterior Finishing
SPECIFICATION	Conformity to Specification	IS 2932 latest
SPECIFICATION	Product is BIS marked	Yes
REQUIREMENT of SYNTHETIC ENAMEL PAINT	Class	Both (Brushing and Air Spraying thinning)
COLOUR	Colour shade of enamel Paint with ISC no	Smoke grey(692)
Shelf Life	Shelf life (in Years)	1
Packing	Packing Size	4 Litre
racking	Packing Material	Round Paint Tins as per IS 1407
ADVANCE SAMPLE	Agree to provided advance sample(s) for buyer's approval before commencement of bulk supply (Hint: Application in case of orders placed against bid and not applicable in case of Direct Buying)	Yes
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove confirmity to specification	Yes
	Test report no	0000
TEST REPORT	Test report date	0000
	Name of the Lab	NA
	Address of the Lab	NA
	Test Report to be furnished to the buyer on demand	Yes

Product Specification for EVERSHIN As per BHEL Spec. AA56708 (Attached) Thinner For Epoxy Paints (BHEL)

विनिर्देश Specification उप-विनिर्देश Sub-Spec		मूल्य Value
Generic	Technical Specifications and Requirement of the products	As per BHEL Spec. AA56708 (Attached)
Generic	Compliance to all clauses of specifications and requirement mentioned in document	Yes
Tost Donorts	Availability Of Test Report To Prove Conformity of the Product To Specification	NABL Accredited Lab
Test Reports	Agreed to furnish all the test reports and certificates to buyer / consignee on demand	Yes

হিত্যালু Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

विक्रैता विशिष्टता दस्तावेज़|Seller Specification Document:

	mkp.gem.gov.in/uploaded_documents/cms/tp/home_manu_pain_pa05117353_th37231268/51/16/877/Cate
1. <u>Verified and Signed Tp document</u>	gorySchema/tp_document/2020/12/13/aa56708_2020-12-13-10-35-
	56_510123906f68c9de3b0d6349b285ade8.pdf

शुद्धिपत्र|Corrigendum

1. तक बढ़ाया गया|Extended Upto: 2024-02-26 15:00:00

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions

(ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2.3 Generic.

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

2 A Generia

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.5 Conorio

- 1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
- 2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
- 3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

2.6 Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

2.7 Ceruncates.

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.8 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

- 1. In case of default, the bids received/submitted/ uploaded by you shall be considered nonresponsive/not eligible for a period of 1 (One) year reckoned from the date of issuance of the termination letter by POWERGRID.
- 2. Bidders, who are executing contract(s) or has executed contract(s) in the past for the Employer (Owned as well as Consultancy) and any of the following event(s) have been enco untered during contract(s) execution, shall not be eligible to bid for the package(s) whose originally scheduled date of bid opening falls within the specified period reckoned from the date of determination by the Employer of such event as below:

S. No	Event	Period for which bid(s) shall be conside red as nonresponsive/ not eligible	
1	Termination of Contract due to Contractor's default	1 year	
2	Encashment of CPG due to non-performance	1 year	
3	Repeated failure of major Equipment while in Service	1 year	
4	Substantial portion of works (more than 50% of the Contract*) is subcontracted, under an existing Contract	1 year	
5	More than 25% of the Contract price (awarded value), in aggregate, i s paid to subcontractors/suppliers as Direct payment, under an exist ing Contract, due to financial position of Contractor	1 year	
6	Firm has been referred to NCLT under Insolvency & Bankruptcy Code (IRP has been appointed or Liquidation proceedin gs have been initiated under	Till the firm comes out of Resolution process	
	IBC)		

*For the purpose of working out 50% of the Contract, following shall be taken into account: (a) Scope of the contract which is permissible to be sub-contracted as per bidding documents, shall be excluded. (b) Scope of the Contract which primarily relat es to the Qualification Requirement (QR) of the bidder. Notwithstanding the above, in case any of the event(s) above is encoun tered afresh even prior to opening of Second Envelope/Price Part Bid of any package, the bid of such bidder shall be considere d as non-responsive/not eligible for that package. The Employer shall be the sole judge in this regard and the Employer's inte rpretation on the aforesaid event(s) shall be final and binding.

3	Pavm	ent 1	Trac	kin	'n

The Contractor/Service Provider may track the status of its bills using POWERGRID's 'On-line Vendor Bill Tracking System'. To use this system, the Contractor is required to get itse If registered once online at POWRGRID's ERP Portal with the link URL (https://etender.powergrid.in). Once registered, the Contractor/ Service Provider may track status of bills sub mitted, passed and paid by POWERGRID's Corporate Centre and Regional Office under this Contract and other Contracts awarded on it by POWERGRID by following the method detailed berein below:

a) Once registered, the Contractor/ Service Provider can log-in to POWERGRID's Vendor Bill Tracking System with Vendor Log-In ID and Password.

b) Bill entry is to be done by the Contractor/ Service Provider on POWERGRID's ERP Portal prior to submission of bill. An automated e-mail with unique reference number will be se nt to the Contractor/Service Provider, which needs to be printed and attached on top of the corresponding physical bill to be submitted by the Contractor/ Service Provider to PO WERGRID.

c) On receipt of physical bill, concerned POWERGRID's official shall online acknowledge the receipt of bill. This action will trigger an automated mail to the Contractor/ Service Provider intimating that the physical copy of the bill has been received and is under verification / processing.

d) The day the payment is made, a mail stating the "Bill number, net payment amount and details of the bank from where the payment has been made" will be sent to the Contra ctor/ Service Provider.

4. Procurement of Supply/ Service through GeM Bidding: Bidders are requested to quote the price in GeM Portal itself. The bid price shall include all the costs for the entire scope of work as per the Bidding Documents. Bidders shall not upload the price details in technical part otherwise the technical bid will be rejected.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.