

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687780061054

अनुबंध तिथि | Generated Date : 16-Mar-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : State Autonomous मंत्रालय Ministry : - विभाग Department : Department of Panchayati Raj संगठन का नाम Organisation Name : PUNE District Panchayats कार्यालय क्षेत्र Office Zone : GRAMPANCHAYAT VELU	पद Designation : GRAMSEVAK संपर्क नंबर Contact No. : 02113-222538- ईमेल आईडी Email ID : gpvelu01-mh@panchayat.gov.in जीएसटीआईएन GSTIN : 27AABL0041L1DL पता Address : A/P VELU TAL BHOR DIST PUNE 412205, PUNE, MAHARASHTRA-412205, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : gramsevak वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : sarpanch	Role: BUYER भुगतान का तरीका Payment Mode: MOPR पद Designation : GRAMSEVAK ईमेल आईडी Email ID : gpvelu01-mh@panchayat.gov.in जीएसटीआईएन GSTIN : 27AABL0041L1DL पता Address: A/P VELU TAL BHOR DIST PUNE 412205, Pune, MAHARASHTRA-412205, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : OY8U210004593450 कंपनी का नाम Company Name : SHITAL ENTERPRISES संपर्क नंबर Contact No. : 07020620035 ईमेल आईडी Email ID : rnanaware194@gmail.com पता Address : 323, BHOR, Pune, MAHARASHTRA-412205, - एमएसएमई पंजीकरण संख्या MSME Registration number : udyam-mh-26-0143652 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 27AIMP2771R1ZC

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : AQUA SWADESH Drinking Water ATM Reverse Osmosis (RO) 1000 ब्रांड Brand : AQUA SWADESH ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Drinking Water ATM / Water Vending Machine (Version 2) (Q3) मॉडल Model: AQUASWADESH1000 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	300,000	NA	300,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						300,000

परिप्रेषित विवरण Consignee Detail						
क्र.सं. S.No	परिप्रेषित Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : GRAMSEVAK ईमेल आईडी Email ID : gpvelu01-mh@panchayat.gov.in संपर्क Contact : 02113-222538- जीएसटीआईएन GSTIN : 27AABL0041L1DL	AQUA SWADESH Drinking Water ATM Reverse Osmosis (RO)	-	1	16-Mar-2024	31-Mar-2024

Product Specification for AQUA SWADESH Drinking Water ATM Reverse Osmosis (RO) 1000

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Coin / Card Acceptor / Quantity of Dispensing Water	Number of Dispensing points	2
	Water Dispensing using coin acceptor	Yes
	Coins accepted for payment	Re.1, Rs. 2, Rs. 5, Rs.10, Rs. 20, NA
	Water Dispensing using RFID/NFC card	Yes
	Mobile Wallet accepted for payment	No
	Quantity of Dispensing Water	Configurable as Per Buyer Requirement
CAPACITY / TYPE / WATER SOURCE / OUTLET WATER QUALITY	Purification Capacity of Water ATM (LPH)	1000
	Type of Operation	Semi-Automatic
	Water Source	Municipal Tap water
	Quality of outlet water from each dispenser of the Water ATM	Conforms to IS:10500(latest)
TECHNOLOGY	Technology	Reverse Osmosis (RO)
	UV Disinfection	Yes
	Filters deployed in the system hint: (Select applicable Parameters only)	5 micron Filter
	Anti scalant dosing pump	Yes
	pH Correction Dosing Pump	No
CONSTRUCTIONAL	Raw water Storage capacity (Indicate '0' for direct connection to continuous Tap Water source)	1000
	Raw water Storage Tank Material of Construction	HDPE
	Location of the Raw Water Storage Tank	Outside the ATM Enclosure
	Treated water Storage capacity	401-500
	Treated water Storage Tank Material of Construction	HDPE
	Equipped with an in-built chiller unit for providing continuous cold water of temperature around 15 degree Celcius	No
	In-built Chiller Tank Capacity (Liter)	10-20
	Chiller Tank Material of Construction	NA
	ATM Installation Type	Floor mounted
	Number of Filtration steps	5
	Minimum Water Recovery Percentage @27 degree ambient temperature (%)	31-40
	Provided with suitable vending place for filling container of 20 liters capacity	Yes
	Agreed to STC of the product category	Yes
	DISPLAY	Display of water purity parameters
Display Type		TFT
Backlit Display		Yes
Touch Screen Display		No
Display Size (Characters x Lines)		4 x 2 (4 Ch x 2 lines)
Display of outlet water TDS level		No
Display of outlet water pH level		No
Display of outlet water Temperature		No
Inlet / Feed Pump to feed water from raw water storage tank to filter	Inlet / Feed Pump Type	Vertical Centrifugal
	Number of Inlet / Feed Pumps	1
	Rated Heat (Meter)	<=40
	Pump Motor Rating (HP)	<=10
	Inlet / Feed Pump Capacity at rated head (LPH)	<=5000

	Pump Motor / Head (HP)	<=5
Multi Media Filter Vessels for First stage filtration for suspended particles	Type of Multi Media Filter Vessels	Tank in Tank
	Material Of Construction for Multi Media Filter Vessels	FRP
	Number of Multi Media Filter Vessels	1
	Size of Multi Media Filter Vessels (mm)	2
Multi-Port Valve to control filtration and backwash for media filter having sand & carbon	Type of Multi-Port Valve	NA
	Multi-Port Valve Material of Construction	NA
	Number of Multi-Port Valves	NA
	Nominal Bore (Size) of Multi-Port Valve	0
Anti scalent Dosing Pump to inhibit scaling of hardness salt and silica on RO Membranes, doze pH and Cl as per water quality	Type of Anti scalent Dosing Pump	Electronic diaphragm
	Material Of Construction for Anti scalent Dosing Pump	ABS
	Number of Anti scalent Dosing Pumps	1
	Capacity of Anti scalent Dosing Pump (LPH)	<=10
pH Correction Dosing Pump & Dosing Tank to dilute water with dosing chemicals	Type of pH Correction Pump	NA
	Material Of Construction for pH Correction Dosing Pump	NA
	Number of pH Correction Dosing Pumps	NA
	Capacity of pH Correction Dosing Pump (LPH)	0
	Dosing Tank Material of Construction	NA
	Dosing Tank Capacity (L)	0
High Pressure Pump to develop required pressure for Reverse Osmosis on RO Membranes	Type of High Pressure Pump	Vertical Centrifugal Pump
	Material Of Construction for High Pressure Pump	SS
	Number of High Pressure Pumps	1
	Low pressure switch for Protection of HP pump from burn-out	Yes
RO Pressure Vessel	Type of RO Pressure Vessel	Membrane housing mounted on skid - End port type
	Material Of Construction for RO Pressure Vessel	FRP
	Number of RO Pressure Vessels	2
Ultra Violet (UV) System to disinfect water, kill bacteria and micro-organisms	Material Of Construction for UV System	NA
	Number of UV Systems	NA
	Number of UV Lights	NA
	Total UV Power	NA
CIP (Clean-In-Place)Tank to mix / Dilute chemicals for membrane cleaning and permeate back wash	CIP Tank	No
	CIP Tank Material of Construction	NA
	Number of CIP Tanks	NA
	Capacity of CIP Tank (Liters)	NA
Piping	Material of Construction for Piping from storage tank to Raw water inlet, total internal piping HPP side / Low Pressure side, plant to product tank & through UV distribution system	ISI Marked U-PVC
Power Source	Power Source	AC Power Supply
	Power Supply	230 ±10 V AC
	Battery Voltage	NA
	Battery Chemistry	NA
	Battery Capacity (AH)	<=200
	Battery back-up time (Hours)	6
EMBEDDED DEVICES FOR AUTOMATION	Quantitative Monitoring (Select applicable Parameters only)	NA
	Outlet Water Quality Monitoring (Select applicable Parameters only)	NA
	Multi-Processor Integrated Control System with Interface cables/ connectors for integration	System to operate after successful operator login only

	Other Features	NA
	Additional features, if any	NA
Water ATM - Enclosure	Structure	Rigid structure made of G.I. frame
	Thickness of the frame of structure (mm)	2
	Material of Construction of Side Panels of Water ATM	Galvanized Steel Sheet
	Side Panel Sheet Thickness (mm)	0.6
	PUF insulation of Side Panels of Water ATM	Without
	PUF insulation of the door of Water ATM	Without
	Provision for in-built litter space	No
	Covered area of treatment plant enclosure (Square Foot)	5.1-10
	Shape of the Water ATM housing	Cuboidal
	Top Canopy of the Water ATM housing	Flat
	Floor area around the unit covered with vitrified / anti-skid tiles (Specify area of the tiles) (Square foot)	<=25
	Headroom for the Water ATM enclosure (Foot)	7.1-8.0
	Internal / External finish on Steel panels	As per Buyer requirements
	Floor area around the Water ATM enclosure covered with anti-skid tiles	No
	Water ATM enclosure protected with enclosed MS grill / mesh	No
Installation & Commissioning / Warranty	Installation and Commissioning inclusive in the scope of Supply	Yes
	Trial Run and Training provided (inclusive in the Scope of Supply) (Days)	5
	Warranty for storage Tanks (Year)	1
	Warranty for electrical motors (Year)	1
	Warranty for the filters (Year)	1
Test Reports	Warranty for the system (Year)	1
	Availability of Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report Noand Date	NA
	Name and Address of the Lab	NA
	All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand	No
ईपीबीजी विवरण ePBG Detail		
NA		
नियम और शर्तें Terms and Conditions		
<p>1. General Terms and Conditions-</p> <p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p> <p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		