

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687781852667

अनुबंध तिथि | Generated Date : 16-Mar-2024

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्ररूप   Type : State Government मंत्रालय   Ministry : - विभाग   Department : Health Medical Education and Family Welfare Department Jharkhand संगठन का नाम   Organisation Name : N/A कार्यालय क्षेत्र   Office Zone: Civil Surgeon Office Bokaro	पद   Designation : DPM संपर्क नंबर   Contact No. : 06542-221134- ईमेल आईडी   Email ID : buycon19.hmefwdj.jh@gembuyer.in जीएसटीआईएन   GSTIN : - पता   Address : OFFICE OF THE CIVIL SURGEON NEAR DC OFFICE CAMP II BOKARO STEEL CITY, BOKARO, JHARKHAND-827001, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: CIVIL SURGEON CUM CMO BOKARO वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval : CIVIL SURGEON CUM CMO BOKARO	Role: PAO भुगतान का तरीका   Payment Mode: Internet Banking पद   Designation : Dist Accounts Manager ईमेल आईडी   Email ID : pao10.hmefwdj.jh@gembuyer.in जीएसटीआईएन   GSTIN : - पता   Address: OFFICE OF THE CIVIL SURGEON NEAR DC OFFICE CAMP II BOKARO STEEL CITY, BOKARO, JHARKHAND-827001, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : 8058190000802203 कंपनी का नाम   Company Name : M/S R S ASSOCIATES संपर्क नंबर   Contact No. : 07979063204 ईमेल आईडी   Email ID : ritukumarisaini.simran@gmail.com पता   Address : AT- PUTKI NO.2,ii,KUSUNDA,PUTKI, Dhanbad, JHARKHAND-828116, - एमएसएमई पंजीकरण संख्या   MSME Registration number : - जीएसटीआईएन   GSTIN: 20GAAPS2590R1Z7

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण   Product Details						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : SUDERSHAN Almirah Steel shelving cabinet with partial wardrobe ब्रांड   Brand : SUDERSHAN ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Almirah Steel (V2) (Q3) मॉडल   Model: SAMRUDDHI-471540 एचएसएन कोड   HSN Code: HSN not specified by seller	15	pieces	16,500	NA	247,500
कुल ऑर्डर मूल्य   Total Order Value (in INR)						247,500

परोक्षी विवरण   Consignee Detail						
क्र.सं.   S.No	परोक्षी   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : DPM ईमेल आईडी   Email ID : buycon19.hmefwdj.jh@gembuyer.in संपर्क   Contact : 06542-221134- जीएसटीआईएन   GSTIN : -	SUDERSHAN Almirah Steel shelving cabinet	-	15	16-Mar-2024	31-Mar-2024

पता | Address : OFFICE OF THE CIVIL SURGEON NEAR DC OFFICE CAMP II  
BOKARO STEEL CITY,  
BOKARO, JHARKHAND-827001, India

with partial wardrobe

**Product Specification for SUDERSHAN Almirah Steel shelving cabinet with partial wardrobe**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel shelving cabinet with partial wardrobe
	Construction type	Riveted
	Installation	Free standing
	Pedestal	Yes
	Pedestal fitted with	3 mm Teflon Bush
	Pedestal height (± 5 mm)	125 mm
	Locker required	No
	Door type	Hinged
	Number of door	2
	Number of hinges (for each door)	2
	Door stiffener up to full door height provided	Yes
	Mirror fitted	No mirror
	Number of drawers required	1
	Shelves required	Fixed
	Number of shelves	2
	Uniformly distributed load (UDL) for shelves	80 kgs.
	Wardrobe by style	Partial (Half of the Almirah width)
	Tie Hanger	Yes
	Colour of finish	Ash Grey
MATERIAL	Steel sheet material	Mild steel sheets conforming to grade HR1 of IS 1079:2009 (with latest amendment)
	Sheet rounds and flats	Conforming to grade E250 of IS 2062
	Screws	Conforming to IS 1365
	Hanging rod material	No hanging rod
	Mirror frame made out of (if provided)	No mirror frame
	Tie hanger made out of	N.A
	Stiffener material	MS sheet
DIMENSION	Almirah height(excluding the height of pedestal) ± 5 mm	1950 mm
	Almirah width ± 5 mm	950 mm
	Almirah depth ± 5 mm	490 mm
	Locker inside height ± 5 mm	No locker
	Locker inside width ± 5 mm	N.A
	Locker inside depth ± 5 mm	N.A
	Drawer height	140 mm
	Drawer width	300 mm
	Drawer depth	400 mm
	Mirror sizes	N.A
	Shelves lipped flange	N.A
	Side sheet thickness	1 mm
	Back sheet thickness	1 mm
	Top sheet thickness	1 mm
	Bottom sheet thickness	1 mm
Shelves sheet thickness	0.9 mm	

	Shelves supporting bracket thickness	2 mm
	Door metal stiffener thickness	0.8 mm
	Pedestal sheet thickness	0.8 mm
	Hinges sheet thickness	2 mm
	locker door sheet thickness	N.A
	Drawer sheet thickness	0.8 mm
	Hanging rod wall thickness	N.A
	Hanging rod diameter ±2 mm	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Tie hanger sheet thickness	N.A
	Width of stiffener	140 mm
	Stiffener sheet thickness	0.8 mm
	Number of glass sheet fixed	N.A
	Handle size	11.75 cm
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Cam lock with lock lever
	Material of lock	Finish having brass levers and MAZAK/ZAMAK bolt having Zinc plated finish along with MAZAK/ZAMAK handle
	Duplicate keys (for each)	Yes
	Keys material (for each lock)	Keys made of MAZAK/ZAMAK having nickel plated finish
	Steel Almirah locking mechanism	A three way bolting device controlled by a lock
	Door handle material for almirah lock	Nickel-chromium plated cast iron
	Handle material for locker	N.A
	Lockers locking mechanism	N.A
	Drawer lock	4 levers lock
FINISH	All the mild steel parts shall be given phosphating treatment	Conforming to Class c of IS 3618
	The process of application of phosphate coating	Accordance with IS 6005
	Finish coat with enamels	Stoving enamel
	Powder coating	With 50 micron thickness minimum
TESTING AND CERTIFICATION	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes
	Test Report Number and Date	142124 21/08/2023
	Name and Address of the Lab	ITI FORT MUMBAI
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes

**टिप्पणी | Note::** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

#### ईपीबीजी विवरण | ePBG Detail

NA

#### नियम और शर्तें | Terms and Conditions

##### 1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.