

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687758263715

अनुबंध तिथि | Generated Date : 16-Mar-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4399047](#)

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	Central PSU	पद Designation :	MEDE1			
मंत्रालय Ministry :	Ministry of Heavy Industries and Public Enterprises	संपर्क नंबर Contact No. :	01334-24053-5700			
विभाग Department :	Department of Heavy Industry	ईमेल आईडी Email ID :	buyer1551.bhelb.ua@gembuyer.in			
संगठन का नाम Organisation Name :	Bharat Heavy Electricals Limited (BHEL)	जीएसटीआईएन GSTIN :	05AAACB4146P1ZL			
कार्यालय क्षेत्र Office Zone:	10110009-HEEP, Haridwar	पता Address :	BHEL, HEEP, Main Admin Building, 4th Floor, Haridwar, HARIDWAR, UTTARAKHAND-249403, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	CMS	भुगतान का तरीका Payment Mode:	BHEL			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	Manager	पद Designation :	Dymgr Fin			
		ईमेल आईडी Email ID :	pay31.bhelb.ua@gembuyer.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	BHEL, HEEP, Main Admin Building, 4th Floor, Haridwar, Haridwar, UTTARAKHAND-249403, India			
		भुगतान समयसीमा Payment Timelines:	Payments shall be made to the seller within 90 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10-days time as provided in clause 12 of GeM GTC)			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	PQRD220007593316					
कंपनी का नाम Company Name :	CAREGROUP SIGHT SOLUTION PRIVATE LIMITED					
संपर्क नंबर Contact No. :	07227035229					
ईमेल आईडी Email ID :	tender@caregroupiol.com					
पता Address :	BLOCK NO 310/C&E,VILLAGE: DABHASA,,TAL.: PADRA,,DIST. VADODARA, GUJARAT, Vadodara, GUJARAT-391440, -					
एमएसएमई सत्यापित MSME verified :	No					
एमएसएमई पंजीकरण संख्या MSME Registration number :	-					
जीएसटीआईएन GSTIN:	24AAICCS609E1ZX					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Consignee						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL) ब्रांड Brand : ACRIOL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Intraocular Lenses (IOL) (Q3) मॉडल Model: AS-6 एचएसएन कोड HSN Code: 90213900	2	pieces	1,147	NA	2,294
2	उत्पाद का नाम Product Name : ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL) ब्रांड Brand : ACRIOL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Intraocular Lenses (IOL) (Q3) मॉडल Model: AS-6 एचएसएन कोड HSN Code: 90213900	4	pieces	1,147	NA	4,588
3	उत्पाद का नाम Product Name : ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL) ब्रांड Brand : ACRIOL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM	4	pieces	1,147	NA	4,588

[illegible]

[illegible]

22	कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Intraocular Lenses (IOL) (Q3) मॉडल Model: AS-6 एचएसएन कोड HSN Code: 90213900	5	pieces	1,147	NA	5,735
23	उत्पाद का नाम Product Name : ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL) ब्रांड Brand : ACRIOL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Intraocular Lenses (IOL) (Q3) मॉडल Model: AS-6 एचएसएन कोड HSN Code: 90213900	10	pieces	1,147	NA	11,470
24	उत्पाद का नाम Product Name : ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL) ब्रांड Brand : ACRIOL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Intraocular Lenses (IOL) (Q3) मॉडल Model: AS-6 एचएसएन कोड HSN Code: 90213900	20	pieces	1,147	NA	22,940
कुल ऑर्डर मूल्य Total Order Value (in INR)						401,450
परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation :- ईमेल आईडी Email ID : con889.bhelb.ua@gembuyer.in संपर्क Contact : 94107-30407- जीएसटीआईएन GSTIN : 05AAACB4146P1ZL पता Address : General stores , Main Hospital BHEL Ranipur , Haridwar Uttarakhand Pin 249403,	ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	2	16-Mar-2024	25-Apr-2024
		ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	4	16-Mar-2024	25-Apr-2024
		ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	4	16-Mar-2024	25-Apr-2024
		ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	5	16-Mar-2024	25-Apr-2024
		ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	5	16-Mar-2024	25-Apr-2024
		ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	5	16-Mar-2024	25-Apr-2024
		ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	5	16-Mar-2024	25-Apr-2024
		ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	15	16-Mar-2024	25-Apr-2024
		ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	35	16-Mar-2024	25-Apr-2024
		ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	35	16-Mar-2024	25-Apr-2024
		ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	35	16-Mar-2024	25-Apr-2024
		ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	35	16-Mar-2024	25-Apr-2024
		ACRIOL Foldable Modified C-Loop	-	35	16-Mar-2024	25-Apr-2024

HARIDWAR, UTTARAKHAND-249403, India	Intraocular Lenses (IOL)				
	ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	10	16-Mar-2024	25-Apr-2024
	ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	5	16-Mar-2024	25-Apr-2024
	ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	5	16-Mar-2024	25-Apr-2024
	ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	5	16-Mar-2024	25-Apr-2024
	ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	20	16-Mar-2024	25-Apr-2024
	ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	20	16-Mar-2024	25-Apr-2024
	ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	20	16-Mar-2024	25-Apr-2024
	ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	10	16-Mar-2024	25-Apr-2024
	ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	5	16-Mar-2024	25-Apr-2024
	ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	10	16-Mar-2024	25-Apr-2024
	ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	20	16-Mar-2024	25-Apr-2024
	ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)	-	20	16-Mar-2024	25-Apr-2024
Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)					
विनिर्देश Specification	उप-विनिर्देश Sub-Spec			मूल्य Value	
Material Characteristics	Refractive Index			1.535	
	Water Content			0 percent	
	UV Absorbance			Yes	
	Lens Material			Hydrophobic Acrylic	
Design Features	Diopter Increment			0.5 D (For +7 to +30 D)	
	Power, D(Diopter)			12	
	Design Type			Foldable	
	Item Type			Single Piece	
	Haptic Design			Modified C-Loop	
	Optic Design			NA	
Physical Characteristics	A Constant			118.8	
	Angulation			0 degree	
	Optic Type			Bi-Convex	
	Optic Diameter			6 millimeter	
	Edge			360 deg Square edge	
	AC Depth			5.26 millimeter	
	Overall Length			13 millimeter	
	Positioning Holes			None	
	Incision Size			2.2-2.8	
Additional Info	Delivery System			Disposable Injector and Cartridge	
	Certifications for product			European CE (With Verified Document),ICMED 13485 plus	

Certification and Reports	ISO certification number & date	240844-2017AQINDNAPS
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004
टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.		
Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	13
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14.4.2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004
टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.		
Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic

Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	14
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14.4.2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)</p>		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	16
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8

Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14.4.2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)</p>		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	16
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14.4.2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)</p>		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Refractive Index	1.535
	Water Content	0 percent

Material Characteristics	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	17
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14.4.2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)</p>		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	18
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter

	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14/4/2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)</p>		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	19
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14.4.2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)</p>		

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	20
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14.4.2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004
टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.		
Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	21
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge

	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14.4.2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)</p>		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	22
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14.4.2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		

Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	23
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14.4.2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004
टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.		
Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	24
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
	A Constant	118.8
	Angulation	0 degree

Physical Characteristics	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14.4.2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)</p>		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	25
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14.4.2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	26
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14.04.04
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	27
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA

Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14.4.2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)</p>		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	28
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14/04/04
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes

Certification Number and date to be indicated		240844201714.04.2004
टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.		
खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए Buyer Defined Additional Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)		
विनिर्देश Specification		मूल्य Value
Lens Material		Lens Material should be 'Hydrophobic Acrylic' only
Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	22.5
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	240844201714.04.2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	240844201714.04.2004
टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.		
Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic

Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	21.5
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14.4.2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)</p>		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	20.5
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8

Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14.4.2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017 14.4.2004
टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.		
Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	19.5
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14.04.04
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	240844201714.04.2004
टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.		
Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Refractive Index	1.535
	Water Content	0 percent

Material Characteristics	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	18.5
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	240844201714.04.2004
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	240844201714.04.2004
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)</p>		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	24.5
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter

	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017A 14.04.04
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	2408442017A 14.04.04
टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.		
Product Specification for ACRIOL Foldable Modified C-Loop Intraocular Lenses (IOL)		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Material Characteristics	Refractive Index	1.535
	Water Content	0 percent
	UV Absorbance	Yes
	Lens Material	Hydrophobic Acrylic
Design Features	Diopter Increment	0.5 D (For +7 to +30 D)
	Power, D(Diopter)	23.5
	Design Type	Foldable
	Item Type	Single Piece
	Haptic Design	Modified C-Loop
	Optic Design	NA
Physical Characteristics	A Constant	118.8
	Angulation	0 degree
	Optic Type	Bi-Convex
	Optic Diameter	6 millimeter
	Edge	360 deg Square edge
	AC Depth	5.26 millimeter
	Overall Length	13 millimeter
	Positioning Holes	None
	Incision Size	2.2-2.8
Additional Info	Delivery System	Disposable Injector and Cartridge
Certification and Reports	Certifications for product	European CE (With Verified Document),ICMED 13485 plus
	ISO certification number & date	2408442017 14/04/04
	Manufacturer should have ISO certification for quality standards	Yes
	Copies of test reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Certification Number and date to be indicated	240844201714.04.2004
टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.		
ईपीबीजी विवरण ePBG Detail		

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA
<p>नियम और शर्तें Terms and Conditions</p> <p>1. General Terms and Conditions-</p> <p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p> <p>2. Buyer Added Bid Specific Terms and Conditions-</p> <p>2.1 <i>Buyer Added Bid Specific ATC:</i> Buyer Added text based ATC clauses</p> <div> <p>QUANTITIES OF ITEMS: -</p> <p>12D- 2 No., 13D- 4 No., 14D- 4 No., 15D- 5 No., 16D- 5 No., 17D- 5 No., 18D- 5 No., 18.5D- 5 No., 19D- 15 No., 19.5D- 10 No., 20D- 35 No., 20.5D- 20 No., 21D- 35 No., 21.5D- 20 No., 22D- 35 No., 22.5D- 20 No., 23D- 35 No., 23.5D- 20 No., 24D- 35 No., 24.5D- 10 No., 25D- 10 No., 26D- 5 No., 27D- 5 No., 28D- 5 No.</p> <p>PAYMENT TERMS: -</p> <p>100% payment will be made after receipt and acceptance of material as per MSME act as follows:-</p> <ol style="list-style-type: none"> 1) Micro & Small Enterprises – within 45 days 2) Medium Enterprises – within 60 days 3) Non MSMEs – within 90 days. <p>RISK PURCHASE CLAUSE: -</p> <p>In case of abnormal delays (beyond the maximum late delivery period as per LD clause) in supplies / defective supplies or nonfulfillment of any other terms and conditions given in Purchase Order, BHEL may cancel the Purchase Order in full or part thereof, and may also make the purchase of such material from elsewhere / alternative source at the risk and cost of the supplier. BHEL will take all reasonable steps to get the material from alternate source at optimum cost. If bidder does not agree to the above Risk Purchase Clause, BHEL reserves the right to reject the offer. In case for compelling reasons BHEL accepts the offer without acceptance of this clause by the bidder and in the eventuality of Risk Purchase, appropriate action will be taken as per BHEL extant rules. This will be without prejudice to any other right of BHEL under the contract or under General Law.</p> <p>CONFLICT OF INTEREST AMONG BIDDERS / AGENTS: -</p> <p>"A bidder shall not have conflict of interest with other bidders. Such conflict of interest can lead to anti-competitive practices to the detriment of Procuring Entity's interests. The bidder found to have a conflict of interest shall be disqualified. A bidder may be considered to have a conflict of interest with one or more parties in this bidding process, if:</p> <ol style="list-style-type: none"> a) they have controlling partner (s) in common; or b) they receive or have received any direct or indirect subsidy/ financial stake from any of them; or c) they have the same legal representative/agent for purposes of this bid; or d) they have relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder; or e) Bidder participates in more than one bid in this bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all bids in which the parties are involved. However, this does not limit the inclusion of the components/ sub-assembly/ Assemblies from one bidding manufacturer in more than one bid; or f) In cases of agents quoting in offshore procurements, on behalf of their principal manufacturers, one agent cannot represent two manufacturers or quote on their behalf in a particular tender enquiry. One manufacturer can also authorise only one agent/dealer. There can be only one bid from the following: <ol style="list-style-type: none"> 1. The principal manufacturer directly or through one Indian agent on his behalf; and 2. Indian/foreign agent on behalf of only one principal; <p style="text-align: center;">or</p> g) A Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the contract that is the subject of the Bid; or h) In case of a holding company having more than one independently manufacturing units, or more than one unit having common business ownership/management, only one unit should quote. Similar restrictions would apply to closely related sister companies. Bidders must proactively declare such sister/ common business/ management units in same/ similar line of business. " <p>OTHER CLAUSES: -</p> <ol style="list-style-type: none"> 1) Item must be stamped with "BHEL SUPPLY NOT FOR SALE" 2) Batch No. & Date of Expiry should be mentioned in invoice 3) Expiry date should not be less than 12 months on date of receipt (unless it is mentioned in tender specification) </div> <p>2.2 <i>Generic</i> Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address</p> <p>MEDICAL STORE MAIN HOSPITAL BHEL, RANIPUR</p>	

HARIDWAR
PIN 249403

2.3 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2.4 Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

2.5 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.6 Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.7 Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

2.8 Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.