

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687745490245

अनुबंध तिथि | Generated Date : 16-Mar-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4371483](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : State Government मंत्रालय Ministry : - विभाग Department : Home Department Karnataka संगठन का नाम Organisation Name : Karnataka Fire and Emergency Services कार्यालय क्षेत्र Office Zone: Head office	पद Designation : Assistant Administrative Officer संपर्क नंबर Contact No. : 080-22971558- ईमेल आईडी Email ID : suptsts.ksfes@ka.gov.in जीएसटीआईएन GSTIN : 29BLRK13871E1DP पता Address : No 1 Annaswamy Mudaliar Road, BANGALORE, KARNATAKA-560042, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: GOVERNMENT OF KARNATAKA वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : GOVERNMENT OF KARNATAKA	Role: PAO भुगतान का तरीका Payment Mode: Offiine पद Designation : Deputy Director Administration ईमेल आईडी Email ID : dda.ksfes@ka.gov.in जीएसटीआईएन GSTIN : - पता Address: No 1 Annaswamy Mudaliar Road, Bangalore, KARNATAKA-560042, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 53D9190000752621 कंपनी का नाम Company Name : Prime Insulators Inc., Bengaluru संपर्क नंबर Contact No. : 09341219174 ईमेल आईडी Email ID : primeinsulatorsinc@yahoo.co.in पता Address : 5, 16TH MAIN ROAD 3RD BLOCK,NO 5/Y,16TH MAIN ROAD,, YEDDLURDINNE,3RD BLOCK,RAJAJI NAGAR,RAJAJINAGAR, Bangalore, KARNATAKA-560010, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-KR-03-0041728 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 29AFGPS6678K1ZG

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : GMPL--GANESH MANUFACTURING 4 Strokes 30 horsepower 4.7 M Rubberised Inflatable Boat (Rescue boats) ब्रांड Brand : GMPL--GANESH MANUFACTURING ब्रांड प्रकार Brand Type : Unregistered Brand कैटलॉग की स्थिति Catalogue Status : Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : 4.7 m Rubberised Inflatable Boat (Rescue boats) (Q3) मॉडल Model: GMIB12P एचएसएन कोड HSN Code: HSN not specified by seller	30	pieces	639,000	NA	19,170,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						19,170,000

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : - ईमेल आईडी Email ID : dfostore.ksfes@ka.gov.in	GMPL--GANESH MANUFACTURING 4				

1	संपर्क Contact : 080-22971511- जीएसटीआईएन GSTIN : 29BLRK13871E1DP पता Address : R.A.Mundkur Fire and Emergency Services Academy Premises,Bannerghatta Main Road ,Bengaluru, BANGALORE, KARNATAKA-560029, India	Strokes 30 horsepower 4.7 M Rubberised Inflatable Boat (Rescue boats)	-	30	16-Mar-2024	15-Apr-2024
---	--	--	---	----	-------------	-------------

Product Specification for GMPL--GANESH MANUFACTURING 4 Strokes 30 horsepower 4.7 M Rubberised Inflatable Boat (Rescue boats)

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Exterior Size of Boat , Min (Length X Breath in mm)	4700 x 2000
	Interior Size of Boat , Min (Length X Breath in mm)	3300 x 1000
	Carrying capacity, considering per person weight of 825/10 Kgs, Speed	12 persons; Speed at light load with three persons not less than 15 Knots and at full load not less than 6 Knots
	Floor Board (nos & Size) interlocked together to form a rigid platform (mm x mm x mm)	4nos3510x1170x150
	Total Min Inflatable Chambers including inflatable Keel	6
	Diameter of Buoyancy tube, Min (mm)	500 millimeter
	Inflatable Mechanism of Boat	Foot Pump as well as Electric Pump (12 V DC)
	The Hull, Air Tube (buoyancy Chambers) , floor, Keel must made of composite fabric consisting Hypalon (outside layers) and Neoprene (inside layers) with 1670 Dtex, 1500 GSM as per ISO 15372	Yes
	Transom - FRP Coated marine plywood as per IS 710 to form waterproof Cocoon as per ISO, OBM mount on transom should of marine grade aluminium alloy plate	Yes
	Over lapping of seam of Boat	Quadruple
	5/8" Grab line nylon braided (as per IS 4227) all along the side for safety	Yes
	Inflatable Keel of suitable Diameter for rigidity & stability during operation and swift water rescue	Yes
	Two nos drain valve akin to NRV on the lower most part of the transom board near the rear end fitment of the keel close to the centre line	Yes
	Air Valve one way type Conforming to International Standards (Inflation/Deflation Valve) for each compartment	Yes
	Make of OutBoard Motor Engine (OBM); OBM make should have proven indigenous product support throughout India	Mercury
	Model No of OutBoard Motor Engine (OBM)	30ML
	Fuel	Petrol
	No of Strokes	4
	No of Cylinders	3
	Fuel Capacity; The OBM shall be provided with OEM supplied standard fuel tank, connecting fuel hoses	25 liter
	Power (HP)	30 horsepower
	Engine Starting; OBM Shall be provided with suitable storage stand	Manual starting
	Engine Stopping Switch	Yes
	Fuel Injection System (write NA if not applicable)	EFI
	Engine Cooling System	Watercooled with Thermostat
	Engine Lubrication	Wet Sump with Pressure
	Engine Exhaust	Through Propeller
	Trim System	Manual Type
Constructional	Type of Steering System	Manual with hand tiller
	Length of Engine Shaft suitable for transom (in cm)	50 centimeter
	Colour of the Boat	Orange
	2 paddle for Emergency Rowing	Yes
	Floor Board shall be interlocking type of High Strength	

	Tempered Anodised marine grade aluminium alloy/ Marine plywood encapsulated in FRP coating Polygon (Al alloy) & U Channel (Al alloy) for fitment of floorboard - as per offered design	Yes
	Boat Shall have Round/ Conical ends for Rapid Planning	Yes (conical)
	Built in oarlocks for easy Rowing	Yes
	Two Stainless Steel SS 316 "D " Rings for Towing	Yes
	Two Layer of Material on Lower Tubes for better Puncture resistance and abrasion	Yes
	Standard Tool Kit including Open Spanner, Socket, T Handle, Extension for Socket, Screw Driver , Feeder Gauge, Box Spanner, and Torque Spanner of Required Numbers and Sizes	Yes
	Mandatory Fittment on Collar including 100 mm Rubbing Stake of Vinyl/urethane/EPDM/Neoprene, Anti chafing strip of 2" inch under keelson, Chafing patch for coxswain's position, Bow rubbing strip 4", D rings, Anti Skid Coating etc as per standards	Yes
	Minimum Four Carrying handles shall be provided, two on each side and one front lifting handle One additional handle to be provided near Coxwain to provide grip to helmsman while operating OBM	Yes
	Additional Fittment on Collar including 2 paddle blade Pocket, 2 rope Stowage pocket, 4 securing Rings SS 316, 1 bow Ring SS 316 etc	Yes
	Life saving Equipments in a wooden Box Carrying First Aid Kits	Yes
	Instruction Manual	Yes
	No of Life jackets	12
	No of Life Buoys	2
	Repair Kit	fabric patches 05, adhesive tube (Dendrite) 500 gm, roughing tool 1 set
	PVC coated nylon fabric Valises and Store bags	(i) Heavy duty storage bag for Hull - 01 (ii) Heavy duty storage bag for Floorboard - 01 (iii) Storage bag for oars & other accessories - 01
	Additional spares	(i) Inflation/ Deflation Valves - 10 Nos (ii) Pressure guage - 01 No (iii) Plugs for Water Drain - 04 Nos (iv) NRV for Water Drain - 10 Nos (v) Electric Inflation pump - 01 No (vi) Bellow Inflation Foot Pump - 2 Nos (vii) Patching material with adhesive to repair leak/damage in buoyancy tube.
	OBM Spares	1.1 Engine oil filter - 03 nos. 1.2 Fuel Filter - 06 nos. 1.3 Air Filter - 02 nos. 1.4 Fuel line with priming valve and connectors - 01 no. 1.5 Propeller - 01 No. 1.6 Spark plug - 03 nos. 1.7 Spark plug wrench -01 no. 1.8 Water pump repair kit - 01 set 1.9 Water pump impeller - 01 no. 1.10 Gear oil drawn screw washer - 06 nos. 1.11 Lubrication oil drain plug washer - 02 nos. 1.12 Fuses of all system complete - 02 set
	Test & trials	As per IRS rules and norms
	Marking on builder's plate fitted on inner side of the transom	BOAT GENERAL PURPOSE INFLATABLE NO., DATE OF SUPPLY, NAME OF MANUFACTURER, MAX LOAD CARRYING CAPACITY (KG), MAX MOTOR RATING (KW), MAX NO. OF PERSONS, RECOMMENDED WORKING PRESSURE
Generic	Functions performed	The inflatable boat shall perform the following tasks :- (a) Search & Rescue during floods (b) Transport men and material
	Conformity to Standards for Boat Accordance with IRS Classification Society Rules and Norms issued and ISO 6185-3	Yes
Performance	Conformity to Standards for Rubberised Inflated Boat As per ISO 6185-3	4.7 m (For 12 Persons)
	Weight of Boat without OBM	145 kilogram
	Weight of Boat max with passengers without OBM considering per person weight of 82500 gm	1140 kilogram
Certification	Availability of approved Drwaing from IRS/ Govt of India (DG Shipping) approved	Yes
	Availability of Test Report including Environmental test as per ISO 6185-3 latest amendment from IRS/ Govt of India (DG Shipping) approved to prove confirmity to specification for declared parameters	Yes
	Test Report No	E-77816-102749

Test Report Date	27.02.2019
Name of the Lab	IRS
Address of the Lab	IRS Mayfairtowerpune
Warranty in Years	1 year
Test Report to be provided to buyer on demand	Yes

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for GMPL--GANESH MANUFACTURING 4 Strokes 30 horsepower 4.7 M Rubberised Inflatable Boat (Rescue boats)

विनिर्देश Specification	मूल्य Value
As the products catalogue available in the portal is default specification.	Bidders are request to quote as per the buyers technical specification uploaded in the ATC.
General Terms	Bidder shall carefully read all the bid documents, ATC, GTC and shall agree to all by company stamp /sealed & dully signed by authorised person and attach the scanned copies without fail, or else their bid will be treated as non responsive for technical qualification and will be rejected from opening of Financial bid.

शुद्धिपत्र | Corrigendum

1. तक बढ़ाया गया | Extended Upto : 2024-01-01 11:00:00

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	State Bank of India
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	5.00
बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा The bidder shall furnish ePBG as applicable as per bid's terms and conditions	

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic.

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Generic.

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

2.3 Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

2.4 OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

2.5 Scope of Supply.

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

2.6 Certificates.

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

2.7 Certificates.

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.8 Turnover.

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2.9 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file.](#)

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.