

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687706866190

अनुबंध तिथि | Generated Date : 16-Mar-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्रकार Type :	State Government	पद Designation :	Accountant			
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	05842-240209-			
विभाग Department :	Medical Education Department Uttar Pradesh	ईमेल आईडी Email ID :	sanjay.73713@gov.in			
संगठन का नाम Organisation Name :	Directorate of Medical Education and Training	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone:	Autonomous State Medical college Azizpur Jignaira	पता Address :	Autonomous State Medical College,Azizpur Jignaira-shahjahanpur, SHAHJAHANPUR, UTTAR PRADESH-242001, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम	FC	भुगतान का तरीका	Offline			
Designation of Administrative Approval:		Payment Mode:				
वित्तीय अनुमोदन का पदनाम	FC	पद Designation :	PAO			
Designation of Financial Approval :		ईमेल आईडी Email ID :	pay1.dmet.up@gembuyer.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	Autonomous State Medical College,Azizpur Jignaira-shahjahanpur, Shahjahanpur, UTTAR PRADESH-242001, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	959E180000375156					
कंपनी का नाम Company Name :	MEDICAREPLUS HEALTHCARE PRIVATE LIMITED					
संपर्क नंबर Contact No. :	09837017919					
ईमेल आईडी Email ID :	mpphpl05@gmail.com					
पता Address :	SHOP NO 2,1ST FLOOR UDAY BHAWAN COMMERCIAL COMPLEX,NEAR ATMARAM AUTO,BHAGWAN TALKIES, Agra, UTTAR PRADESH-282005, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-UP-01-0015367					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Male					
जीएसटीआईएन GSTIN:	09AAKCM0909K1Z7					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : 10 DAYS						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : GVSSCO Mild Steel Bed Frame Emergency Recovery Trolley ब्रांड Brand : GVSSCO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM केसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भास Category Name & Quadrant : emergency recovery trolley (Q3) मॉडल Model: GV-RT1008 एचएसएन कोड HSN Code: HSN not specified by seller	2	pieces	150,000	NA	300,000
कुल और मूल्य Total Order Value (in INR)						300,000
परेष्ठी विवरण Consignee Detail						
क्र.सं. S.No	परेष्ठी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : Accountant ईमेल आईडी Email ID : sanjay.73713@gov.in संपर्क Contact : 05842-240209-	GVSSCO Mild Steel Bed				

1	जीएसटीआईएन GSTIN : - पता Address : Autonomous State Medical College, Azizpur Jignairai- shahjahanpur, SHAHJAHANPUR, UTTAR PRADESH-242001, India	Frame Emergency Recovery Trolley	-	2	16-Mar-2024	31-Mar-2024
---	--	----------------------------------	---	---	-------------	-------------

Product Specification for GVSSCO Mild Steel Bed Frame Emergency Recovery Trolley

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
Trolley Dimensions	Material of Bed Frame	Mild Steel
	Thickness of tube of Bed frame	>= 1.2 mm
	Corner Bumpers	With
	Material details of Mattress Platform in various sections	Mild Steel
	Details of Hydraulic Pump	Height adjustment by foot Operated Hydraulic Pump
	Side rail	Collapsible
	Height of side rail from patient Surface	350 millimeter
	Width of X-Ray tray (mm)	360
	Details of Gas springs	USE COMPRESSED GAS CONTAINED WITHIN AN CYLINDER
	Overall Length of patient transfer trolley	>= 1900 mm to 2000 mm
	Material of side rail	Stainless Steel
	Type of back rest section tilt.	Continuous Type.
	RH and LH Fastening Belt	With
	Material of Fastening Belts	CANVAS
Mattress	Provision of Push Pull Handles; foldable handles on head side and fixed handles on Leg side of Bed Frame	Yes
	Overall Width of Patient Transfer Trolley (mm)	850 mm up to 900 mm
	Type of tube used in Base frame	Rectangular
	Type of Mattress	Section matching with the mattress platform
	Width of mattress (mm)	620
	Length of Mattress (mm) suited with trolley length	1850 mm to 1900 mm
	Thickness of mattress platform	1.2 mm
	Width of Mattress Platform (mm)	650 millimeter
	Thickness of mattress	100 mm
	Material of mattress	Single Layer PUF with 32 Kg/cubic Meter density
Product Code/Drawing	Material of cover for mattress	Single Layer PUF with 32 Kg/cubic Meter density
	Back rest section of mattress platform shall be radiolucent X - ray	Yes
	Number of sections of mattress Platform (Nos)	2
	Drawing Number	NA
	Numbers of Castor wheel fixed on trolley	4
	Diameter of Castor wheel	150 millimeter
Wheels	Numbers of centrally lockable Castor wheel (Nos)	2
	Numbers of swivel wheel (Nos)	4
	Steering facility available	Available on single side
	Steering facility with additional Directional Wheel	Yes
	Height Adjustable facility with dual Hydraulic pumps with foot pedals on both side of trolley	Yes
	Maximum Height of patient transfer trolley (mm)	>= 840 mm to < 870 mm
Trolley Height	Range of height adjustment from the Maximum Height	300 millimeter
	Adjustment of back rest section tilt	Yes
	Range of angle of back rest section tilt adjustment from 0 degree to maximum Degree:	75

Trolley Features	Oxygen Cylinder Holder facility	Yes
	X-ray tray assembly provided:	Yes
	Length of X-Ray tray (mm)	750 millimeter
	Urine Bag Holder	Yes
	Range of Trendelenburg angle (+/- Degree)	20
	Range of Anti-Trendelenburg angle (+/- Degree)	20
	Facility for Knee break position	With the help of Gas Spring with Fail Safe Mechanism
	Maximum angle adjustment for Knee break position (in degree)	Manual
	Load Carrying Capacity (Static) of patient transfer trolley (Kgs)	201.11 kilogram
	Load Carrying Capacity (Dynamic) of patient transfer trolley (Kgs)	301 kilogram
Trolley Misc Parameters	Painting of patient transfer trolley	Powder coating
	Colour of patient transfer trolley.	As per buyer's requirement
I V Pole	Telescopic I V Pole mountable on all four corners	Yes
	Length of I V Pole Hanging rod	50 millimeter
	Material of I V pole	Stainless Steel
Warranty & Comprehensive Maintenance Contract	Warranty period	5 year
	Agreeable for AMC/CMC post warranty stage:	No

टिप्पणी|Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें| Terms and Conditions

1. Special terms and conditions- Version:2 effective from 18-10-2022

1.1

1. **Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
2. **Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
3. **Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
4. **Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
5. **Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
6. **Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
7. **Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

8. Software: All software updates should be provided free of cost during warranty period.
9. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.