

| | | | | | | |
|---|--|--|---|----|-------------|-------------|
| 1 | ईमेल आईडी Email ID : vudugulajsk.g099301@gov.in संपर्क Contact : 040-23244429- जीएसटीआईएन GSTIN : 36HYDO01326D1DL पता Address : Office of the Principal Commissioner of Central GST & Central Excise, Hyderabad GST Commissionerate, Lal Bahadur Stadium Road, Basheerbagh, Hyderabad - 500004, Rangareddy, TELANGANA-500004, India | geeken Revolving Chair with Knee tilt Synchronic mechanism | - | 17 | 17-Mar-2024 | 01-May-2024 |
|---|--|--|---|----|-------------|-------------|

Product Specification for geeken Revolving Chair with Knee tilt Synchronic mechanism

| विनिर्देश Specification | उप-विनिर्देश Sub-Spec | मूल्य Value |
|--|--|---|
| GENERAL REQUIREMENT | Tilt mechanism | Knee tilt Synchronic mechanism |
| | Locking mechanism | Upright locking |
| | Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation | Fixed |
| | Seat depth adjustment | Fixed type |
| | Backrest type | Fixed type |
| | Backrest support type | Adjustable lumber support |
| | Headrest type | Without headrest |
| | Revolving mechanism | Designed with 360 degree-revolving type and upright locking |
| | Height adjustments | Pneumatic |
| | Additional requirement I | NA |
| | Additional requirement II | NA |
| | Additional requirement III | NA |
| MATERIAL AND MATERIAL THICKNESS | Pedestal Base | Chrome |
| | Twin wheel castor material | Nylon |
| | Number of twin wheel castor | 5 Nos. |
| | Minimum diameter of twin wheel castor | 50 mm |
| | Armrest Material | MS Arms with ABS arm top |
| | Seat base material | Mild steel frame with plywood |
| | Seat material | PU foam |
| | Minimum density of foam used in seat | 30 kg per cubic meter |
| | Minimum thickness of PU foam used in seat | 30 mm |
| | Seat upholstery material | Leatherette |
| | Backrest base frame material | Thermoplastic elastomer frame with insert in one piece |
| | Padding at backrest | NA |
| | The minimum density of foam used in the backrest | NA |
| | Minimum thickness of PU foam used in backrest | 30 mm |
| | Backrest upholstery material | Leatherette |
| Upholstery material thickness /fabric substance used in seat /backrest | 0.7 to 1.5 mm (for leather /leatherette) | |
| DIMENSION | Minimum seat height from floor surface | 400 mm |
| | Minimum Seat height adjustment | Up to 100 mm |
| | Minimum width of seat | 500 mm |
| | Minimum depth of seat | 450 mm |
| | Minimum width of backrest | 400 mm |
| | Backrest height | Low back (350 to 450 mm) |
| | Minimum thickness of MS Plate Joining the understructure with Seat | 2 mm |
| | Minimum pedestal size (diameter) | 650 mm |
| COLOUR AND FINISH | Upholstered material seat color | Brown |
| | Upholstered material backrest color | Brown |
| | Finish of exposed metal parts | Chrome plated |
| WARRANTY | Warranty period in number of years | 1-Year |

| | | |
|--|---------------------------------------|-----|
| TESTING AND CERTIFICATION | Green Pro Certification issued by CII | No |
| | BIFMA membership | Yes |
| ईपीबीजी विवरण ePBG Detail | | |
| NA | | |
| नियम और शर्तें Terms and Conditions | | |
| <p>1. General Terms and Conditions-</p> <p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p> | | |
| <p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p> <p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p> | | |