अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687725402244 अनुबंध तिथि | Generated Date : 17-Mar-2024

खरीदार विवरण | Buyer Details

प्ररूप|Type: State Government

संगठन विवरण | Organisation Details

मंत्रालय|Ministry :

Rural Development and Panchayats Department Jammu and विभाग | Department :

संगठन का नाम|Organisation N/A

Name:

कार्यालय क्षेत्र|Office Zone: ACD KATHUA

पद|Designation: sec panchayat plahi

संपर्क नंबर|Contact No. :

ईमेल आईडी|Email ID : sec-panchayat@jk.gov.in

जीएसटीआईएन|GSTIN :

bdo basohli kathua, पता|Address :

KATHUA, JAMMU & KASHMIR-184101, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval:

भुगतान प्राधिकरण विवरण|Paying Authority Details

BUYER Role: भुगतान का तरीका| Offline Payment Mode:

पद|Designation: sec panchayat plahi ईमेल आईडी|Email ID: sec-panchayat@jk.gov.in

जीएसटीआईएन|GSTIN :

bdo basohli kathua, पता|Address:

Kathua, JAMMU & KASHMIR-184101, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : P8TY230009127656 कंपनी का नाम|Company Name : KHAJURIA ENTERPRISES

संपर्क नंबर|Contact No.: 09419680276

ईमेल आईडी|Email ID : khajurias519@gmail.com

H.no. 200 Lane no.8, Shakti Nagar, Jammu, पता| Address : Jammu, JAMMU & KASHMIR-180001, -

एमएसएमई पंजीकरण संख्या|MSME Registration number :

01BORPK2624G2Z5 जीएसटीआईएन|GSTIN:

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

bdo

bdo

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण|Product Details

#	‡ आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : SANKET Almirah Steel shelving cabinets ब्रांड Brand : SANKET ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थित Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Almirah Steel (V2) (Q3) मॉडल Model: 4546274 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	15,000	NA	15,000
कु	कुल ऑर्डर मूल्य Total Order Value (in INR)					

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : sec panchayat plahi ईमेल आईडी Email ID : sec-panchayat@jk.gov.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : bdo basohli kathua, KATHUA, JAMMU & KASHMIR-184101, India	SANKET Almirah Steel shelving cabinets	-	1	17-Mar-2024	01-Apr-2024

Fechnical specification of Amina's steel Type of Amina's steel Type of Amina's steel Concentrator type Working Installation Pedestal Pedest	तिनिर्देश Specificat	ion उप-विनिर्देश Sub-Spec	मूल्य Value
	чичкі і эресінсас		
Construction types		Technical specification of Almirah steel	
Installation		Type of Almirah steel	Almirah Steel shelving cabinets
Pedestal fixed with 25 mm 125 mm		Construction type	Welded
Pedestal Red with 15 mm 15 mm 15 mm 16 mm		Installation	Free standing
Pedestal height (4.5 mm) 125 mm 100 mm 125 mm 100 mm 1		Pedestal	Yes
Locker required No		Pedestal fitted with	3 mm Teflon Bush
Number of door		Pedestal height (± 5 mm)	125 mm
Number of boor 2		Locker required	No
Number of Implies (for each door) 3		Door type	Hinged
Number of hinges (for each closer) 3		Number of door	2
Mirror fitted No brawer Number of drawers required Red Shelves required Red Shelves required Red Number of shelves Same Red Uniformly distributed load (UDL) for shelves Red Wardobe by style No wardrobe Tie Hänger No Colour of finiah Silver Grey Colour of finiah Silver Grey Sicrel sheet material Screws Conforming to grade CRI of 15 51 Sheet rounds and flats NA Screws Conforming to 15 1365 Hanging rod material No banging rod Mirror frame made out of 0f provided) No mirror frame Tie hanger made out of 0f provided) No mirror frame Almirah height(excluding the height of pedestal) ± 5 mm S00 mm Almirah width ± 5 mm S00 mm Almirah width ± 5 mm No locker Locker inside height ± 5 mm NA Almirah side depth ± 5 mm NA Drawer height NA Drawer width NA Drawer width NA Drawer depth NA Mirror sizes NA Shelves lipped flange NA Shelves lipped flange NA Shelves lipped flange NA Shelves lipped thickness O, 8 mm MENSION Shelves sheet thickness O, 9 mm MENSION	EQUINEMENT	Number of hinges (for each door)	3
Number of drawers required No Drawer		Door stiffener up to full door height provided	Yes
Shekes required Fixed		Mirror fitted	No mirror
Number of shelves 3 Uniformly distributed load (UDL) for shelves 60 Kgs. Wardrobe by style No wardrobe Tie Hanger No Colour of finish Siver Grey Steel sheet material CRCA sheets conforming to grade CRI of IS S1: 1;2016 (with latest amendment) Sheet rounds and flots NA Screws Conforming to IS 1365 MATERIAL Hanging rod material No hanging rod Mirror frame made out of (if provided) No mirror frame Tie hanger made out of NA Stiffener material No Stiffener Almirah height(excluding the height of pedestal) ± 5 mm 1450 mm Almirah height(excluding the height of pedestal) ± 5 mm No locker Locker inside width ± 5 mm No locker Locker inside width ± 5 mm NA Drawer height NA Shelves lipped flan		Number of drawers required	No Drawer
Uniformly distributed load (UDL) for shelves 60 kgs.		Shelves required	Fixed
Wardrobe by style		Number of shelves	3
Tie Hanger		Uniformly distributed load (UDL) for shelves	60 Kgs.
Colour of finish Silver Grey		Wardrobe by style	No wardrobe
Steel sheet material Sheet rounds and flats NA Screws Conforming to IS 1365 Hanging rod material Mirror frame made out of (if provided) Tie hanger made out of (if provided) No banging rod Mirror frame made out of (if provided) No stiffener material No stiffener Almirah height(excluding the height of pedestal) ± 5 mm Almirah width ± 5 mm Almirah depth ± 5 mm Locker inside height ± 5 mm No locker Locker inside depth ± 5 mm No locker Locker inside depth ± 5 mm No ware height Drawer depth NA Drawer depth NA Mirror sizes NA Shelves lipped flange NA Side sheet thickness O.8 mm Bottom sheet thickness O.9 mm Shelves sheet thickness O.9 mm		Tie Hanger	No
Sees sheet material 1):2016 (with latest amendment)		Colour of finish	Silver Grey
Screws Conforming to 15 1365		Steel sheet material	CRCA sheets conforming to grade CRI of IS 513(pa 1):2016 (with latest amendment)
MATERIAL Hanging rod material No hanging rod Mirror frame made out of (if provided) No mirror frame Tie hanger made out of N.A Stiffener material No stiffener Almirah helght(excluding the height of pedestal) ± 5 mm 1450 mm Almirah width ± 5 mm 800 mm Locker inside height ± 5 mm No locker Locker inside width ± 5 mm N.A Locker inside depth ± 5 mm N.A Locker inside depth ± 5 mm N.A Drawer height N.A Drawer width N.A Drawer depth N.A Mirror sizes N.A Shelves lipped flange N.A Side sheet thickness 0.8 mm Do sheet thickness 0.8 mm Dottom sheet thickness 0.9 mm DMENSION Shelves sheet thickness 0.9 mm		Sheet rounds and flats	N.A
Hanging rod material No hanging rod		Screws	Conforming to IS 1365
Tie hanger made out of Stiffener material No stiffener Almirah height(excluding the height of pedestal) ± 5 mm 1450 mm Almirah width ± 5 mm 800 mm Almirah depth ± 5 mm 450 mm Locker inside height ± 5 mm No locker Locker inside depth No locker Locker inside depth ± 5 mm No locker No locke	MATERIAL	Hanging rod material	No hanging rod
Stiffener material No stiffener Almirah height(excluding the height of pedestal) ± 5 mm 1450 mm Almirah width ± 5 mm 800 mm Almirah depth ± 5 mm 450 mm Locker inside height ± 5 mm No locker Locker inside depth ± 5 mm NA Drawer height NA Drawer width NA Drawer depth NA Mirror sizes NA Shelves lipped flange NA Side sheet thickness 0.8 mm Top sheet thickness 0.8 mm Bottom sheet thickness 0.9 mm MENSION Shelves sheet thickness 0.8 mm		Mirror frame made out of (if provided)	No mirror frame
Almirah height(excluding the height of pedestal) ± 5 mm Almirah width ± 5 mm Almirah depth ± 5 mm Locker inside height ± 5 mm No locker Locker inside depth ± 5 mm NA Locker inside depth ± 5 mm NA Drawer height Drawer height Drawer height NA Drawer sizes NA Mirror sizes NA Shelves lipped flange Side sheet thickness Das mm Bottom sheet thickness 0.8 mm Bottom sheet thickness 0.9 mm		Tie hanger made out of	N.A
Almirah width ± 5 mm 800 mm Almirah depth ± 5 mm 450 mm Locker inside height ± 5 mm No locker Locker inside width ± 5 mm NA Locker inside depth ± 5 mm NA Locker inside depth ± 5 mm NA Drawer height NA Drawer width NA Drawer depth NA Mirror sizes NA Shelves lipped flange NA Side sheet thickness 0.8 mm Top sheet thickness 0.8 mm Bottom sheet thickness 0.9 mm Shelves sheet thickness 0.9 mm Shelves sheet thickness 0.9 mm Shelves sheet thickness 0.9 mm		Stiffener material	No stiffener
Almirah depth ± 5 mm		Almirah height(excluding the height of pedestal) ± 5 mm	1450 mm
Locker inside height ± 5 mm No locker Locker inside width ± 5 mm N.A Locker inside depth ± 5 mm N.A Drawer height N.A Drawer width N.A Drawer depth N.A Mirror sizes N.A Shelves lipped flange N.A Side sheet thickness 0.8 mm Back sheet thickness 0.8 mm Top sheet thickness 0.9 mm Bottom sheet thickness 0.9 mm IMENSION Shelves sheet thickness 0.8 mm		Almirah width ± 5 mm	800 mm
Locker inside width ± 5 mm N.A Locker inside depth ± 5 mm N.A Drawer height N.A Drawer width N.A Drawer depth N.A Mirror sizes N.A Shelves lipped flange N.A Side sheet thickness 0.8 mm Back sheet thickness 0.8 mm Top sheet thickness 0.9 mm Bottom sheet thickness 0.9 mm DIMENSION Shelves sheet thickness 0.8 mm		Almirah depth ± 5 mm	450 mm
Locker inside depth ± 5 mm N.A Drawer height N.A Drawer width N.A Drawer depth N.A Mirror sizes N.A Shelves lipped flange N.A Side sheet thickness 0.8 mm Back sheet thickness 0.8 mm Top sheet thickness 0.9 mm Side sheet thickness 0.9 mm Shelves sheet thickness 0.9 mm		Locker inside height ± 5 mm	No locker
Drawer height N.A Drawer width N.A Drawer depth N.A Mirror sizes N.A Shelves lipped flange N.A Side sheet thickness 0.8 mm Back sheet thickness 0.8 mm Top sheet thickness 0.8 mm Bottom sheet thickness 0.9 mm Shelves sheet thickness 0.8 mm		Locker inside width ± 5 mm	N.A
Drawer width Drawer depth N.A Mirror sizes N.A Shelves lipped flange Side sheet thickness Drawer depth N.A Shelves lipped flange N.A Side sheet thickness Drawer depth N.A Shelves lipped flange N.A Side sheet thickness Drawer depth N.A Shelves lipped flange N.A Side sheet thickness Drawer depth N.A Shelves sheet thickness Drawer depth N.A Shelves lipped flange N.A Drawer depth N.A Shelves lipped flange N.A Drawer depth N.A Shelves lipped flange N.A Drawer depth N.A Drawer depth N.A Shelves lipped flange N.A Drawer depth N.A Drawer de		Locker inside depth ± 5 mm	N.A
Drawer depth N.A Mirror sizes N.A Shelves lipped flange N.A Side sheet thickness 0.8 mm Back sheet thickness 0.8 mm Top sheet thickness 0.8 mm Bottom sheet thickness 0.9 mm IMENSION Shelves sheet thickness 0.8 mm		Drawer height	N.A
Mirror sizes N.A Shelves lipped flange N.A Side sheet thickness 0.8 mm Back sheet thickness 0.8 mm Top sheet thickness 0.8 mm Bottom sheet thickness 0.9 mm DIMENSION Shelves sheet thickness 0.8 mm		Drawer width	N.A
Shelves lipped flange N.A Side sheet thickness 0.8 mm Back sheet thickness 0.8 mm Top sheet thickness 0.8 mm Bottom sheet thickness 0.9 mm IMENSION Shelves sheet thickness 0.8 mm		Drawer depth	N.A
Side sheet thickness 0.8 mm Back sheet thickness 0.8 mm Top sheet thickness 0.8 mm Bottom sheet thickness 0.9 mm IMENSION Shelves sheet thickness 0.8 mm		Mirror sizes	N.A
Back sheet thickness 0.8 mm Top sheet thickness 0.8 mm Bottom sheet thickness 0.9 mm IMENSION Shelves sheet thickness 0.8 mm	MENSION	Shelves lipped flange	N.A
Top sheet thickness 0.8 mm Bottom sheet thickness 0.9 mm Shelves sheet thickness 0.8 mm		Side sheet thickness	0.8 mm
Bottom sheet thickness 0.9 mm Shelves sheet thickness 0.8 mm		Back sheet thickness	0.8 mm
Bottom sheet thickness 0.9 mm Shelves sheet thickness 0.8 mm		Top sheet thickness	0.8 mm
IMENSION Shelves sheet thickness 0.8 mm			
I Shelves supporting pracket thickness		Shelves supporting bracket thickness	N.A

i	1	1
	Pedestal sheet thickness	0.8 mm
	Hinges sheet thickness	1.25 mm(double folded)
	locker door sheet thickness	N.A
	Drawer sheet thickness	N.A
	Hanging rod wall thickness	N.A
	Hanging rod diameter ±2 mm	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Tie hanger sheet thickness	N.A
	Width of stiffener	N.A
	Stiffener sheet thickness	N.A
	Number of glass sheet fixed	N.A
	Handle size	12 cm
	Steel Almirah lock/locker lock	Six lever lock
	Material of lock	Steel
	Duplicate keys (for each)	Yes
	Keys material (for each lock)	Steel
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah locking mechanism	A three way bolting device controlled by a lock
	Door handle material for almirah lock	Stainless steel
	Handle material for locker	N.A
	Lockers locking mechanism	N.A
	Drawer lock	N.A
	All the mild steel parts shall be given phosphating treatment	N.A
FINISH	The process of application of phosphate coating	N.A
LTINIO	Finish coat with enamels	Stoving enamel
	Powder coating	N.A
	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
TESTING AND CERTIFICATION	Test Report Number and Date	-
CENTIFICATION	Name and Address of the Lab	-
	Test reports to be furnished to buyer on demand, if claimed to be available	No

হিম্মণী Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

