

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687760306435

अनुबंध तिथि | Generated Date : 18-Mar-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : State Government
मंत्रालय | Ministry : -
विभाग | Department : Health Department Andaman & Nicobar
संगठन का नाम | Organisation Name : N/A
कार्यालय क्षेत्र | Office Zone: Andaman and Nicobar State AYUSH Society PortBlair

खरीदार विवरण | Buyer Details

पद | Designation : Medical Officer Homoeo
संपर्क नंबर | Contact No. : 03192-266310-
ईमेल आईडी | Email ID : buycon57.hdan.an@gembuyer.in
जीएसटीआईएन | GSTIN : -
पता | Address : PHC Ferrargunj, South Andaman,
South Andaman, ANDAMAN & NICOBAR-744108, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम |
Designation of Administrative Approval: Chairman, Rogi Kalyan Samiti PHC Ferrargunj
वित्तीय अनुमोदन का पदनाम |
Designation of Financial Approval : Chairman, Rogi Kalyan Samiti PHC Ferrargunj

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO
भुगतान का तरीका |
Payment Mode: Offline
पद | Designation : DEO
ईमेल आईडी | Email ID : buycon2.ansas.an@gembuyer.in
जीएसटीआईएन | GSTIN : -
पता | Address: O/o Andaman & Nicobar State AYUSH Society, AYUSH
Hospital Complex, Junglighat, Port Blair,
South Andaman, ANDAMAN & NICOBAR-744103, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 6538230008203976
कंपनी का नाम | Company Name : LASYA ENTERPRISES
संपर्क नंबर | Contact No. : 09110484437
ईमेल आईडी | Email ID : lasyaenterprises2023@gmail.com
पता | Address : 272,MARRY HOUSE,5 TH SQUARE,AUSTIN TOWN,
Bangalore, KARNATAKA-560047, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : -
जीएसटीआईएन | GSTIN: 29FTRPP3044Q1ZK

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : ok

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : TOWSAFE Portable Weigh Load Scale With 2 kg Weighing Capacity ब्रांड Brand : TOWSAFE ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Portable Weigh Load Scale (Q3) मॉडल Model: TOWSAFE PORATBLE V2 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	1,400	NA	1,400
कुल ऑर्डर मूल्य Total Order Value (in INR)						1,400

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : Medical Officer Homoeo ईमेल आईडी Email ID : buycon57.hdan.an@gembuyer.in संपर्क Contact : 03192-266310- जीएसटीआईएन GSTIN : - पता Address : PHC Ferrargunj, South Andaman,	TOWSAFE Portable Weigh Load Scale With 2 kg Weighing Capacity	-	1	18-Mar-2024	02-Apr-2024

Product Specification for TOWSAFE Portable Weigh Load Scale With 2 kg Weighing Capacity

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Performance Parameters	Application	Measurement of Wheel and Axle Loads of various vehicles with pneumatic Tyre
	Scope of Supply	2 Nos of weigh pads of active weighing surface,Digital controller,PC Software,Ramps or mats and carry case for weigh pads and ramps
	Portable Axle Weigh Pads should be easy to carry and should be of slim size	Yes
	Capacity per Portable weigh Pad in Tons	2
	Size of the platform in mm	Standard(Small) suitable for commercial vehicles (Size should be minimum 380x450 mm)
	Height of platform in mm	17
	Weight of the platform in kg	200
	Capacity Per Axle in Tons	4
	Readability in kg	5
	Out Put Sensitivity in mv/Volt	1.2
	Non linearity in % FS	0.3
	Accuracy Static Mode in % of FS	1
	Maximum excitation Voltage in volts	9-15 V
	Corner error (FS)	0.5 to 1.5% of FS
	Safe Over load in tonnes of % FS	125
	Maximum Over load in tonnes % of FS	250
	Mode of connectivity from weighing pad to digital system	Wifi
	Minimum length of connecting cable from weigh pad to digital system	NA for Wifi
	Suitable Ramp to the size of weigh pads	Yes
	Type of Display	LCD
	Display features	High contrast for good reading ,double LCD Display with back lit
	Memory storage (Readings)	1020
	Maximum Operating Relative humidity	90%
	Operating temp range	-10 to 50
	Built in clock and micro printer	Yes
	Facility to enter vehicle No	Yes
	Keypad	Membrane touch
	Print out format	Date ,Time,vehicleno per Axle weight ,Total weight ,overload weight to be available
	Battery back k up Capacity in hours	24
	Electrical Power source	in built rechargeable battery and power source for operating and charging batteries to be single phase 230 volt 50 hz
	Accuracy Class for the system	OIML NO 76 CLASS 4
	Certificate No and date for Accuracy class	55648 DT 25.8.2018
	Protection Class	IP 65
	Certificate No for protection class	6625
	Serail port connection	USB
	Dimensions of the weighing pad system which should be easily carriable	24X24
	The configuration drawing with dimensions should be submitted if asked by the buyer before supplies after placement of order	Yes
	Weight of the total system in KG	90
Material Parameters	Weighing Pad Material	Aluminium
	Material of Ramp	Aluminium

Additional Parameters	Leveling mat supplied	No
	Suitable Carrying case to be supplied	Yes
Certifications	Model Approval Certificate from Director of Legal Metrology	Yes
	Model Approval certificate number and Date	22546 23.9.2018
	OIML (international Legal Metrology) approval (If available)	No
	The certificate no and date and put NA if not available	NA
	Manufacturer ISO Certified	No
	ISO Certification Details such as Certification No ,Validity etc and incase of No ISO certification please put NA	NA
Reports	Type Test Certificate including Environment conditions from Regional Reference and Standard Laboratory (RRSL)hint: (As per RRSL only one capacity under same model series of same accuracy class is sufficient for remaining capacity of the same series &same accuracy class)	Yes
	Test Report No and Date	22465 23.8.2018
	Name of the lab	DELHI TESTING LABS
	Address of the Lab	DELHI
	Each portable weighing pad system shall be supplied with calibration certificate and stamping under weights and measures act	Yes
	Model approval certificate,Type test and calibration certificate to be furnished to buyer at the time of supplies	Yes
<div>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</div>		
<div>ईपीबीजी विवरण ePBG Detail</div>		
NA		
<div>नियम और शर्तें Terms and Conditions</div>		
<div>1. General Terms and Conditions-</div> <div>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</div> <div>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</div>		
<div>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</div> <div>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</div>		