

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687773203944

अनुबंध तिथि | Generated Date : 18-Mar-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : State Government
मंत्रालय | Ministry :
विभाग | Department : Home Department Jammu and Kashmir
संगठन का नाम | Organisation Name : Jammu and Kashmir Police
कार्यालय क्षेत्र | Office Zone : District Jail Kupwara

खरीदार विवरण | Buyer Details

पद | Designation : SO
संपर्क नंबर | Contact No. :
ईमेल आईडी | Email ID : buycon31.jkp.jk@gembuyer.in
जीएसटीआईएन | GSTIN :
पता | Address : District Jail Kupwara,
KUPWARA, JAMMU & KASHMIR-193222, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम |
Designation of Administrative Approval : SUPERINTENDENT OF JAIL
वित्तीय अनुमोदन का पदनाम |
Designation of Financial Approval : ACCOUNTS OFFICER

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: BUYER
भुगतान का तरीका |
Payment Mode: Offline
पद | Designation : SO
ईमेल आईडी | Email ID : buycon31.jkp.jk@gembuyer.in
जीएसटीआईएन | GSTIN :
पता | Address : District Jail Kupwara,
Kupwara, JAMMU & KASHMIR-193222, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : LWFX220006786970
कंपनी का नाम | Company Name : ATHWAS ENTERPRISES
संपर्क नंबर | Contact No. : 09419066673
ईमेल आईडी | Email ID : athwasent@gmail.com
पता | Address : GROUND FLOOR, KHAN MOHALLA, NEAR GURUDWARA, BAGHAT BARZULLA,
SRINAGAR, JAMMU & KASHMIR-190005, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-JK-21-0017269
एमएसई सामाजिक श्रेणी | MSE Social Category : General
एमएसई लिंग श्रेणी | MSE Gender : Male
जीएसटीआईएन | GSTIN : 01CGQP52151E2ZK

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

| # | आइटम विवरण Item Description | आइटम विवरण Ordered Quantity | इकाई Unit | इकाई मूल्य (INR) Unit Price (INR) | कर विभाजन (INR) Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR) |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------|-------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------|
| 1 | उत्पाद का नाम Product Name : Unbranded Polyester Knitted Track Suits – Sports ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Track Suit - Sports (Q3) मॉडल Model: na एचएसएन कोड HSN Code: HSN not specified by seller | 11 | pieces | 1,499.75 | NA | 16,497.25 |
| कुल ऑर्डर मूल्य Total Order Value (in INR) | | | | | | 16,497.25 |

परेषिती विवरण | Consignee Detail

| क्र.सं. S.No | परेषिती Consignee | वस्तु Item | लॉट नंबर Lot No. | मात्रा Quantity | दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After | वितरण पूरा कब तक करना है Delivery To Be Completed By |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|--------------------|-------------------|-----------------------------------------------------------|--------------------------------------------------------|
| 1 | पद Designation : SO ईमेल आईडी Email ID : buycon31.jkp.jk@gembuyer.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : District Jail Kupwara, | Unbranded Polyester Knitted Track Suits – Sports | - | 11 | 18-Mar-2024 | 02-Apr-2024 |

Product Specification for Unbranded Polyester Knitted Track Suits – Sports

| विनिर्देश Specification | उप-विनिर्देश Sub-Spec | मूल्य Value |
|---------------------------|------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| UTILITY | UTILITY | Unisex |
| COMPONENTS | Components | Complete Set consisting of Upper and Lower |
| MATERIAL | Fabric (Composition) | Polyester |
| | Percentage of Blending (in case of Blended Fabric) | Not Applicable |
| | Mass (gram per square mtrs) | 280 gram |
| | Fabric Construction | Knitted |
| | Weave (In case of Woven Fabric) | Plain |
| | Any other weave as per buyer's requirements (in case weave is other than already mentioned above) | NA |
| | Knitting (In case of knitted Fabric) | Plain (Single Jersey) Knitted, |
| | Ends per dm | NA |
| | Picks per dm | NA |
| | Courses per dm | NA |
| | Wales per dm | NA |
| | Count of knitting yarn | NA |
| | Raising at inner side of Main Fabric | No |
| | Upper Lining | No |
| | Lower Lining | No |
| | Lining Material | 100% Polyester Mesh |
| | Mass of Lining (Gram per Square Meter) | 55 |
| | Netting mesh No of holes on base & bias within 625 Square millimeter | Not Applicable |
| | Technical Requirements of Slide Fastener for Upper Closing | No |
| | Technical Requirements of Slide Fastener for Pocket Closing (For Pockets with Slide Fastner for closing) | Not applicable |
| | Slide Fastners are BIS Marked | No |
| | Width of Tape Elastic at Waist of Trouser | 3.5 cm |
| | Width of Tape Elastic at Bottom of Upper | 3.5 cm |
| | Technical Requirements of Waist Band | Waist band as per IS 9686- 1980 latest |
| | Waist Draw Cord | Polypropylene Cord of 4mm dia |
| | Draw Cord Ends | Fused |
| | Breaking Strength of Draw Cord | 340 N minimum |
| | Sleeve Ends (Cuff) | Elastic Tape |
| | Upper provided with Piping | Yes |
| | Lower provided with Piping | Yes |
| | Piping Fabric- Composition | 100 percent Polyester |
| | Piping Fabric- Any other material as per buyer's requirements (Other than mentioned above) | NA |
| | Piping Fabric Mass (gram per square mtrs) | 80 |
| | Embroidery Thread | Polyester |
| SIZE | Size | Large (L) |
| DIMENSIONS OF UPPER | Width Across Chest 25 mm below under arm | 50 cm (small) |
| | Width Across Bottom Opening (relaxed) | 44 cm (Small) |
| | Length at front from top of collar to bottom | 64 cm (Small) |
| | Sleeve length (from center of back to bottom of sleeve | 82 cm (Small) |
| | Sleeve opening relaxed (Cuff) Width | 9 centimeter |
| | Front Neck Drop | 8 centimeter |

| | | |
|---------------------|---------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| | Back Neck Drop | 1 centimeter |
| | Length of Slide Fastener | 62 cm (Small) |
| DIMENSIONS OF LOWER | Side Seam Length | 102 cm (Small) |
| | Waist relaxed (Width Across) | 41.5 cm (Small) |
| | Waist stretched (Width Across) | 50 cm (Small) |
| | Seat/ Hip (15 cm below waist band) | 50 cm (Small) |
| | Thigh (at Crotch) (Width Across) | 35 cm (Small) |
| | Bottom Opening (Width Across) | 21 centimeter |
| | Front rise including waist band | 27 cm (Small) |
| | Back rise including waist band | 37 cm (Small) |
| | Length of Waist Tying Cord | 154 centimeter |
| | Bottom Fold (Hem) with full turn in(cm) | 1.5 |
| | | |
| POCKETS | Number of Pockets (Upper) | 2 Side Pockets |
| | Size of Side Pockets-Upper (Length X Width) (cm) | 17 cm X 18 cm |
| | Size of Inside Pocket at Chest- Upper | 11 cm X 15 cm |
| | Side Pocket opening - Upper | 15.0 cm |
| | Side Pocket Closure with Slide Fastener -Upper | No |
| | Number of Pockets (Lower) | 2 Side Pockets |
| | Size of Side Pockets - Lower (Length X Width) (cm) | 17 cm X 18 cm |
| | Side Pocket Opening- Lower | 15 centimeter |
| | Pocket Closure with Slide Fastener - Lower | Side Pockets with Slide Fastener |
| | Material of Pockets | Main Basic Fabric |
| | | |
| COLLAR | Collar Type | Stand and Fall Type, Made of two layers of self material |
| | Collar Reinforcement | Without Reinforcement |
| SLEEVE | Sleeve Type | Reglan Sleeve |
| PIPING | Position and Dimensions of Piping on Upper | NA |
| | Position and Dimensions of Piping on Lower | NA |
| STITCHING | Sewing Thread | 100 d tex X 6, Cotton |
| | Raw edges, if any shall be bound by overlock stitching | Yes |
| | Waist band stitching of Upper | Stitched in single rows with chain stitch on the elastic |
| | Sleeve Bottom (Cuff) Stitching | Stitched in single rows with chain stitch on the elastic |
| | Waist band stitching of Lower | Stitched in single rows with chain stitch on the elastic |
| | Lining seams | Inverted |
| | Bartack Stitching (Reinforcement Stitching) at stress bearing areas | Pocket opening, Centre of Waist Band Seam and bottom hem and other stress bearing areas |
| | Tunnel at Waist Band for Lower | Two holes stitched to allow the draw cord with insertion free movement |
| | Stitches per dm (min) | 36 |
| COLOUR/ PRINT | Colour | Navy Blue |
| | Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements | NA |
| | Sublimation Printing (for 100 % polyester only) | Sublimation Print as per buyer's requirements |
| | Sublimation Print as per buyer's requirements | NA |
| | Colourfastness to Light (IS 2454) | 5 |
| | Colourfastness to Washing (IS/ ISO 105-C10, Test- C (3)) | Change in Colour- 4; Staining of Adjacent Fabric- 3-4 |
| | Colourfastness to Rubbing (IS 766) | Dry- 4 / Wet- 3 |
| | Colourfastness to perspiration (IS 971) | 4 |
| | Colour of Mesh Lining | White |
| | Any other colour of Mesh Lining as per buyer's requirements | NA |
| | Colourfastness to Washing (IS/ISO 105-C10, Test- C (3))- Mesh Lining | Change in Colour- 4; Staining of Adjacent Fabric- 3-4 |
| | | |

| | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| | Colourfastness to perspiration (IS 971)- Mesh Lining | 4 |
| | Colour of Piping Material | Blue |
| | Any other colour as per buyer's requirements | NA |
| OTHER REQUIREMENTS | Pilling Resistant [after 5 hours Test as per IS 10971 (Part 1)], min | 4 |
| | Dimensional stability to washing, Shrinkage or Elongation Percentage, max (IS 2977 latest), in lengthwise and widthwise direction | 1 |
| LOGO AND MARKING | Logo/ Totem Marking | As per buyer's requirements |
| | Type of Logo | Printed |
| | Number of Logos on Upper | 2 |
| | Number of Logos on Lower | 2 |
| | Size, Design and Location of Logo as per buyer's requirement | NA |
| TEST REPORT | Availability of Test Report from designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification | No |
| | Test Report No | NA |
| | Test Report Date | NA |
| | Name of the Lab | NO |
| | Address of the Lab | NA |
| | Test reports to be furnished to buyer on demand, if claimed to be available | Not applicable |
| ADVANCE SAMPLE | Agree to provide Advance Sample(s) for buyer's approval before commencement of supply | Yes |
| | | |
| टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies. | | |
| | | |
| ईपीबीजी विवरण ePBG Detail | | |
| NA | | |
| नियम और शर्तें Terms and Conditions | | |
| 1. General Terms and Conditions- | | |
| 1.1 This contract is governed by the General Terms and Conditions , conditions stipulated to this Product/Service as provided in the Marketplace. | | |
| 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable | | |
| नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है। | | |
| Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose. | | |
| | | |