अनुबंध|Contract



अनुबंध क्रमांक|Contract No: GEMC-511687782217436 अनुबंध तिथि|Generated Date: 18-Mar-2024

संगठन विवरण|Organisation Details

प्ररूप|Type: Central Government मंत्रालय|Ministry: Ministry of Communications विभाग|Department: Department of Posts

संगठन का नाम|Organisation

Tamil Nadu Postal Circle Department of Posts

ivame:

Office Of The Chief Postmaster General Tamilnadu Circle

THE PMG, WR, CBE

THE PMG, WR, CBE

कार्यालय क्षेत्र | Office Zone: Chennai 600002

खरीदार विवरण|Buyer Details

पद | Designation : Supdt.RMS संपर्क नंबर | Contact No. : 0422-2390799-

ईमेल आईडी|Email ID : ditrmscb.tn@indiapost.gov.in

जीएसटीआईएन|GSTIN: 33AAAGS1300N1ZJ

पता|Address : Office of the SRM RMS CB Dn Coimbatore, COIMBATORE, TAMIL NADU-641001, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमित|IFD Concurrence : Yes

प्रशासनिक अनुमोदन का पदनाम|

 $Designation\ of\ Administrative\ Approval:$

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

भुगतान प्राधिकरण विवरण|Paying Authority Details

Role: BUYER भुगतान का तरीका | Offline Payment Mode: पद | Designation : Supdt.RMS

ईमेल आईडी|Email ID : ditrmscb.tn@indiapost.gov.in जीएसटीआईएन|GSTIN : 33AAAGS1300N1ZJ

Office of the SRM RMS CB Dn Coimbatore,

पता|Address: COIMBATORE CITY, TAMIL NADU-641001, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : D3A118000090647 कंपनी का नाम|Company Name : HYKON INDIA LIMITED संपर्क नंबर|Contact No. : 08086088848

ईमेल आईडी|Email ID : tenders@hykonindia.com

पता| Address : 9/525 21,22,23,HYKON HOUSE,IKKANDA WARRIER ROAD,TRICHUR,

प्रमुप्सएमई पंजीकरण संख्या|MSME Registration number : UDYAM-KL-13-0000840

एमएसई सामाजिक श्रेणी|MSE Social Category : General

एमएसई लिंग श्रेणी|MSE Gender: Male

जीएसटीआईएन|GSTIN: 32AAACH6869H1ZH

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : Delivery should be done at SRO Erode, RMS CB Division, Gandhiji Road, Erode HO Building, Erode-638001. Contact No.9952888368

उत्पाद विवरण|Product Details

ā	# आइटम विवेरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उद्याद का नाम Product Name : HYKON Online UPS of Rating 1.0 KVA With Battery Of Backup Time 60 Minutes ब्रांड Brand : HYKON ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थीश Category Name & Quadrant : Online UPS (V2) (Q2) मॉडल Model: HT 1101 L एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	41,800	NA	41,800
7	कुल ऑर्डर मुल्य Total Order Value (in INR)					

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : Supdt.RMS					

1	ईमेल आईडी Email ID : ditrmscb संपर्क Contact : 0422-2390799 जीएसटीआईएन GSTIN : 33AAAG प्रता Address : Office of the SR COIMBATORE, TAMIL NADU-6	- S1300N1ZJ M RMS CB Dn Coimbatore, 541001, India	HYKON Online UPS of Rating 1.0 KVA With Battery Of Backup Time 60 Minutes	-	1	18-Mar-2024	16-Jun-2024	
		Online UPS of Rating 1.0 KV	A With Battery Of Back	up Time 60	Minutes			
विनिर्देश Speci	विनिर्देश Specification उप-विनिर्देश Sub-Spec			मूल्य Value	मूल्य Value			
	Rating in KVA	Rating in KVA			1.0 KVA	1.0 KVA		
	Switching Technology	Switching Technology			IGBT-PWM	IGBT-PWM		
Generic	Input Voltage	Input Voltage			AC Single pha	AC Single phase 160V - 260V 50Hz		
	Output Voltage	Output Voltage			AC Single pha	AC Single phase 230V +/-1% 50 Hz		
	Warranty for UPS (Warranty for UPS (Years)			3	3		
	shall ensure comp	Battery/Backup Bank Provided with Online UPS (Hint: In case the UPS is supplied with battery, seller shall ensure compliance to the GST Rates as per recommendations made in the 45th Meeting of GST council dated 17th Sep 2021)				With Battery		
	Type of Battery (hi	Type of Battery (hint: NA in case Battery not provided)				Lead Acid type (with tubular positive plates) conforming to IS:1651:1991 latest		
	Backup time (Minu	ites) (hint: NA in case battery not pro	ovided)		60 Minutes	60 Minutes		
	Battery Make				HYKON	нукол		
Battery/Backup	Bank Battery Model Nur	nber			HYTT 60	НҮТТ 60		
	Battery capacity (A	.h)			45	45		
	Weight of the Batte	Weight of the Battery (kg)			28.9	28.9		
	Number of Batteri	Number of Batteries			3	3		
	Minimum Guarant	Minimum Guaranteed VAH			1600 X Per KV	1600 X Per KVA X Per hour of backup time		
	Warranty for batte	Warranty for battery (Years) by Battery Manufucaturer/Brand hint: NA in case battery not provided			d 3	3		
	Accessories with B	Accessories with Battery			NA	NA		
	Installation and Co	Installation and Commissioning (Covered in the Scope of Supply)			Provided	Provided		
Installation and	After sales service	After sales service (Turn Around Time)			NA	NA		
Commissioning Service		Preventive Maintenance (Hint: Mention Timeline if provided, NA if not provided)			NA	NA		
	Other Services pro	Other Services provided			NA	NA		
		Inbuilt isolation transformer		With	With			
	Overall Efficiency (Overall Efficiency (%)			>/=90% with I	>/=90% with Inbuilt isolation transformer		
	-	Power Factor Load Supported			0.8 or better	0.8 or better		
Performance / Functional	Overload limit					50% Overload for minimum 3 seconds,20% Overload for minimum 5 minute		
	Total Harmonic Dis	Total Harmonic Distortion(THD) (%)			3% Maximum	3% Maximum @ 100% Linear Load		
	Other Functional F	Other Functional Features			Crest factor o	Crest factor on full non-linear load is not less that 3:1		
Accessories	Accessories	Accessories			with Trolley fo	Rack for Batteries,NA,The UPS shall be complete with Trolley for battery bank,battery, Cables and connectors etc		
	Protection	Protection			Protection for	Protection for under voltage at battery terminal		
	Metering	Metering			Input Voltage	Input Voltage		
Salient Feature		Alarms and Indications			Indicator for l Battery	Indicator for Mains presence,Alarm for Low Battery		
	Additional Feature	Additional Features			Pure Sineway	Pure Sinewave AC Output		
	Type of Design / Co	Type of Design / Construction			Floor Standin	Floor Standing		
	Form factor of UPS	Form factor of UPS			NA (for Floor	NA (for Floor Standing)		
Design / Consti	Enclosure (mm)	Enclosure (mm)				1.2 mm Minimum Thickness of M.S. Sheet duly powder coated		
	Degree of Protecti	Degree of Protection			IP21	IP21		
	L	on						
	DC Bus Voltage (In				36			

	Minimum Operating Temperature	0 degree Celsius
Operating Conditions	Maximum Operating Temperature	40 degree Celsius
	Relative Humidity Non Condensing at 40 deg C	90 percent
	Environmental Test Report Requirements	NA
Buyer Specific	Battery Test Report	NA
Requirement	Intended Applications	NA
	Other Requirements	ROHS compliance
	Type of lab which carried out Test of Complete Product to prove the conformity of product as per specification	OEM
Reports And Certification	Agree to provide all relevant documents Test Reports/supporting document /reports etc to the buyer at the time of bidding or on demand	Yes
	As per Meity (Government of India) guidelines UPS shall have valid BIS CRS certifications as applicable	Yes (For UPS rating upto 10KVA)

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें|Terms and Conditions

- 1. Special terms and conditions- Version:1 effective from 06-07-2022
- 1.1 In addition to General Terms and Conditions of GeM, the following Special T&C shall be applicable for Online UPS (Version 2.0) with reference to Installation and Commissioning.

Seller's Responsibility: Installation and Commissioning shall involve all the interconnections, any cabling between power source, switch boards within 3 metre range for input power and connecting Output power in the Scope of seller.

Buyer's Responsibility: Buyer will ensure well ventilated/covered site/room having requisite power points/distribution board to provide input power to UPS as well as to take out power from UPS within 3 metre of the location of UPS placement.

The above is not applicable for the stores supplied without installation and commissioning.

Note: The above is indicative and any incidental requirement related to above responsibilities shall also be considered in the responsibilities of Buyer/Seller as applicable.

- 2. General Terms and Conditions-
- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

 $Note: This is system generated file. \ No signature is required. \ Print out of this document is not valid for payment/ transaction purpose.$