

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687737375454

अनुबंध तिथि | Generated Date : 18-Mar-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : Central Autonomous
मंत्रालय | Ministry : Ministry of Education
विभाग | Department : Department of School Education and Literacy
संगठन का नाम | Organisation Name : Navodaya Vidyalaya Samiti
कार्यालय क्षेत्र | Office Zone: JAWAHAR NAVODAYA VIDYALAYA BALLARI

खरीदार विवरण | Buyer Details

पद | Designation : Vice Principal
संपर्क नंबर | Contact No. : 08391-223490-
ईमेल आईडी | Email ID : buyer265.nvsn.ka@gembuyer.in
जीएसटीआईएन | GSTIN : -
पता | Address : Jawahar Navodaya Vidyalaya Post Chikkajogihalli Taluk Kudligi, BELLARY, KARNATAKA-583126, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | PRINCIPAL JNV VIJAYANAGARA
Designation of Administrative Approval:
वित्तीय अनुमोदन का पदनाम | PRINCIPAL JNV VIJAYANAGARA
Designation of Financial Approval :

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: BUYER
भुगतान का तरीका | Payment Mode: Offline
पद | Designation : Vice Principal
ईमेल आईडी | Email ID : buyer265.nvsn.ka@gembuyer.in
जीएसटीआईएन | GSTIN : -
पता | Address : Jawahar Navodaya Vidyalaya Post Chikkajogihalli Taluk Kudligi, BELLARY, KARNATAKA-583126, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 08DB180000114008
कंपनी का नाम | Company Name : M/S BHAGYODAY PRAKASHAN
संपर्क नंबर | Contact No. : 07217006669
ईमेल आईडी | Email ID : bhagyoday_pракашан@yahoo.com
पता | Address : 503, BHAGYODAY PRAKASHAN, Mata Gali, HOLIGATE, MATHURA, UTTAR PRADESH-281001, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : -
जीएसटीआईएन | GSTIN: 09AHJPG6890N2ZI

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Polyester Blended with Cotton Woven Track Suits – Sports ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भूति Category Name & Quadrant : Track Suit - Sports (Q3) मॉडल Model: Track Suit Sports एचएसएन कोड HSN Code: HSN not specified by seller	27	pieces	856	NA	23,112
कुल ऑर्डर मूल्य Total Order Value (in INR)						23,112

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : STORE KEEPER ईमेल आईडी Email ID : sk.hangal@navodaya.nic.in संपर्क Contact : - जीएसटीआईएन GSTIN : -	Unbranded Polyester Blended with Cotton	-	27	18-Mar-2024	02-Apr-2024

Product Specification for Unbranded Polyester Blended with Cotton Woven Track Suits – Sports

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
UTILITY	UTILITY	Unisex
COMPONENTS	Components	Complete Set consisting of Upper and Lower
MATERIAL	Fabric (Composition)	Polyester Blended with Cotton
	Percentage of Blending (in case of Blended Fabric)	Polyester 65 % and Cotton 35 %
	Mass (gram per square mtrs)	100 gram
	Fabric Construction	Woven
	Weave (In case of Woven Fabric)	Plain
	Any other weave as per buyer's requirements (in case weave is other than already mentioned above)	NA
	Knitting (In case of knitted Fabric)	Interlock Knitted
	Ends per dm	625
	Picks per dm	475
	Courses per dm	NA
	Wales per dm	NA
	Count of knitting yarn	70/2
	Raising at inner side of Main Fabric	No
	Upper Lining	Yes
	Lower Lining	Yes
	Lining Material	100% Polyester Mesh
	Mass of Lining (Gram per Square Meter)	Not Applicable
	Netting mesh No of holes on base & bias within 625 Square millimeter	Not Applicable
	Technical Requirements of Slide Fastener for Upper Closing	Light Duty as per IS 14181 Latest
	Technical Requirements of Slide Fastener for Pocket Closing (For Pockets with Slide Fastner for closing)	Light Duty as per IS 14181 Latest
	Slide Fastners are BIS Marked	Not Applicable
	Width of Tape Elastic at Waist of Trouser	4.0 cm
	Width of Tape Elastic at Bottom of Upper	4.0 cm
	Technical Requirements of Waist Band	No
	Waist Draw Cord	Polypropylene Cord of 6mm dia
	Draw Cord Ends	Tips of Transparent Synthetic Cellulose Acetate
	Breaking Strength of Draw Cord	340 N minimum
	Sleeve Ends (Cuff)	Elastic Tape
	Upper provided with Piping	Yes
	Lower provided with Piping	Yes
	Piping Fabric- Composition	100 percent Polyester
	Piping Fabric- Any other material as per buyer's requirements (Other than mentioned above)	NA
	Piping Fabric Mass (gram per square mtrs)	130
	Embroidery Thread	Not Applicable
SIZE	Size	Medium (M)
DIMENSIONS OF UPPER	Width Across Chest 25 mm below under arm	52.5 cm (Medium)
	Width Across Bottom Opening (relaxed)	46 cm (Medium)
	Length at front from top of collar to bottom	66 cm (Medium)
	Sleeve length (from center of back to bottom of sleeve	84.5 cm (Medium)
	Sleeve opening relaxed (Cuff) Width	10 centimeter

	Front Neck Drop	8.5 centimeter
	Back Neck Drop	2.5 centimeter
	Length of Slide Fastener	64 cm(Medium)
DIMENSIONS OF LOWER	Side Seam Length	104.5 cm (Medium)
	Waist relaxed (Width Across)	43 cm (Medium)
	Waist stretched (Width Across)	52.5 cm (Medium)
	Seat/ Hip (15 cm below waist band)	52.5 cm (Medium)
	Thigh (at Crotch) (Width Across)	36 cm (Medium)
	Bottom Opening (Width Across)	22 centimeter
	Front rise including waist band	28 cm (Medium)
	Back rise including waist band	38 cm (Medium)
	Length of Waist Tying Cord	155 centimeter
	Bottom Fold (Hem) with full turn in(cm)	2.5
POCKETS	Number of Pockets (Upper)	2 Side Pockets
	Size of Side Pockets-Upper (Length X Width) (cm)	Not Applicable
	Size of Inside Pocket at Chest- Upper	Not Applicable
	Side Pocket opening - Upper	17.5 cm
	Side Pocket Closure with Slide Fastener -Upper	Yes
	Number of Pockets (Lower)	2 Side Pockets
	Size of Side Pockets - Lower (Length X Width) (cm)	Not Applicable
	Side Pocket Opening- Lower	17.5 centimeter
	Pocket Closure with Slide Fastener - Lower	All Pockets with Slide Fastener
	Material of Pockets	Main Basic Fabric
COLLAR	Collar Type	Stand and Fall Type, Made of two layers of self material
	Collar Reinforcement	With Canvas Reinforcement
SLEEVE	Sleeve Type	Set In Sleeve
PIPING	Position and Dimensions of Piping on Upper	BACK YOKE
	Position and Dimensions of Piping on Lower	BACK YOKE
STITCHING	Sewing Thread	145 d tex X 3, Polyester
	Raw edges, if any shall be bound by overlock stitching	Yes
	Waist band stitching of Upper	Stitched in two rows with chain stitch on the elastic
	Sleeve Bottom (Cuff) Stitching	Stitched in two rows with chain stitch on the elastic
	Waist band stitching of Lower	Stitched in two rows with chain stitch on the elastic
	Lining seams	Inverted
	Bartack Stitching (Reinforcement Stitching) at stress bearing areas	Pocket opening, Centre of Waist Band Seam and bottom hem and other stress bearing areas
	Tunnel at Waist Band for Lower	Two holes stitched to allow the draw cord with insertion free movement
	Stitches per dm (min)	36
COLOUR/ PRINT	Colour	Navy Blue
	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements	WHITE
	Sublimation Printing (for 100 % polyester only)	Not applicable
	Sublimation Print as per buyer's requirements	NA
	Colourfastness to Light (IS 2454)	5
	Colourfastness to Washing (IS/ ISO 105-C10, Test- C (3))	Change in Colour- 4; Staining of Adjacent Fabric- 3-4
	Colourfastness to Rubbing (IS 766)	Dry- 4 / Wet- 3
	Colourfastness to perspiration (IS 971)	4
	Colour of Mesh Lining	Any other colour as per buyer's requirements
	Any other colour of Mesh Lining as per buyer's requirements	NA

	Colourfastness to Washing (IS/ISO 105-C10, Test- C (3))- Mesh Lining	Change in Colour- 4; Staining of Adjacent Fabric- 3-4
	Colourfastness to perspiration (IS 971)- Mesh Lining	4
	Colour of Piping Material	White
	Any other colour as per buyer's requirements	NA
OTHER REQUIREMENTS	Pilling Resistant [after 5 hours Test as per IS 10971 (Part 1)], min	4
	Dimensional stability to washing, Shrinkage or Elongation Percentage, max (IS 2977 latest), in lengthwise and widthwise direction	1
LOGO AND MARKING	Logo/ Totem Marking	As per buyer's requirements
	Type of Logo	Printed
	Number of Logos on Upper	1
	Number of Logos on Lower	1
	Size, Design and Location of Logo as per buyer's requirement	YES
TEST REPORT	Availability of Test Report from designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes
	Test Report No	NITRA-CQE-24-2023
	Test Report Date	10/04/2023
	Name of the Lab	NITRA
	Address of the Lab	Raj Nagar Ghaziabad
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes
ADVANCE SAMPLE	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes

टिप्पणी| Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें| Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंटे आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.