

1	ईमेल आईडी Email ID : stjagr.00020019@jk.gov.in संपर्क Contact : 0191-0000000- जीएसटीआईएन GSTIN : - पता Address : DIRECTORATE OF AGRICULTURE, KRISHI BHAWAN GOL PULLI, TALAB TILLO JAMMU, JAMMU, JAMMU & KASHMIR-180002, India	Unbranded Dial Type Liquid Expansion Temperature Gauge / Thermometer With NA 12 month Months Warranty	-	45	18-Mar-2024	02-Apr-2024
---	--	--	---	----	-------------	-------------

Product Specification for Unbranded Dial Type Liquid Expansion Temperature Gauge / Thermometer With NA 12 month Months Warranty

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
TYPE	Type of Temperature Gauge	Dial Type Liquid Expansion Thermomter
	Measuring system's fill medium	Mercury
	Temperature detecting Element	Bimetallic helix or coil
	Thermometer connection type	Rigid Stem Type
	Method of Mounting	Direct Mounting
	Mounting Support	Flange
	Process connection / Entry	Bottom - Radial
	End Connection Type	Male
	Nominal Size of End Connector Thread	1/4 inch
	End Connector Thread Type	NPT
	Gauge Dampening liquid	Dry
CONFORMITY	Conformity to Indian Standard	Generally conforming to EN 13190 - latest
SIZE / RANGE / ACCURACY	Nominal Size of the Dial	150 millimeter
	Stem Diameter	6 millimeter
	Stem length	300 millimeter
	Diameter of the Bulb (May indicate '0' for plain stem)	0 millimeter
	Capillary length (May indicate '0' for Rigid Stem type)	0 millimeter
	Measuring Units	Celsius °C
	Scale Range in Degree Celsius	(-) 20 to (+) 150
	Scale Interval of the Gauge / Resolution(°C/°F)	2 degree Celsius
	Accuracy (± % FSD)	1
	Over - Range Safety (% FSD)	120
	Enclosure Protection Class	IP 65
MATERIAL	Material of Case & Bezel	Stainless Steel, Gr 304
	Finish of the case	Polished & Buffed
	Material for detecing element	Phosphor Bronze
	Material for End Connector / Shank	Stainless Steel, Gr 304
	Material of the Stem	Stainless Steel, Gr 304
	Material of the Capillary	NA
	Material of the Capillary armouring	NA
	Material for Dial Plate	Aluminium
	Material for Pointer	Aluminium
	Material for Window Cover	Glass
GENERIC	Response time	10 second
	Overall Dimensions (mm x mm x mm)	150
	Net Weight	800 gram
SALIENT FEATURES	"Salient Features of the Thermometer (Select applicable features only)"	Equipped with Zero Adjustment facility
	Suitable Thermowell - inclusive in the scope of supply	No
	Thermowell Type	NA
	Thermowell Construction Type	NA
	Thermowell Shank Style	NA

THERMOWELL	Thermowell Flange dia (mm)	NA
	Thermowell Flange pressure rating (bar)	NA
	Material of Thermowell	NA
	Thermowell Process connection type	NA
	Thermowell Process connection Size(inch)	NA
	Thermowell Connector Thread Type	NA
	"Thermowell nominal Bore dia (May indicate '0' if Thermowell is not included)"	0 millimeter
	"Thermowell Bore depth (May indicate '0' if Thermowell is not included)"	0 millimeter
	"Thermowell insertion depth (May indicate '0' if Thermowell is not included)"	0 millimeter
	Coating on the outer surface of the Thermowell stem	NA
	Cap and Chain	NA
	Thermowell Overall Dimensions (mm x mm x mm)	0
	Thermowell Net Weight	0 gram
	ACCESSORIES	"Accessories inclusive in the scope of supply (Select including accessories only)"
AMBIENT TEMPERATURE LIMIT / PRESSURE RATING	Minimum permissible Ambient Temperature limit at the case	-20 degree Celsius
	Maximum permissible Ambient Temperature limit at the case	65 degree Celsius
	Pressure rating of stem (max)	32 bar
WARRANTY	WARRANTY	12 month
CALIBRATION	Calibration Certificate for each gauge Provided to the buyer along with supplies	Yes
	Calibration Certificate issuing authority	OEM Certificate
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ईपीबीजी विवरण ePBG Detail</p>		
<p>NA</p>		
<p>नियम और शर्तें Terms and Conditions</p>		
<p>1. General Terms and Conditions-</p>		
<p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p>		
<p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p>		
<p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		