## अनुबंध|Contract



अनुबंध क्रमांक|Contract No: GEMC-511687785541161 अनुबंध तिथि|Generated Date : 18-Mar-2024

#### संगठन विवरण|Organisation Details

प्ररूप|Type : State Government

मंत्रालय|Ministry:

विभाग|Department : Health & Family Welfare Department Gujarat

संगठन का नाम|Organisation Name: N/

कार्यालय क्षेत्र|Office Zone: Jamnabai General Hospital

खरीदार विवरण|Buyer Details

पद | Designation : Chief Pharmacist Cum Store Officer

संपर्क नंबर|Contact No.: 0265-2517400-213

ईमेल आईडी|Email ID : buycon1.hfw.vadodara@gembuyer.in

जीएसटीआईएन|GSTIN: 24BRDJ00562C1DI

Jamnabai General Hospital, Mandvi-Panigate Road, Opp. SBI

पता|Address : Main Branch. Vadodara.,

VADODARA, GUJARAT-390017, India

### वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमित IFD Concurrence : No

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

भुगतान प्राधिकरण विवरण|Paying Authority Details

Role: BUYER भुगतान का तरीका| Payment Mode: Offline

पद|Designation : Chief Pharmacist Cum Store Officer ईमेल आईडी|Email ID : buycon1.hfw.vadodara@gembuyer.in

जीएसटीआईएन|GSTIN: 24BRDJ00562C1DI

Jamnabai General Hospital, Mandvi-Panigate Road, Opp. SBI

पता|Address: Main Branch. Vadodara.,

Vadodara, GUJARAT-390017, India

### विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : P3Z4220005687464 कंपनी का नाम|Company Name : BRIJESH SURGICALS संपर्क नंबर|Contact No. : 09173468297

ईमेल आईडी|Email ID : kishorranabaroda@gmail.com

पता| Address : 49,,NATHALAL SHOPPING CENTER,AJWA ROAD,AJWAROAD VADODARA, Vadodara, GUJARAT-390017, -

C D MO CUM CIVIL SURGEON

C D MO CUM CIVIL SURGEON

Val.

एमएसएमई पंजीकरण संख्या|MSME Registration number :

जीएसटीआईएन|GSTIN: 24AMIPR6369K1ZE

### \*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

### वितरण निर्देश | Delivery Instructions : NA

### उत्पाद विवरण|Product Details

#	आइटम विवरण Item Description	आइटम विवरण  Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)  Unit Price (INR)	कर विभाजन (INR)  Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)  Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम  Product Name: Staan Orthopedic Operating Table with Electro-hydraulic Table Actuator ब्रांड Brand: Staan ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As: Reseller not verified by OEM श्रेणी का नाम और चतुर्याच Category Name & Quadrant: Orthopedic Operating Table (Q3) मॉडल Model: Glory एचएसएन कोड HSN Code: 9018	1	pieces	346,500	NA	346,500
कु	कुल ऑर्डर मूल्य  Total Order Value (in INR)					346,500

## परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर  Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है  Delivery Start After	वितरण पूरा कब तक करना है  Delivery To Be Completed By
1	पद  Designation : Chief Pharmacist Cum Store Officer ईमेल आईडी Email ID : buycon1.hfw.vadodara@gembuyer.in संपर्क Contact : 0265-2517400-213 जीएसटीआईएन GSTIN : 24BRDJ00562C1DI	Staan Orthopedic Operating Table with	-	1	18-Mar-2024	02-Apr-2024

SBI Main Br	s : Jamnabai General Hospital, N anch. Vadodara., , GUJARAT-390017, India	Mandvi-Panigate Road, Opp. Electro-hydraulic Table Actuator					
Product Specification for Staan Orthopedic Operating Table with Electro-hydraulic Table Actuator							
	UMDNS Names	Tables, Operating - 13961, Operating Tables, Spinal-23732, Operating table, multi-Specialty-25217, Operating Tabletops - 25215					
Standards	Clinical Application in General for Orthopedic operating table	Orthopedic tables are specialized operating tables that provide an elevated surface for supporting the patient's body and include specific apparatus for supporting and/or providing traction for the patient's limbs during orthopedic procedures. These tables stabilize the patient's position and provide the operating surgeon with optimal exposure of the surgical field. Applications for these tables include both upper-extremity procedures (e.g., shoulder surgery, nonoperative myelograms, spinal surgery) and lower-extremity/hip procedures (e.g., hip pinning, Ender nailing, intramedullary nailing of the femur, tibia, and fibula). Some orthopedic tables can also accommodate C-arm radiographic/fluoroscopic studies					
	Conformity to Standards	European CE and US FDA					
	Confirmity to standard for for electrical safety latest amendment	IEC- 60601-2-40 or BIS Equivalent					
	Confirmity to Manufacturing Standards	ISO 9001 & 13485 or ICMED 9001 & 13485					
	Type of OT table Actuator	Electro-hydraulic					
	Type of mechanism for fuctioning or controlling the table movements	Electrohydraulic movement through remote and backup panel					
	Remote controlled positions	Trendelenburg / reverse Trendelenburg, lateral tilt,longitudinalshift, height adjustment, antiflex and flex position and back plate up / down					
	Number of section provided in Table top	upto 6 sections					
	C-Arm Compatible	Yes					
	Table top length, Range	1900 mm-2100 mm					
Table features	Table top width, Range	500 mm-580 mm					
	Table top Height, Range	650 mm - 1150 mm					
	Material	304 Grade SS					
	Table top shall be X-ray compactable and stain Resistant	Yes					
	Table Mattress Material	2 inch latex free fully radiolucent, detachable, impermeable to fluid and easily washable					
	Mattress material shall be in parts as per table top	Yes					
	Provision of X ray cassette channel	Yes					
	Trendelenburg Angle, Range	25° to 30°					
	Reverse Trendelenburg Angle, Range	25° to 30°					
	Lateral Tilt Angle (Left), Range	18º to 25º					
	Lateral Tilt Angle (Right), Range	18º to 25º					
	Head Section UP/Down Angle, Range	upto 45° to 90°					
	Back Section UP/Down Angle, Range	upto 90° to 30°					
	Horizontal Positioning, Range	0° to 90°					
	Leg Section UP/Down, Range	0°-90°					
	Flex	upto 230°					
	Reflex	upto 100°					
Table Positions  Table top longitudinal sliding, Range  5" to 12"		5" to 12"					
ļ	I	I					

	Patient Weight Capacity	150-270 Kgs
	Kidney Bridge required	No
	Detachable Head,Leg & Pelvic Section	Yes
	Split leg section , detachable-1 pair	Yes
	Quick Switch for Zero position	Yes
	Battery backup of operating table in hrs	3 or more than 3 hrs
	Battery backup provided	Yes
	Foot pump	No
	Both arm board should have up and down and rotation function	Yes
	Operating table should have foot brake for ease of use	Yes
	Number of Anesthetic Screen with side clamp & lock	1
	Number of Arm rest with side clamp & lock	1pair
	Number of Shoulder support with side clamp & lock	1 pair
	Leg support or Lithothomy with side clamp & lock-1pair	No
Standard Accessories	Extension bar-1pair	Yes
Standard Accessories	Horizontal Attachments-1no	Yes
	Sacral Rest	Yes
	Lateral Intramedullary Nailing Support	Yes
	Retractable abductor bar	Yes
	Number of Foot Support	1
	Number of Bolster Pillow	1
		Yes
	Remote-1 no	155
	IV pole and Bracket	Yes
	IV pole and Bracket	Yes
	IV pole and Bracket Orthopedic Attachments Foot plate mount Supports bars	Yes Hanging type
	IV pole and Bracket  Orthopedic Attachments  Foot plate mount  Supports bars  Radial setting clamps	Yes Hanging type 2
	IV pole and Bracket Orthopedic Attachments Foot plate mount Supports bars	Yes Hanging type 2 4
	IV pole and Bracket  Orthopedic Attachments  Foot plate mount  Supports bars  Radial setting clamps  Countertraction post , including padding roll  Side rail extension	Yes Hanging type 2 4 2
	IV pole and Bracket  Orthopedic Attachments  Foot plate mount  Supports bars  Radial setting clamps  Countertraction post , including padding roll  Side rail extension  Transport cart	Yes Hanging type 2 4 2 1
Orthopedic Attachments	IV pole and Bracket  Orthopedic Attachments  Foot plate mount  Supports bars  Radial setting clamps  Countertraction post , including padding roll  Side rail extension  Transport cart  Traction stirrup clamp with rotation	Yes Hanging type  2 4 2 1 NA
· ·	IV pole and Bracket  Orthopedic Attachments  Foot plate mount  Supports bars  Radial setting clamps  Countertraction post, including padding roll  Side rail extension  Transport cart  Traction stirrup clamp with rotation  Rotation and tilting clamp	Yes  Hanging type  2  4  2  1  NA  1  1
· ·	IV pole and Bracket  Orthopedic Attachments  Foot plate mount  Supports bars  Radial setting clamps  Countertraction post , including padding roll  Side rail extension  Transport cart  Traction stirrup clamp with rotation  Rotation and tilting clamp  Foot plate for adult	Yes Hanging type  2  4  2  1  NA  1  1  1  2
· ·	IV pole and Bracket  Orthopedic Attachments  Foot plate mount  Supports bars  Radial setting clamps  Countertraction post , including padding roll  Side rail extension  Transport cart  Traction stirrup clamp with rotation  Rotation and tilting clamp  Foot plate for adult  Traction boot pair	Yes  Hanging type  2  4  2  1  NA  1  1
· ·	IV pole and Bracket  Orthopedic Attachments  Foot plate mount  Supports bars  Radial setting clamps  Countertraction post , including padding roll  Side rail extension  Transport cart  Traction stirrup clamp with rotation  Rotation and tilting clamp  Foot plate for adult	Yes Hanging type  2  4  2  1  NA  1  1  1  2
· ·	IV pole and Bracket  Orthopedic Attachments  Foot plate mount  Supports bars  Radial setting clamps  Countertraction post , including padding roll  Side rail extension  Transport cart  Traction stirrup clamp with rotation  Rotation and tilting clamp  Foot plate for adult  Traction boot pair  Femur nailing - Counter	Yes Hanging type 2 4 2 1 1 NA 1 1 2 1
· ·	IV pole and Bracket  Orthopedic Attachments  Foot plate mount  Supports bars  Radial setting clamps  Countertraction post, including padding roll  Side rail extension  Transport cart  Traction stirrup clamp with rotation  Rotation and tilting clamp  Foot plate for adult  Traction boot pair  Femur nailing – Counter traction post for femur  Counter traction post for	Yes Hanging type  2 4 2 1 NA 1 1 2 1 1 1 1

Power requirements	"Power input to be 220-240V AC, 50Hz as appropriate fitted with Indian plug "	Single phase 220-240 Volt, 50 Hz ( AC Supply )
Reports	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	5
	User/Technical/Maintenance manuals to be supplied in English in hard and soft copy	Yes
	Demonstration of equipment and training to be provided after completing supplies & Installation before acceptance	Yes
	The Principal Manufacturer must have direct Presence/approved service center In India	Yes
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Attach certificate from the principal that spare parts will be available for next 10 years	Yes
	QA, QC and other tests(6 months/ 1 year as per NABH/JCI)	Yes

## ईपीबीजी विवरण | ePBG Detail

NA

# नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.