अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687766177588 अनुबंध तिथि | Generated Date : 19-Mar-2024

संगठन विवरण|Organisation Details

Central PSU प्ररूप|Type: मंत्रालय|Ministry: Ministry of Power

विभाग | Department : NA

संगठन का नाम|Organisation Name : NHPC Limited

कार्यालय क्षेत्र|Office Zone: Nhpc Ltd खरीदार विवरण|Buyer Details

DMMECH पद|Designation: संपर्क नंबर|Contact No. : 01899-220166-

ईमेल आईडी|Email ID : buvcon129.nl.hp@gembuver.in

जीएसटीआईएन|GSTIN : 02AAACN0149C1ZB

NHPC Office Complex, Chamera Power Station, Stage-II,

पता|Address : Karian, P.O. Hardaspura, Chamba 176310, CHAMBA, HIMACHAL PRADESH-176310, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम| GM

Designation of Administrative Approval: वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval:

भुगतान प्राधिकरण विवरण|Paying Authority Details

Role: PAO भुगतान का तरीका| NHPC Payment Mode:

पद|Designation: SR MANAGER

ईमेल आईडी|Email ID: pao35.nl.hp@gembuyer.in

जीएसटीआईएन|GSTIN :

NHPC Office Complex, Chamera Power Station, Stage-II,

पता|Address: Karian, P.O. Hardaspura, Chamba 176310, CHAMBA, HIMACHAL PRADESH-176310, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID: 32D1180000093600 कंपनी का नाम|Company Name : MANISH TRADER संपर्क नंबर|Contact No. : 09893707012

ईमेल आईडी|Email ID : manishtrader14@rediffmail.com Shop no. 4, Circular market, Camp-2, Bhilai, पता| Address : Durg, CHHATTISGARH-490001, -

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-CG-05-0001320

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिंग श्रेणी|MSE Gender : Male

जीएसटीआईएन|GSTIN: 22AIFPJ1066L1ZF

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

GSM

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

	# आइटम विवरण Item Description	आइटम विवेरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहिते) Price (Inclusive of all Duties and Taxes in INR)
	उत्पाद का नाम Product Name: LLOYD Split Air Conditioner, Wall Mount Type 1.5 Ton 3 Star ब्रांड Brand: LLOYD ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कै वेचा जा रहा है Selling As: OEM verified Reseller श्रेणी का नाम और चतुर्थाश Category Name & Quadrant: Split Air Conditioner Including Green AC, Wall Mount Type (Q2) मॉडल Model: GLS18H3 Series or Equivalent model (3501 ≤ 5200) एचएसएन कोड HSN Code: HSN not specified by seller	3	pieces	35,067	NA	105,201
1	कुल ऑर्डर मूल्य Total Order Value (in INR)					

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	ादनाक के बाद डिलीवरी शुरू	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : GROUP SENIOR MANAGER ELECRTICAL ईमेल आईडी Email ID : buycon115.nl.hp@gembuyer.in					

1 जीएसटीआईए पता Addres Karian, P.C	act : 01899-220656- ਜ GSTIN : 02AAACN0149C1ZB ss : NHPC Office Complex, Chamera Power Station, Stage-II, ០. Hardaspura, Chamba 176310, HIMACHAL PRADESH-176318, India	LLOYD Split Air Conditioner, Wall Mount Type 1.5 Ton 3 Star	-	3	19-Mar-2024	03-Apr-2024	
Product Specificat	tion for LLOYD Split Air Conditioner, Wall Mount	t Type 1.5 Ton 3 Star					
वर्निर्देश Specification उप-विनिर्देश Sub-Spec			:	मूल्य Value			
	Description of stores			Split Air Conditioner Including Green AC, Wall Mount Type			
	Split Air Conditioner conforming to		I	IS 1391 (Part 2)			
STANDARDS	Availability of BIS/ISI Mark Certification for Split AC Wall mount type			Yes			
	BEE star rating plan			As per Gazette Notification No. S.O. 3897 (E) dated. 29th October 2019 and as per BEE Notification dated 19th April 2022			
	Air Conditioner Compliance			AC			
	Technology of air conditioner			Inverter AC - Variable Speed			
	Nominal Marketing capacity as per BEE Star Rating Label (hint: 1 Ton = 3000 Kcal/Hr, Tolerance +/- 10%) (in Ton)			1.5			
	Rated cooling capacity (in Watts) as per IS:1391 (Part 2) (Coo with respect to their Nominal Marketing Capacity in Tonnag		match 3	3501 ≤ 5200			
GENERIC	BEE Star rating of the product (Central Ministries/Depts while procuring shall ensure that the items carry 5 star(under normal conditions where annual usages is expected to be >1000 hrs),3 Star(where usage is Limited)or higher Star Rating of BEE)			3			
	ISEER (Wh/Wh) values for compliance of Green AC			For Non Green AC as per Gazette Notification No. S.O. 3897 (E) dated. 29th October 2019 and as per BEE Notification dated 19th April 2022			
	Rated voltage (in Volts)			230 V, 1 Phase, 50 Hz, AC			
	Tolerance Value for Rated Voltage		A	As per IS 1391 (Part 2)			
	Eco-friendly Refrigerant		١	'es			
	Refrigerant designation		F	R 32			
REFRIGERANTS	Refrigerant Global warming potential (GWP)		6	575 (for R32)			
	Refrigerant Ozone Depletion Potential is Zero		١	Yes			
	Classification by function		C	Cooling and heating (Cooling and dehumidification during coolling mode, and heating during heating mode)			
	Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage)		Nominal	3501 ≤ 5200			
CONSTRUCTION	Unit type			Single split (Single Indoor and Single outdoor)			
	Marking on the Split AC		,	As per IS 1391 (Part 2)			
	Additional requirement		1	Not Applicable			
	Compressor Type	pressor Type			Rotary Type		
	Material of Evaporator		(Copper			
	Material of Condenser		(Copper			
MATERIAL	Material of Air Filter (on indoor unit)		9	Synthetic Fiber			
	Reusable air filter		١	Yes			
	AC Modes		ι	Dry Mode			
GENERAL FEATURE	Remote Control Features		1	Timer,Swing,Fan speed control,On/OFF			
	Additional Features			Dust Filter			
	Noise level		,	As per Table 5, Cl 9.13 of IS 1391 (Part 2) 2023			
ENVIRONMENTAL EATURE	Environmental Friendly Paint (Environmental Friendly Paint means Paint does not contain heavy metals or their compounds include mercury (Hg), lead (Pb), cadmium (Cd) and hexavalent chromium (Cr))		- 1	y Yes			
	Recycled Plastic Components		•	<80% by weight of total plastic components			
ACCESSORIES	Supply cord and the interconnecting cord between the inde	oor and outdoor unit		B m (PVC Insulated			
ACCESSORIES			[3	3 m Cu pipe, Remo	e with battery, Us	er Manual,	

	Standard accessories included for each air conditioners	Warranty card
WARRANTY	AC Machine warranty (in Year)	1
WARRANTY	Warranty on compressor (in Years)	10
INSTALLATION	Installation	Without installation(installation not offered)
INSTALLATION	Not included in the scope of supply	As per STC attached
	Availability of type test report from Govt Lab/ NABL accredited lab / ILAC accredited lab to prove conformity of the specification	Yes As per IS 1391 (Part 2)
	Test report number and date - Must declare	NABL
CERTIFICATION	Name and address of Lab - Must declare	Havells
	Availability of Environmental Management Certification	Yes
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस|BIS license of the product: 8600101512

विक्रैता विशिष्टता दस्तावेज़|Seller Specification Document:

1. <u>Applicable Specification Document</u>	mkp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp37313731/51/16/877/CategorySc hema/qr_spcn_document/2023/5/3/document-for-cms_2022-07-05-17-50-30_c3b90df06e58a7_2023-05-03-10-58- 17_0cd9e0d5e516735de899c5dcb95b3af0.pdf
2. <u>Verified and Signed Tp document</u>	mkp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp37313731/51/16/877/CategorySc hema/tp_document/2024/1/3/green_rac_2024-01-03-13-19-26_a782a2a5976948d5bcffe835d1111e2b.pdf

ईपीबीजी विवरण | ePBG Detail

NΑ

नियम और शर्तें|Terms and Conditions

1. Special terms and conditions- Version:2 effective from 11-12-2023

1.1 STC FOR SPLIT AIR CONDITIONER

Central Ministries/ Departments while procuring electrical appliances notified by the Department of Expenditure (DoE) shall ensure that they carry the notified threshold or higher Star Rating of the Bureau of Energy Efficiency (BEE). In this regard, DoE OM No.26/6/2012-PPD dated 21.01.2013 may also be referred to wherein appliances and threshold star ratings have been circulated.

Scope of installation and Commissioning for Wall Mount / High wall Split AC $\,$

- (1) Mounting/Fitting of indoor and outdoor units at the respective locations.
- (2) Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall (all type of walls), if required.
- (3) Checking / Charging Refrigerant gas in the unit.
- (4) Suitable electric wiring between indoor units and switch upto 3 meters in length.
- (5) Testing for satisfactory working without any abnormal noise as well as leakage test of the entire system.

The following are not included in the scope of supply for Wall Mount / High wall Split AC $\,$

- (1) Chiselling / Ducting / grooving for concealing the Refrigerant piping/cabling
- $\label{lem:condition} \end{\parbox{0.5cm} \parbox{0.5cm} \parbox$

Note to Buyer: Buyer are advised to apply filters/ selections allowing all the values which are considered meeting or are better than their technical requirements e.g. if the requirement is 5 years compressor warranty; Buyer should select other superior values, i.e. 10 years warranty as well. Such selection will act as 5 years or better (in L1 buying). For any violation of the above advisory if resulting into limited competition or higher cost to the ex-chequer, the Buyer shall be solely responsible.

2. General Terms and Conditions-

- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

 $Note: This is system generated file. \ No signature is required. \ Print out of this document is not valid for payment/ transaction purpose.$