अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687761750543 अनुबंध तिथि | Generated Date : 19-Mar-2024

संगठन विवरण | Organisation Details

प्ररूप|Type: State Government

मंत्रालय|Ministry:

विभाग | Department : Home Department Uttar Pradesh

संगठन का नाम|Organisation Name Uttar Pradesh Police

INTELLIGENCE HEADQUARTER INTELLIGENCE कार्यालय क्षेत्र|Office Zone:

DEPARTMENT

खरीदार विवरण|Buyer Details

पद|Designation: संपर्क नंबर|Contact No. :

sprint.gr-up@nic.in ईमेल आईडी|Email ID:

जीएसटीआईएन|GSTIN :

POLICE PARED GROUND, NEAR HOTEL MALKIN, पता|Address :

GORAKHPUR, UTTAR PRADESH-273001, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति|IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval: वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval:

भुगतान प्राधिकरण विवरण|Paying Authority Details PAO

भुगतान का तरीका| Offline Payment Mode: पद|Designation: SPR

Role:

ईमेल आईडी|Email ID: spr-int.sa@up.gov.in

जीएसटीआईएन|GSTIN :

ZO OFFICE RESEVRE POLICE LINE SAHARANPUR, पता|Address: Saharanpur, UTTAR PRADESH-247001, India

विक्रैता विवरण | Seller Details

जेम विक्रैता आईडी|GeM Seller ID : E3AD180000101440 कंपनी का नाम|Company Name : Sawariya Enterprises संपर्क नंबर|Contact No.: 08317048295

ईमेल आईडी|Email ID : agarwallokesh23@gmail.com

5/24, Aliganj, 5/24 Sector L Aliganj Lucknow, Mama Chauraha, पता| Address :

Lucknow, UTTAR PRADESH-226024, -

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-UP-50-0018691

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिंग श्रेणी|MSE Gender : Male

09AHKPL5497P1Z8 जीएसटीआईएन|GSTIN:

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

SP

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

1	# आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name: LG Split Air Conditioner, Wall Mount Type 1.5 Ton 3 Star ब्रांड Brand: LG ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As: OEM verified Reseller श्रेणी का नाम और चतुर्थाय Category Name & Quadrant: Split Air Conditioner Including Green AC, Wall Mount Type (Q2) मॉडल Model: LG Split Air conditioner 1.5 Ton 3 Star एचएसएन कोड HSN Code: HSN not specified by seller	4	pieces	45,000	NA	180,000
ą	pल ऑर्डर मूल्य Total Order Value (in INR)					180,000

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : SPR ईमेल आईडी Email ID : sprint.gr-up@nic.in संपर्क Contact : -	LG Split Air Conditioner,				

SEER (Wh/Wh) values for compliance of Green AC 3897 (E) dated. 29th October 2019 and a Notification dated 19th April 2022	7 (E) dated.			
Description of stores Split Air Conditioner Including Green AC Type	7 (E) dated.			
STANDARDS Split Air Conditioner conforming to Is 1391 (Part 2)	7 (E) dated.			
Availability of BIS/ISI Mark Certification for Split AC Wall mount type As per Gazette Notification No. S.O. 389: 29th October 2019 and as per BEE Notification No. 5.O. 389: 29th October 2019 and as per BEE Notification No. 5.O. 389: 29th October 2019 and as per BEE Notification No. 5.O. 389: 29th October 2019 and as per BEE Notification No. 5.O. 389: 29th October 2019 and as per BEE Notification No. 5.O. 389: 29th October 2019 and as per BEE Notification No. 5.O. 389: 29th October 2019 and as per BEE Notification dark of the Product (Central Ministries/Dept Marketing Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) GENERIC BEE Star rating of the product (Central Ministries/Depts while procuring shall ensure that the items carry 5 start(under normal conditions where annual usages is expected to be >1000 hrs).3 Startwhere usage is Limited/or higher Star Rating of BEE) For Non Green AC as per Gazette Notifica 3897 (E) Jodded. 29th October 2019 and a Notification dated 19th April 2022 Rated voltage (in Volts) Tolerance Value for Rated Voltage Eco-friendly Refrigerant Refrigerant Global warming potential (GWP) Refrigerant Global warming potential (GWP) Refrigerant Ozone Depletion Potential is Zero Ves Classification by function Cooling only (Cooling and dehumidificat cooling mode) CONSTRUCTION Unit type Single split (Single Indoor and Single ou				
AVailability of Bis7is Mark Certification for Split AL Wall mount type BEE star rating plan As per Gazette Notification No. S.O. 3897 29th October 2019 and as per BEE Notifi 19th April 2022 Ar Conditioner Compliance Technology of air conditioner Nominal Marketing capacity as per BEE Star Rating Label (hint: 1 Ton = 3000 Kcal/Hr, Tolerance +1-109b) (in Ton) Rated cooling capacity (in Watts) as per IS:1391 (Part 2) (Cooling Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) SEE Star rating of the product (Central Ministries/Depts while procuring shall ensure that the Items carry 5 star(under normal conditions where annual usages is expected to be >1000 hrs).3 Star(where usage is Limited/or higher Star Rating of BEE) For Non Green AC as per Gazette Notific 3897 (6) dated. 29th October 2019 and a Notification dated 19th April 2022 Rated voltage (in Volts) Tolerance Value for Rated Voltage Eco-friendly Refrigerant Yes Refrigerant designation Refrigerant designation Refrigerant Global warming potential (GWP) Refrigerant Global warming potential is Zero Classification by function Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) Unit type Single split (Single Indoor and Single out				
BEE star rating plan 29th October 2019 and as per BEE Notifi 19th April 2022 Arc Technology of air conditioner Technology of air conditioner Nominal Marketing capacity as per BEE Star Rating Label (hint: 1 Ton = 3000 Kcal/Hr, Tolerance +/- 10%) (in Ton) Rated cooling capacity (in Watts) as per 15:1391 (Part 2) (Cooling Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) 3501 ≤ 5200 BEE Star rating of the product (Central Ministries/Depts while procuring shall ensure that the items carry 5 starfunder normal conditions where annual usages is expected to be >1000 hrs).3 Star(where usage is Limited)or higher Star Rating of BEE) For Non Green AC as per Gazette Notifica 3897 (E) dated. 29th October 2019 and a Notification dated 19th April 2022 Rated voltage (in Volts) Tolerance Value for Rated Voltage Eco-friendly Refrigerant Refrigerant designation Refrigerant Global warming potential (GWP) Refrigerant Ozone Depletion Potential is Zero Yes Classification by function Cooling only (Cooling and dehumidificat cooling mode) Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) Single split (Single Indoor and Single ou				
Technology of air conditioner Nominal Marketing capacity as per BEE Star Rating Label (hint: 1 Ton = 3000 Kcal/Hr, Tolerance 1.5 Rated cooling capacity (in Watts) as per IS:1391 (Part 2) (Cooling Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) 3501 ≤ 5200 BEE Star rating of the product (Central Ministries/Depts while procuring shall ensure that the items carry 5 starfunder normal conditions where annual usages is expected to be >1000 hrs),3 Star(where usage is Limited)or higher Star Rating of BEE) ISEER (Wh/Wh) values for compliance of Green AC See Non Green AC as per Gazette Notific 3897 (E) dated, 29th October 2019 and a Notification dated 19th April 2022 Rated voltage (in Volts) Z30 V, 1 Phase, 50 Hz, AC Tolerance Value for Rated Voltage Eco-friendly Refrigerant Refrigerant designation Refrigerant Global warming potential (GWP) Refrigerant Ozone Depletion Potential is Zero Yes Classification by function Cooling only (Cooling and dehumidificat cooling mode) Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) CONSTRUCTION Unit type Single split (Single Indoor and Single ou				
Nominal Marketing capacity as per BEE Star Rating Label (hint: 1 Ton = 3000 Kcal/Hr, Tolerance +/- 10%) (in Ton) Rated cooling capacity (in Watts) as per IS:1391 (Part 2) (Cooling Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) SEE Star rating of the product (Central Ministries/Depts while procuring shall ensure that the items carry 5 star(under normal conditions where annual usages is expected to be >1000 hrs).3 Star(where usage is Limited)or higher Star Rating of BEE) ISEER (Wh/Wh) values for compliance of Green AC Refrigerant Oltogic (in Volts) Tolerance Value for Rated Voltage Eco-friendly Refrigerant Refrigerant designation Refrigerant Global warming potential (GWP) Refrigerant Ozone Depletion Potential is Zero Classification by function Cooling only (Cooling and dehumidificat cooling mode) Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) Unit type Single split (Single Indoor and Single ou				
#-/- 10%) (in Ton) Rated cooling capacity (in Watts) as per IS:1391 (Part 2) (Cooling Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) BEE Star rating of the product (Central Ministries/Depts while procuring shall ensure that the items carry 5 starfunder normal conditions where annual usages is expected to be >1000 hrs),3 Starf(where usage is Limited)or higher Star Rating of BEE) For Non Green AC as per Gazette Notifica 3897 (E) dated. 29th October 2019 and a Notification dated 19th April 2022 Rated voltage (in Volts) Rated voltage (in Volts) Tolerance Value for Rated Voltage Eco-friendly Refrigerant Refrigerant designation Refrigerant Global warming potential (GWP) Refrigerant Gozone Depletion Potential is Zero Classification by function Cooling only (Cooling and dehumidificat cooling mode) Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) Unit type Single split (Single Indoor and Single ou				
with respect to their Nominal Marketing Capacity in Tonnage) BEE Star rating of the product (Central Ministries/Depts while procuring shall ensure that the items carry 5 star(under normal conditions where annual usages is expected to be >1000 hrs),3 Star(where usage is Limited)or higher Star Rating of BEE) For Non Green AC as per Gazette Notifica 3897 (E) dated. 29th October 2019 and a Notification dated 19th April 2022 Rated voltage (in Volts) Tolerance Value for Rated Voltage Eco-friendly Refrigerant Refrigerant designation Refrigerant Global warming potential (GWP) Refrigerant Ozone Depletion Potential is Zero Classification by function Cooling only (Cooling and dehumidificat cooling mode) Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) Unit type Single split (Single Indoor and Single ou	1.5			
items carry 5 star(under normal conditions where annual usages is expected to be >1000 hrs),3 Star(where usage is Limited)or higher Star Rating of BEE) SEER (Wh/Wh) values for compliance of Green AC				
ISEER (Wh/Wh) values for compliance of Green AC Rated voltage (in Volts) Tolerance Value for Rated Voltage Eco-friendly Refrigerant Refrigerant designation Refrigerant Global warming potential (GWP) Refrigerant Ozone Depletion Potential is Zero Classification by function Cooling only (Cooling and dehumidificat cooling mode) Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) CONSTRUCTION In SEER (Wh/Wh) values for compliance of Green AC Refrequent October 2019 and a Notification dated 19th April 2022 230 V, 1 Phase, 50 Hz, AC As per IS 1391 (Part 2) Yes Refrigerant designation R 32 Refrigerant Global warming potential (GWP) For R32) Yes Cooling only (Cooling and dehumidificat cooling mode) Not applicable for Cooling only (Cooling mode) Unit type Single split (Single Indoor and Single out	3			
Tolerance Value for Rated Voltage Eco-friendly Refrigerant	For Non Green AC as per Gazette Notification No. S.O. 3897 (E) dated. 29th October 2019 and as per BEE Notification dated 19th April 2022			
REFRIGERANTS Eco-friendly Refrigerant Refrigerant designation Refrigerant Global warming potential (GWP) Refrigerant Ozone Depletion Potential is Zero Classification by function Classification by function Cooling only (Cooling and dehumidificat cooling mode) Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) CONSTRUCTION Unit type Single split (Single Indoor and Single out	230 V, 1 Phase, 50 Hz, AC			
Refrigerant designation R 32 Refrigerant Global warming potential (GWP) 675 (for R32) Refrigerant Ozone Depletion Potential is Zero Yes Classification by function Cooling only (Cooling and dehumidificat cooling mode) Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) CONSTRUCTION Unit type Single split (Single Indoor and Single out				
Refrigerant Global warming potential (GWP) Refrigerant Ozone Depletion Potential is Zero Yes Classification by function Classification by function Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) Not applicable for Cooling only (Cooling only				
Refrigerant Global warming potential (GWP) Refrigerant Ozone Depletion Potential is Zero Classification by function Classification by function Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) Not applicable for Cooling only (Cooling dehumidification during cooling mode) Single split (Single Indoor and Single out				
Classification by function Cooling only (Cooling and dehumidificat cooling mode) Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) Not applicable for Cooling only (Cooling dehumidification during cooling mode) CONSTRUCTION Unit type Single split (Single Indoor and Single out	675 (for R32)			
Classification by function cooling mode) Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage) Not applicable for Cooling only (Cooling dehumidification during cooling mode) CONSTRUCTION Unit type Single split (Single Indoor and Single ou	Yes			
Marketing Capacity in Tonnage) CONSTRUCTION Unit type dehumidification during cooling mode) Single split (Single Indoor and Single ou	ion during			
onit type	and			
Marking and the Callin AC	Single split (Single Indoor and Single outdoor)			
Marking on the Split AC As per IS 1391 (Part 2)	As per IS 1391 (Part 2)			
Additional requirement Not Applicable				
Compressor Type Dual/Twin Rotary Type				
Material of Evaporator Copper				
Material of Condenser Copper				
MATERIAL Material of Air Filter (on indoor unit) Synthetic Fiber				
Reusable air filter Yes				
AC Modes Turbo Mode,Power Saving Mode,Self Dia Mode,Swing,Timer				
GENERAL FEATURE Remote Control Features Timer, Swing, Fan speed control, On/OFF	agnosis			
Additional Features Anti Bacteria Filter, Sleep mode, Auto Res Temperature Indicator, Dust Filter	agnosis			
Noise level As per Table 5, Cl 9.13 of IS 1391 (Part 2)				
Environmental Friendly Paint (Environmental Friendly Paint means Paint does not contain heavy metals or their compounds include mercury (Hg), lead (Pb), cadmium (Cd) and hexavalent (chromium (Cr))	start,Indoor			
Recycled Plastic Components <80% by weight of total plastic components	start,Indoor			
Supply cord and the interconnecting cord between the indoor and outdoor unit 3 m (PVC Insulated sheathed cables as p	start,Indoor			
ACCESSORIES Standard accessories included for each air conditioners 3 m Cu pipe, Remote with battery, User I Warranty card	start,Indoor) 2023 ents in product			

AC Machine warranty	AC Machine warranty (in Year)	1
WARRAINTY	Warranty on compressor (in Years)	5
INSTALLATION	Installation	Standard installation(Scope of installation as per STC attached) with uninstallation of existing AC included
	Not included in the scope of supply	As per STC attached
	Availability of type test report from Govt Lab/ NABL accredited lab / ILAC accredited lab to prove conformity of the specification	Yes As per IS 1391 (Part 2)
	Test report number and date - Must declare	NABL
CERTIFICATION	Name and address of Lab - Must declare	NABL
	Availability of Environmental Management Certification	Yes
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस|BIS license of the product: 7500211908

विक्रैता विशिष्टता दस्तावेज़|Seller Specification Document:

1. <u>Applicable Specification Document</u>	mkp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp37313731/51/16/877/CategorySc hema/qr_spcn_document/2023/5/3/document-for-cms_2022-07-05-17-50-30_c3b90df06e58a7_2023-05-03-10-58- 17_0cd9e0d5e516735de899c5dcb95b3af0.pdf
2. <u>Verified and Signed Tp document.</u>	mkp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp37313731/51/16/877/CategorySc hema/tp_document/2024/1/3/green_rac_2024-01-03-13-19-26_a782a2a5976948d5bcffe835d1111e2b.pdf

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें|Terms and Conditions

1. Special terms and conditions- Version:2 effective from 11-12-2023

1.1 STC FOR SPLIT AIR CONDITIONER

Central Ministries/ Departments while procuring electrical appliances notified by the Department of Expenditure (DoE) shall ensure that they carry the notified threshold or higher Star Rating of the Bureau of Energy Efficiency (BEE). In this regard, DoE OM No.26/6/2012-PPD dated 21.01.2013 may also be referred to wherein appliances and threshold star ratings have been circulated.

Scope of installation and Commissioning for Wall Mount / High wall Split AC

- (1) Mounting/Fitting of indoor and outdoor units at the respective locations.
- (2) Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall (all type of walls), if required.
- (3) Checking / Charging Refrigerant gas in the unit.
- (4) Suitable electric wiring between indoor units and switch upto 3 meters in length.
- (5) Testing for satisfactory working without any abnormal noise as well as leakage test of the entire system.

The following are not included in the scope of supply for Wall Mount / High wall Split AC $\,$

- (1) Chiselling / Ducting / grooving for concealing the Refrigerant piping/cabling
- (2) Switches/ Sockets / Plug Tops / Voltage Stabilizer/Stand for ODU/Drain pipe/Angles.

Note to Buyer: Buyer are advised to apply filters/ selections allowing all the values which are considered meeting or are better than their technical requirements e.g. if the requirement is 5 years compressor warranty; Buyer should select other superior values, i.e. 10 years warranty as well. Such selection will act as 5 years or better (in L1 buying). For any violation of the above advisory if resulting into limited competition or higher cost to the ex-chequer, the Buyer shall be solely responsible.

- 2. General Terms and Conditions-
- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

 $Note: This is system generated file. \ No signature is required. \ Print out of this document is not valid for payment/ transaction purpose.$