

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687728047952

अनुबंध तिथि | Generated Date : 19-Mar-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4736082](#)

| संगठन विवरण Organisation Details | खरीदार विवरण Buyer Details |
|---|---|
| प्रकार Type : Central Government मंत्रालय Ministry : Ministry of Railways विभाग Department : Indian Railways संगठन का नाम Organisation Name : Central Railway कार्यालय क्षेत्र Office Zone : Central Railway Stores Deptt | पद Designation : SR DMM MUMBAI संपर्क नंबर Contact No. : 022-22623614- ईमेल आईडी Email ID : srdmm@bb.railnet.gov.in जीएसटीआईएन GSTIN : 27AAAGM0289C2ZI पता Address : OFFICE OF SR.DMM, Gr.RD FLOOR, DRM BLDG, CST MUMBAI - 400001, RAIGARH(MH), MAHARASHTRA-400001, India |

| वित्तीय स्वीकृति विवरण Financial Approval Detail | भुगतान प्राधिकरण विवरण Paying Authority Details |
|---|---|
| आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: ADRM(SUB)/CSMT वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : DFM-I/BB | Role: CONSIGNEE |

| विक्रेता विवरण Seller Details | |
|---|--|
| जेम विक्रेता आईडी GeM Seller ID : E3E2200001436085 कंपनी का नाम Company Name : PEAKMOUNT STAR PRIVATE LIMITED संपर्क नंबर Contact No. : 09971264914 ईमेल आईडी Email ID : peakmountstar.pvt.ltd@gmail.com पता Address : HNO. 130 SHOP AT GROUND FLOOR KH. NO-8/15,KOTLA VIHAR PH-2,NAJAFGHARH,NANGLOI, South West delhi, DELHI-110043, - एमआईआई स्थिति MII Status : True एमएसएमई सत्यापित MSME verified : Yes एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-DL-10-0003990 एमएसएमई सामाजिक श्रेणी MSE Social Category : General एमएसएमई लिंग श्रेणी MSE Gender : Female जीएसटीआईएन GSTIN: 07AALCP4733H1Z8 | |

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

| उत्पाद विवरण Product Details | | | | | | |
|--|--|-------------------------------|-------------|-------------------------------------|---|---|
| # | आइटम विवरण Item Description | आइटम विवरण Ordered Quantity | इकाई Unit | इकाई मूल्य (INR) Unit Price (INR) | कर विभाजन (INR) Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR) |
| 1 | उत्पाद का नाम Product Name : PEAKMOUNT--PEAKMOUNT STAR PRIVATE LIMITED Potable water purification system with inbuilt water cooler. RO +UV ब्रांड Brand : PEAKMOUNT--PEAKMOUNT STAR PRIVATE LIMITED ब्रांड प्रकार Brand Type : Unregistered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Potable Water Purification System with Inbuilt Water Cooler (Q2) मॉडल Model: PEAKMOUNT STAR 50 LITER एचएसएन कोड HSN Code: 8418 | 5 | pieces | 60,000 | NA | 300,000 |
| कुल ऑर्डर मूल्य Total Order Value (in INR) | | | | | | 300,000 |

| परेषिती विवरण Consignee Detail | | | | | | |
|----------------------------------|--|--|--------------------|-------------------|---|--|
| क्र.सं. S.No | परेषिती Consignee | वस्तु Item | लॉट नंबर Lot No. | मात्रा Quantity | दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After | वितरण पूरा कब तक करना है Delivery To Be Completed By |
| | पद Designation : - ईमेल आईडी Email ID : sseacstycsmt@bb.railnet.gov.in संपर्क Contact : -- | PEAKMOUNT-- PEAKMOUNT STAR PRIVATE LIMITED | | | | |

| | | | | | | |
|---|--|---|---|---|-------------|-------------|
| 1 | जीएसटीआईएन GSTIN : N पता Address : First Floor, Old Running Room Building, Behind Reservation office, Central Railway, Mumbai CSMT - 400001, RAIGARH(MH), MAHARASHTRA-400001, India | Potable water purification system with inbuilt water cooler. RO +UV | - | 5 | 19-Mar-2024 | 18-May-2024 |
|---|--|---|---|---|-------------|-------------|

Product Specification for PEAKMOUNT--PEAKMOUNT STAR PRIVATE LIMITED Potable water purification system with inbuilt water cooler. RO +UV

| विनिर्देश Specification | उप-विनिर्देश Sub-Spec | मूल्य Value |
|---|--|---|
| Standard Parameter | Certification for the product | CE |
| | Certification No and Date | CE-21ZEAZ7398C 10/03/2021 |
| | Manufacturers Quality System Certifications | 21ZEAZ7395Q 10/03/2021 |
| | Manufacturers Environment Management System Certifications | 21ZEAZ7396E 10/03/2021 |
| | Manufacturers Health and Safety Management System Certifications | 21zEAZ73970 10/03/2021 |
| | Conformity to Standard for Ultraviolet system | IS 14724 (latest) for water purification system with Ultraviolet disinfection |
| | Output Water Conforming standard | IS 10500 (latest) |
| Performance Parameter | Type of water purification technology | RO +UV |
| | Power consumptions of system (with \pm 5% tolerance) (in watt) | 775 |
| | Maximum Input Water TDS allow to the system | 1000 |
| | Input water hardness | 500 ppm or less |
| | Input water pH | 6.5 to 8.5 |
| | Input water chlorine | 0.2 ppm |
| | Input water iron | 0.2 ppm |
| | Input water turbidity | Less than 5 NTU |
| | Operation mode | Fully automatic with auto cut off |
| | Availability of sediment and activated carbon filter | Yes |
| | Ultraviolet (UV) LAMP | Yes |
| | Ultraviolet (UV) Lamp power in watts (Hint put zero in case UV is not available) | 11 |
| | Provision of Arsenic removal | Yes |
| | Provision of Fluoride removal | Yes |
| | Provision of Chloride removal | Yes |
| | Alkaline filter | Yes |
| | Storage tank | In-built |
| | Material of water Storage Tank | Stainless Steel SS 304 |
| | Storage tank capacity up to float valve level (in liter) | 120 |
| | Stages of purification | 3 |
| | No of RO Membranes provided | 1 |
| | RO Membrane rating | 80 GPD |
| | RO Membrane flushing | Auto flush at every start, every stop and every one hour for 1 minutes |
| | No of Particulate filter provided | 1 |
| | Particulate Filter size | 20 inch |
| | Particulate Filter Porosity | 5 micron |
| | No of Activated Carbon filter provided | 1 |
| Activated Carbon filter Size | 10 Inch | |
| No of Antiscalant filter provided | 1 | |
| Antiscalant- where silica is up to 10 ppm/where Mica is up to 100 ppm | Yes | |
| Nano Silver leaching filtration | No | |
| Minimum inlet pressure | 0.6 KG/CM2 | |
| Maximum inlet pressure | 3.5 KG/CM2 | |
| Maximum Inlet water temperature | 35 degree celsius | |
| Digital display | No | |

| | | |
|---|--|--|
| | Real time TDS display | No |
| | Real time pH Display | No |
| | High pressure pump | Yes |
| | Raw water/Chemical Raw water/Chemical Cleaning pump | Yes |
| | Recovery percentage at 27 degree centigrade | 25-35 |
| | Filtration water capacity in liter/ hour | 50 |
| | TDS removal percentage from RO Membrane | 90% |
| | Pressure vessel Sand Filter | No |
| | Pressure vessel Carbon Filter | No |
| | Pressure Vessel Dual Media Filter | No |
| | Body of filter | ABS Food grade |
| | Membrane Housing | Yes |
| | Number of candles | 6 or more |
| Cooler Parameters | Type of compressor | Reciprocating |
| | Refrigerant Used | HFC-R-134/A |
| | Refrigeration temperature | 15 to 17 |
| | Type of Condenser | Fin type/tube type |
| | Evaporator material | Cooper |
| | Water Storage tank insulation | PUF thermal insulation |
| | Provision for Hot water | No |
| | Number of Cold Water Faucets | 2 |
| | Number of Normal Water Faucets | 1 |
| | Number of Hot Water Faucets | Na |
| | Water flow rate through Faucets(in liter per hour) | 50 |
| | Cooling capacity at comfort level (17 ± 1 degree celsius) (in liter per hour) | 80 |
| | Installation Type | Floor Mounted and Enclosed |
| | Power supply | SINGLE PHASE (230 ± 10 % VOLT,%0 Hz) |
| | Maximum running current in ampere at rated condition | 4.5 ± 10 % |
| | Warranty in years including electronic ,electric parts, replacement of filters twice a year) | 1 |
| | Warranty period without Filter , electronic and electrical parts | 1 |
| Warranty period without Filter & inclusive of electronic and electrical parts | 1 | |
| Additional Parameters | Availability of type test Test REPORT for Filtering Size of Particles | Yes |
| | TYPE Test certificate No and date for Filtering Size of Particles | TC536921000002380F , 12/10/2021 |
| | Name and Address of laboratory which conducted Test for Filtering Size of Particles: | sigma test & research center 99,Badli industrial Area, Phase-2 new delhi 110042 |
| | Availability of Test Report on Microbial Efficacy from Govt/NABL/ilac Lab | Yes |
| | Test certificate No and date for Microbial Efficacy | TC536921000002380F , 12/10/2021 |
| | Name of the lab for Microbial Efficacy | INTERNATIONAL QUALITY CERTIFICATION SERVICES UK LTD.272,bath street ,glasgow,g2 4jr,u.k. |
| | Avaiability of type test certificate from NABL/ILAC Lab design evaluation report as per IS 14724 | Yes |
| | Copies of certifications and reports to be given to buyer at time of supplies | Yes |
| | User/Technical/Maintenance manuals to be supplied in English in hard and soft copy | Yes |
| | Availability of toll free centres for customer support | Yes |
| | Installation and Commissioning inclusive in the scope of Supply* | Yes |
| | Availablity of NABL Accredited Laboratory Facility with OEM | Yes |
| | Name and Address of NABL Accredited lab with OEM , If Not available put NA | sigma test & research center 99,Badli industrial Area, Phase-2 new delhi 110042 |
| | Inlet Pipe & Fitting from raw water scorces to water purification system | to be arranged by buyer / consignee |

| | |
|--|---|
| Pipe & Fitting from Out let to purified water tank | To be arranged by buyer /consignee |
| Pipe and pipe fitting material | PVC |
| Electrical fitting and plug points | To be arranged by buyer /consignee |
| ISI marked Electronic and electrical parts provided | Yes |
| Open installation of Water pipe fitting and waste water pipe line fitting provided | Yes |
| Scope Civil Work if any required during installation | All Civil work shall be responsibility of buyer |

ईपीबीजी विवरण | ePBG Detail

| | |
|---|----|
| सलाहकार बैंक Advisory Bank : | NA |
| ईपीबीजी प्रतिशत (%) ePBG Percentage(%): | NA |

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.3 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2.4 Warranty:

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

2.5 Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

2.6 Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.7 Generic

Shelf Life: The Product/Spare parts to be supplied as part of the services must have minimum

1 Year

Shelf Life. On the date of supply, minimum

1 Year

usable shelf life should be available / balance.

2.8 Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

2.9 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

Generic Parameters:-

>Manufacturers Quality System Certifications- 9001:2015

>Manufacturers Environment Management System Certifications- 14001:2015

>Manufacturers Health and Safety Management System Certifications- 45001:2018

>Output Water Conforming standard- IS 10500 (latest)

>Input water hardness- 500 ppm or less

>Input water ph- 6.5 to 8.5

>Input water chlorine- 0.2 ppm

- >Input water iron- 0.2 ppm
- >Input water turbidity- Less than 5 NTU
- >Availability of sediment and activated carbon filter- Yes
- >Ultraviolet (UV) Lamp power in watts (Hint put zero in case UV is not available) - 16
- >Storage tank- In-built
- >Stages of purification- 6
- >No of RO Membranes provided- 4
- >No of Particulate filter provided- 4
- >No of Activated Carbon filter provided- 1
- >Maximum inlet pressure- 3.5 KG/CM2
- >Maximum Inlet water temperature- 35 degree Celsius
- >Type of Condenser- Fin type/tube type
- >Evaporator material- Cooper
- >Water Storage tank insulation- PUF thermal insulation
- >Maximum running current in ampere at rated condition- $4.5 \pm 10 \%$
- >Pipe and pipe fitting material - PVC
- >Open installation of Water pipe fitting and waste water pipe line fitting provided - Yes

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.