

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687701867568

अनुबंध तिथि | Generated Date : 19-Mar-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4330071](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : Central Government	पद Designation : Secondry User
मंत्रालय Ministry : Ministry of Water Resources River Development and Ganga Rejuvenation	संपर्क नंबर Contact No. : 0612-2205435-
विभाग Department : NA	ईमेल आईडी Email ID : sureshkumars-cgwb@gov.in
संगठन का नाम Organisation Name : Central Ground Water Board (CGWB)	जीएसटीआईएन GSTIN : -
कार्यालय क्षेत्र Office Zone: CGWB MER Patna	पता Address : Central Ground Water Board Mid Eastern Region 6th 7th floor LNJP Bhawan Frazer Road Patna, PATNA, BIHAR-800001, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : Yes	Role: DDO
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: REGIONAL DIRECTOR	भुगतान का तरीका Payment Mode: PFMS
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: REGIONAL DIRECTOR	पद Designation : Pramod Kumar Singh
	ईमेल आईडी Email ID : pramod.kr-cgwb@gov.in
	जीएसटीआईएन GSTIN : -
	पता Address: Central Ground Water Board Mid Eastern Region 6th 7th floor LNJP Bhawan Frazer Road Patna, Patna, BIHAR-800001, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 737F180000110973
कंपनी का नाम Company Name : INTEGRATED GEO INSTRUMENTS AND SERVICES PVT LTD
संपर्क नंबर Contact No. : 09440048711
ईमेल आईडी Email ID : madhu@igisindia.com
पता Address : 12-13-382, STREET NO.18, TARNAKA, HYDERABAD, TELANGANA-500017, -
एमआईआई स्थिति MII Status : True
एमएसएमई सत्यापित MSME verified : Yes
एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-TS-02-0011950
एमएसई सामाजिक श्रेणी MSE Social Category : General
एमएसई लिंग श्रेणी MSE Gender : Male
जीएसटीआईएन GSTIN: 36AAACI6114N1ZH

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Surface Resistivity meter (V2) - Microprocessor based signal stacking Resistivity meter with memory ब्रांड Brand : IGIS ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Surface Resistivity Meter (V2) (Q2) मॉडल Model: SSR-MP-ATS with Accessories एचएसएन कोड HSN Code: 90158030	1	pieces	300,000	NA	300,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						300,000

परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By

1	<p>पद Designation :- ईमेल आईडी Email ID : aksinha-cgwb@gov.in संपर्क Contact : 0612-2205435- जीएसटीआईएन GSTIN :- पता Address : Central Ground Water Board Mid Eastern Region 6th 7th floor LNJP Bhawan Frazer Road Patna, PATNA, BIHAR-800001, India</p>	Surface Resistivity meter (V2) - Microprocessor based signal stacking Resistivity meter with memory	-	1	19-Mar-2024	03-Apr-2024
Product Specification for Surface Resistivity meter (V2) - Microprocessor based signal stacking Resistivity meter with memory						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
Description	Description	Surface Resistivity Meters are instruments used in geophysics to measure the electrical resistivity of subsurface. These meters are commonly used in groundwater exploration, mineral exploration, environmental studies etc.				
Generic	Resistance Measurement Range (Minimum) (Ohm)	10 [^] (-5)				
	Resistance Measurement Range (Maximum) (Ohm)	10 [^] (4)				
	Measurement Accuracy	1% or better				
	Resolution	0.01 millivolt				
	Cycle Time	less than or equals to 5 Seconds				
	Data Averaging	5 or more Cycles				
	Type of Instrument	Single Channel				
	Number of channels	1				
	Dimensions of Instrument (Length x Width x Height) (in mm)	418x330x173				
	Weight (in kg)	8 kilogram				
	Electrode Arrays Configuration	Wenner Array,Schlumberger Array,Dipole-dipole Array,Pole-dipole Array,Gradient Array				
Electrode	Electrode Material	Stainless Steel				
	Number of Electrode in the scope of supply	4				
	Nominal Length of Electrode (in the scope of supply) (in meters)	0.5 Meter (18 inch)				
	Depth of Penetration (max)	Up to 500 m				
Performance (Transmitter)	Voltage (max) (Voltage Peak to Peak)	500Vpp				
	Constant Current (Maximum)	2A				
	Power Output (Maximum)	up to 200 Watts				
	Power Source	Rechargeable External Battery				
	Battery Size, If Non Rechargeable Battery	24V Regular Battery				
	Number of Batteries Inclusive in the Scope of Supply of supply	1				
Performance (Receiver)	Input Impedance	> =10 Mega Ohms				
	Noise Rejection (at 50Hz)	95dB				
Display	Display Type	LCD				
	Display Size	Less than or equals to 5 inches				
Buyer Specific Requirement and Features	Optional Accessories	Carrying Case,Connectors - 1 set,External Power Cable,Data Transfer Cable -1 set,Test Box,Hammers,10 Nos. Crocodile Clips,2 or more winches for wire				
	Features	Error Signal for poor current and potential electrode grounding and discontinuity,The data can be transferred directly to any windows based PC through USB/ Com port for analysis and interpretation,Overload Protection,Automatic Range selection,Automatic Self Potential cancellation,Low Battery warning,Automatic Self Potential cancellation,Automatic Voltage Selection,NA				
	Additional Requirement	NA				
	Connectivity Interface	USB				
	Suitable Application Software Provided	Yes				

Analytical Software	Features for Software	Visualization of the investigation points
	Software supplied through	Media
	Type of License	Perpetual
	Free Upgradation to Higher Version within Warranty Period	Yes
	Maximum user handling capability	1
Operating Conditions	Minimum Operating Temperature	0 degree Celsius
	Maximum Operating Temperature	45 degree Celsius
	Operating Humidity (RH) (in %)	85 percent
	Ingress Protection	IP 54
Warranty/Service	Warranty (Complete Unit)	2 Year
	Warranty (Accessories)	1 year
	Service/Repair request response time	within 72 Hrs
Training	Training methods	Online Training
	Number of Days for Training	1 day
Test Report	Availability of Test Report to prove conformity of product to the Governing specifications	NABL Accredited Lab
	Test Report to be furnished to the buyer on demand (Not applicable, if test report is not available)	Yes

शुद्धिपत्र | Corrigendum

1. तक बढ़ाया गया | Extended Upto : 2024-01-16 09:00:00

2. तक बढ़ाया गया | Extended Upto : 2024-02-02 09:00:00

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

REGIONAL DIRECTOR
CENTRAL GROUND WATER BOARD
6TH AND 7TH FLOOR LNJP BHAWAN
PATNA-800001
BIHAR
.

2.3 Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2.4 Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 2 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

2.5 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

2.6 Generic

Experience Criteria: The Bidder or its OEM (themselves or through reseller(s)) should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

2.7 Generic

End User Certificate: Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.

2.8 Generic

For hazardous chemical/item, all precautionary measure as per regulation from the point of transportation/ handling/ storage/ safety/ health/ environment to be undertaken/ specified before dispatch. During dispatch, proper symbol for the hazard/ MSDS/ Batch No./ date of manufacturing/ Gross Weight/ Net Weight/ shelf Life etc are to be written/ printed/ pasted on the body of the packing.

2.9 Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

2.10 Generic

IT equipment shall be IPV6 ready from day one.

2.11 Generic

Malicious Code Certificate:

The seller should upload following certificate in the bid:-

(a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-

- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.
- (iii) Tap information resident or transient in the equipment/network.

(b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

2.12 Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

2.13 Generic

Products supplied shall be nontoxic and harmless to health. In the case of toxic materials, Material Safety Data Sheet may be furnished along with the material.

2.14 Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.15 Generic

The successful bidder has to supply all essential accessories required for the successful installation and commissioning of the goods supplied. Besides standard accessories as per normal industry practice, following accessories must be part of supply and cost should be included in bid price:

YES

.

2.16 Generic

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

2.17 Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

2.18 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.