# अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687714081255 अनुबंध तिथि | Generated Date : 20-Mar-2024

संगठन विवरण | Organisation Details

Central PSU प्ररूप|Type: मंत्रालय|Ministry: Ministry of Power

विभाग | Department : NA

संगठन का नाम|Organisation Name : NTPC Limited Peddapalli

कार्यालय क्षेत्र|Office Zone:

खरीदार विवरण | Buyer Details

पद|Designation: Manager संपर्क नंबर|Contact No. : 08728-264627-

ईमेल आईडी|Email ID : buvcon4.ntpc.pdpali@gembuver.in

जीएसटीआईएन|GSTIN : 36AAACN0255D1ZZ

TELANGANA STPP NTPC Ramagundam, Jyothinagar P.O,

पता|Address : Peddapalli district, Telangana,

KARIM NAGAR, TELANGANA-505215, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम| AGM

Designation of Administrative Approval: वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval:

भुगतान प्राधिकरण विवरण|Paying Authority Details

BUYER Role: भुगतान का तरीका| NTPC Payment Mode: पद|Designation: Manager

ईमेल आईडी|Email ID: buycon 4. ntpc.pdpali@gembuyer. in

जीएसटीआईएन|GSTIN : 36AAACN0255D1ZZ

TELANGANA STPP NTPC Ramagundam, Jyothinagar P.O,

पता|Address: Peddapalli district, Telangana,

KARIMNAGAR, TELANGANA-505215, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : G28M210002101732 कंपनी का नाम|Company Name : SWEETY ENTERPRISES संपर्क नंबर|Contact No. : 09431203312 ईमेल आईडी|Email ID :

AKHLESH69@GMAIL.COM

पता| Address :

एमएसएमई पंजीकरण संख्या|MSME Registration number :

जीएसटीआईएन|GSTIN: 10AHTPP0646D1ZK

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

AGM

वितरण निर्देश | Delivery Instructions : NA

## उत्पाद विवरण|Product Details

:	#	आइटम विवरण Item Description	आइटम विवेरण  Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)  Unit Price (INR)	कर विभाजन (INR)  Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)  Price (Inclusive of all Duties and Taxes in INR)
	1	उद्याद का नाम   Product Name : L&T Electrical & Automation Outdoor Class 1 Three phase 4 Wire AC Static Watthour Meters ब्रांड  Brand : L&T Electrical & Automation ब्रांड   Brand : L&T Electrical & Automation ब्रांड प्रकार  Brand Type : Registered Brand कैटलॉग की स्थिति  Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है  Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थोश   Category Name & Quadrant : AC Static Watthour Meters - Energy Meter (V2) as per IS 13779 (Q2) मॉडल   Model: 3P4W 10-60A DLMS ER300P WITH PC BOX एचएसएन कोड   HSN Code: 90283010	6	pieces	3,850	NA	23,100
3	कुल	हल ऑर्डर मूल्य   Total Order Value (in INR)				23,100	

### परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर  Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है  Delivery Start After	वितरण पूरा कब तक करना है  Delivery To Be Completed By
	पद  Designation : Manager ईमेल आईडी Email ID : buycon4.ntpc.pdpali@gembuyer.in संपर्क Contact : 08728-264627-	L&T Electrical & Automation Outdoor				

1	जीएसटीआईएन GSTIN : 36AAACN0255D1ZZ	Class 1 Three phase 4	-	6	20-Mar-2024	04-Apr-2024
	पता Address : TELANGANA STPP NTPC Ramagundam, Jyothinagar P.O,	Wire AC Static Watthour				
	Peddapalli district, Telangana,	Meters				
	KARIM NAGAR, TELANGANA-505215, India					

### Product Specification for L&T Electrical & Automation Outdoor Class 1 Three phase 4 Wire AC Static Watthour Meters

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Generic	Conformity to Technical Requirements	As per IS 13779:2020 (With Latest Ammendements) covering the general requirements and tests for various types of AC Static watt-hour Meters of Class 1 and 2
	ISI Marked	Yes
	Type of Meter	Outdoor
Performance Parameters & Ratings	Accuracy Class	Class 1
	Number of phases and Number of Wires	Three phase 4 Wire
	Standard Basic current (Ib) For direct connection 1-phase ( In Ampere)	10A
	Standard Basic current (Ib) For direct connection 3-phase ( In Ampere)	10A
	Typical Rated Maximum Current (Imax) as Percentage of Basic Current (A) (Direct connection)	600%
	Reference Voltage	240 V,415 V
	Typical Rated Maximum Current (Imax) as Percentage of Basic Current (A) (Connection through current transformer (s))	200%
Features	General and Constructional Requirements	As per Clause 6 of IS 13779:2020 (with Latest Amendments)
	Terminal Covers	Extended Terminal Cover
	Marking of Meters	As per Clause 7 of IS 13779:2020 (with Latest Amendments)
Buyer Specific Requirement and Additional features	Buyer Specific Requirements	NA
	Additional features/functions, if any	NA
Accessories	Accessories	NA
Reports And Certification	Type of lab which carried out Test of Complete Product to prove the conformity of product as per specification	OEM,Govt Lab,NABL Accredited Lab,BIS Lab
	Agree to provide all relevant documents Test Reports/supporting document /reports including valid BIS License Copy, etc to the buyer at the time of bidding or on demand	Yes
	The Equipment is provided with Calibration Certificate	Yes

#### ईपीबीजी विवरण | ePBG Detail

NA

#### नियम और शर्तें|Terms and Conditions

- 1. Special terms and conditions-  $\mbox{\sc Version:1}$  effective from 02-01-2023
- 1.1 In addition to the general terms and conditions of the GeM, the following are the special T&C
  - 1. All Electronic Meters shall meet the latest requirements of Central Electricity Authority (Installation & Operation of meters)Regulations.
  - II. Meters shall be provided with the following anti-tampering features:
    - i. The meter shall not get damaged or rendered non-functional and shall operate accurately even if any phase and neutral are interchanged. LED or LCD indication shall be provided on the meter wherever such tampering occurs for indication purposes.
    - ii. The meter shall register energy even when the return path of the load current is not terminated back at the meter and in such a case the circuit shall be completed through the earth. In the case of metallic bodies, the earth terminal shall be brought out and provided on the outside of the case.
    - iii. The meter shall operate accurately even when incoming mains is connected to outgoing terminals and the load is connected to incoming terminals. LED or LCD indication shall be provided on the meter wherever such tampering occurs.
    - iv. Three Phase meters shall have anti-tampering features like Phase sequence reversal, current reversal, missing potential, and missing neutral.
    - v. In the case of a 3 3-phase/4 wire system, the meter shall keep working even in the presence of any two wires i.e. even in the absence of neutral and any one phase or any two phases.
    - vi. In the case of whole current meters and LV-CT-operated meters, the meter shall be capable of recording energy correctly even if input and output terminals are interchanged.
    - vii. The registration must occur whether the input phase or neutral wire is connected properly or they are interchanged at the input terminals.
    - viii. The meter shall be factory calibrated and shall be sealed suitably before dispatch.
    - ix. Neutral missing feature: Meter will register energy even if neutral is disconnected from both ends and the load is earthed in a single phase.
  - III. The meter shall be immune to external influences concerning parameters covered in IS:13779 with the latest amendments.
  - IV. All the three-phase meters shall have data storage capacity for at least 35 days in non-volatile memory.
  - V. The meter shall have downloading facilities for metered data through Common Meter Reading Instrument(CMRI).

VI. The terminal block, terminal cover, and meter case shall ensure reasonable safety against the spread of fire.
2. General Terms and Conditions-
2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and
Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions
(ATC) as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.