

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687713297839

अनुबंध तिथि | Generated Date : 20-Mar-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4038790](#)

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्ररूप   Type : Central Government मंत्रालय   Ministry : Ministry of Statistics and Programme Implementation विभाग   Department : National Sample Survey Office (NSSO) संगठन का नाम   Organisation Name : Field Operations Division (FOD) कार्यालय क्षेत्र   Office Zone: Regional Office Jaipur	पद   Designation : Senior Statistical Officer संपर्क नंबर   Contact No. : 0141-2395061- ईमेल आईडी   Email ID : santosh.ku2066@gov.in जीएसटीआईएन   GSTIN : 08JPRN00150D1DS पता   Address : 70/149-154, Patel Marg, Mansarovar, Jaipur, JAIPUR, RAJASTHAN-302020, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : Yes प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: DDG वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: IFD	भुगतान का तरीका   Role: DDO भुगतान का तरीका   Payment Mode: PFMSOffline पद   Designation : Senior Statistical Officer ईमेल आईडी   Email ID : chandrakanta.chandela65@gov.in जीएसटीआईएन   GSTIN : N पता   Address: 70/149-154, Patel Marg, Mansarovar, Jaipur, JAIPUR CITY (EAST), RAJASTHAN-302020, India

विक्रेता विवरण   Seller Details	
जेम विक्रेता आईडी   GeM Seller ID :	5M3S210003240337
कंपनी का नाम   Company Name :	DEV ENTERPRISES
संपर्क नंबर   Contact No. :	08650220782
ईमेल आईडी   Email ID :	edev7679@gmail.com
पता   Address :	SF-103 BLOCK -7,OMICRON 1,GREATER NOIDA,GHORI, Gautam Buddha nagar, UTTAR PRADESH-201308, -
एमएसएमई सत्यापित   MSME verified :	No
एमएसएमई पंजीकरण संख्या   MSME Registration number :	UDYAM-UP-28-0020844
एमएसई सामाजिक श्रेणी   MSE Social Category :	General
एमएसई लिंग श्रेणी   MSE Gender :	Male
जीएसटीआईएन   GSTIN:	09HHBPS4941H1ZX

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण   Product Details						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : DEVENT COLLECTION Non-Revolving and Non-Tilting chair with Armrest ब्रांड   Brand : DEVENT COLLECTION ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Chair Office (V2) (Q3) मॉडल   Model: SBF-RD/23 एचएसएन कोड   HSN Code: 9403	20	pieces	3,919	NA	78,380
2	उत्पाद का नाम   Product Name : DEVENT COLLECTION Revolving Chair With Arm Synchronic tilt mechanism ब्रांड   Brand : DEVENT COLLECTION ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Revolving Chair (V2) (Q3) मॉडल   Model: ERD ARE एचएसएन कोड   HSN Code: 9403	2	pieces	5,919	NA	11,838
3	उत्पाद का नाम   Product Name : FURNILO Almirah Steel shelving cabinet with partial wardrobe ब्रांड   Brand : FURNILO ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller	2	pieces	11,119	NA	22,238

	श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Almirah Steel (V2) (Q3) मॉडल   Model: FESIC-23 एचएसएन कोड   HSN Code: 9403					
4	उत्पाद का नाम   Product Name : Unbranded 900 mm wide 975 mm high Metal Shelving Racks ब्रांड   Brand : NA ब्रांड प्रकार   Brand Type : Unbranded कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Metal Shelving Racks as per IS 1883 (Q3) मॉडल   Model: METAL SHELVING RACK एचएसएन कोड   HSN Code: 9403	4	pieces	4,819	NA	19,276
5	उत्पाद का नाम   Product Name : DEVENT COLLECTION STEEL TABLE WITH STORAGE ON one side 1190 millimeter 750 millimeter 710 millimeter ब्रांड   Brand : DEVENT COLLECTION ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Steel Tables as per IS 8126 (Q3) मॉडल   Model: ARE-RSTB एचएसएन कोड   HSN Code: 9403	6	pieces	8,919	NA	53,514
6	उत्पाद का नाम   Product Name : DEVENT COLLECTION Revolving Chair With Arm Synchronic tilt mechanism ब्रांड   Brand : DEVENT COLLECTION ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Revolving Chair (V2) (Q3) मॉडल   Model: ARE -RRD एचएसएन कोड   HSN Code: 9403	6	pieces	4,519	NA	27,114
कुल ऑर्डर मूल्य   Total Order Value (in INR)						212,360
<b>परेषिती विवरण   Consignee Detail</b>						
क्र.सं.   S.No	परेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : - ईमेल आईडी   Email ID : santosh.ku2066@gov.in संपर्क   Contact : 0141-2395061- जीएसटीआईएन   GSTIN : 08JRN00150D1DS पता   Address : 70/149-154, Patel Marg, Mansarovar, Jaipur, JAIPUR, RAJASTHAN-302020, India	DEVENT COLLECTION Revolving Chair With Arm Synchronic tilt mechanism	-	1	20-Mar-2024	04-May-2024
2	पद   Designation : - ईमेल आईडी   Email ID : rajendrakumar.verma73@gov.in संपर्क   Contact : 0144-2370116- जीएसटीआईएन   GSTIN : - पता   Address : House No. 8/11, N.E.B. Rajasthan Housing Board Colony, Alwar, ALWAR, RAJASTHAN-301001, India	Unbranded 900 mm wide 975 mm high Metal Shelving Racks	-	2	20-Mar-2024	04-May-2024
3	पद   Designation : - ईमेल आईडी   Email ID : mohkum.meena@gov.in संपर्क   Contact : - जीएसटीआईएन   GSTIN : - पता   Address : Plot No 9-A, Shiv Shakti Bhawan, Opp Bank of Baroda, New Colony , Gumanpura, KOTA, RAJASTHAN-324007, India	DEVENT COLLECTION Non-Revolutioning and Non-Tilting chair with Armrest	-	10	20-Mar-2024	19-Apr-2024
4	पद   Designation : - ईमेल आईडी   Email ID : kuldeep.sachdeva83@gov.in संपर्क   Contact : - जीएसटीआईएन   GSTIN : - पता   Address : NSSF(FOD), Opp. Hakam Maaruti Garage, Near Govt. Hospital, Suratgarh Road, N.H. - 15, Sriganganagar,	DEVENT COLLECTION Non-Revolutioning and Non-Tilting chair with Armrest	-	10	20-Mar-2024	19-Apr-2024
		DEVENT COLLECTION Revolving Chair With Arm Synchronic tilt mechanism	-	1	20-Mar-2024	04-May-2024
		FURNILO Almirah Steel shelving cabinet with partial wardrobe	-	2	20-Mar-2024	19-Apr-2024
		Unbranded 900 mm wide 975 mm high Metal Shelving Racks	-	2	20-Mar-2024	04-May-2024

GANGANAGAR, RAJASTHAN-335001, India

DEVENT COLLECTION STEEL TABLE WITH STORAGE ON one side 1190 millimeter 750 millimeter 710 millimeter	-	6	20-Mar-2024	04-May-2024
DEVENT COLLECTION Revolving Chair With Arm Synchronic tilt mechanism	-	6	20-Mar-2024	04-May-2024

**Product Specification for DEVENT COLLECTION Non-Revolving and Non-Tilting chair with Armrest**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
GENERAL REQUIREMENT	Chair Type	Non-Revolving and Non-Tilting chair with Armrest
	Chair frame type	Cantilever
	Armrest type	Continuous armrest
	Armrest front side	Bended
	Seat type	Padded
	Backrest type	Moulded
	Shoe/Studs material	PVC
FABRICATION	Seat Fitted	Over flat size in depth-wise of the frame on both sides with minimum 3 screws
	Backrest Fitted	By round head screws 3 Nos. (minimum) on each side
	Armrest Fitted	With round steel screws 3 Nos. (minimum) on each side
CHAIR FRAME	Frame Material Configuration	One piece
	Frame material	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)
	The shape of tubular section of frame	Rectangular
	Section Size (Diameter/Sides) of frame	25 mm
	Frame section wall thickness	1.6 mm
ARMREST FABRICATION	The armrest material	Plastic fixed on Frame Material
	Armrest Padded with	N.A
	Armrest upholstered with	N.A
	Armrest material thickness	1.6 mm
SEAT FABRICATION	Seat material	Single piece of Hot Rolled Carbon Steel Sheet Confmg. to grade HR0 of IS:1079 (with Latest Amendment)
	Seat material thickness	25 mm
	Seat padded	Yes
	Density of Polyurethane foam used in seat ( $\pm 2$ Kg/Cub Meter)	40
	Seat upholstered with	Fabric
	GSM of seat cover ( $\pm 3$ GSM)	250 GSM
	Polyurethane foam thickness (for seat)	40 mm
	Color of Seat cover	Black
BACKREST FABRICATION	Backrest material	Mesh with support of injection moulded polypropylene (P.P)
	Backrest Material thickness	1.6 mm
	Backrest padded	N.A
	Density of Polyurethane foam used in Backrest ( $\pm 2$ Kg/Cub Meter)	N.A
	Backrest upholstered with	Mesh Fabric
	GSM of Backrest cover ( $\pm 3$ GSM)	220 GSM
	Polyurethane foam thickness (for backrest)	N.A
	Colour of Backrest cover	Black
	Seat Depth ( $\pm 5$ mm)	470 mm
	Seat Width ( $\pm 5$ mm)	480 mm

DIMENSION	Seat height from floor surface ( $\pm 5$ mm)	515 mm
	Backrest width ( $\pm 5$ mm)	450 mm
	Backrest height from seat ( $\pm 5$ mm)	380 mm
	Arm Length ( $\pm 5$ mm)	250 mm
	Arm Width ( $\pm 2$ mm)	35 mm
COLOUR AND FINISH	Paint Type	Chrome Paint
	Polish Type	N.A
	Colour of Paint	As per Buyer's Requirement (to be indicated during bid creation)
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	No
	Test reports to be furnished to buyer on demand	N.A
	Test Report Number and Date (Write NA if test report not available)	NA
	Name and Address of the Lab(Write NA if test report not available)	NA
	BIFMA certification	Yes
	OEM of offered product is ISO 9001:2015 certified	Yes
	OEM of offered product is ISO 14001:2015 certified	Yes
OEM of offered product is ISO 45001:2018 certified	Yes	
<b>Product Specification for DEVENT COLLECTION Revolving Chair With Arm Synchronic tilt mechanism</b>		
<b>विनिर्देश   Specification</b>	<b>उप-विनिर्देश   Sub-Spec</b>	<b>मूल्य   Value</b>
GENERAL REQUIREMENT	Chair mechanism	Synchronic tilt mechanism
	Mechanism designed with 360 degree-revolving type and upright locking	Yes
	Chair included the pneumatic height adjustments	Yes
	Height Adjustment $\pm 5$ (mm)	up to 120 mm
	Armrest	With
	Type of backrest support	Adjustable Lumbar Support
	Armrest Type	Adjustable
	Ergonomic Seat Design	Yes
	Back type	Push Back
	Backrest has separate adjustable headrest	Yes
	Seat type	Fixed
	Seat is curved	Yes
	Locking mechanism	Yes
	Type of locking	Tilt limiter
	Number of arm movement	2 (Up and Down)
MATERIAL	Pedestal Base	Nylon base
	Twin wheel castor material	ABS
	Number of twin wheel castor	5 Nos.
	Twin wheel castor diameter	50 mm
	Armrest Material	Polypropylene
	Seat material	Pressed and moulded with PU foam
	Backrest is made of	One piece injection moulded frame
	Density of PU foam used in seat KG per Cu Meter ( $\pm 3$ )	45
	Density of PU foam used in backrest in KG per Cu Meter ( $\pm 3$ )	N.A
	Backrest upholstered with	100% Polyester Fabric
	Seat upholstered with	100% polyester fabric
	GSM/Thickness of fabric $\pm 5$ %(Gram/Square meter)	220 gram

	Upholstered material colour	Black
DIMENSION	Overall width (±10 mm)	550 mm
	Backrest Height ±15 mm	730 mm
	Backrest Width ±10 mm	500 mm
	Seat Height ±10 mm	525 mm
	Seat Width ±10 mm	500 mm
	Seat Depth ±10 mm	450 mm
	Thickness of MS Plate Joining the under structure with Seat	0.2 mm
	Thickness of Plywood used in Seat ±1(mm)	12 mm
	Thickness of Plywood used in Backrest ± 1(mm)	15 mm
	Pedestal Size (Diameter in mm) ±10 mm	730 mm
	Thickness of Polyurethane Foam Used in Seat in mm (±2 mm)	35 mm
	Thickness of Polyurethane Foam Used in Backrest in mm(±2 mm)	N.A
WARRANTY	Warranty period in number of years	1-year
TESTING AND CERTIFICATION	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test Report Number and Date	NA
	Name and Address of the Lab	NA
	Test reports to be furnished to buyer on demand, if claimed to be available	NA
	BIFMA Certification	No
	OEM of offered product is ISO 9001:2015 certified	No
	OEM of offered product is ISO 14001:2015 certified	No
	OEM of offered product is ISO 18001:2007/45001:2018 certified	No
	Green guard certification	No
Aiota	No	
<b>खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए   Buyer Defined Additional Specification for DEVENT COLLECTION Revolving Chair With Arm Synchronic tilt mechanism</b>		
<b>विनिर्देश   Specification</b>	<b>मूल्य   Value</b>	
High back	yes	
<b>Product Specification for FURNILO Almirah Steel shelving cabinet with partial wardrobe</b>		
<b>विनिर्देश   Specification</b>	<b>उप-विनिर्देश   Sub-Spec</b>	<b>मूल्य   Value</b>
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel shelving cabinet with partial wardrobe
	Construction type	Welded
	Installation	Free standing
	Pedestal	Yes
	Pedestal fitted with	3 mm Teflon Bush
	Pedestal height (± 5 mm)	125 mm
	Locker required	No
	Door type	Hinged
	Number of door	2
	Number of hinges (for each door)	3
	Door stiffener up to full door height provided	No
	Mirror fitted	No mirror
	Number of drawers required	4

	Shelves required	Fixed
	Number of shelves	4
	Uniformly distributed load (UDL) for shelves	60 Kgs.
	Wardrobe by style	Partial (Half of the Almirah width)
	Tie Hanger	No
	Colour of finish	Ash Grey
MATERIAL	Steel sheet material	Mild steel sheets conforming to grade HR1 of IS 1079:2009 (with latest amendment)
	Sheet rounds and flats	N.A
	Screws	Conforming to IS 1365
	Hanging rod material	No hanging rod
	Mirror frame made out of (if provided)	No mirror frame
	Tie hanger made out of	N.A
	Stiffener material	No stiffener
DIMENSION	Almirah height(excluding the height of pedestal) ± 5 mm	1000 mm
	Almirah width ± 5 mm	910 mm
	Almirah depth ± 5 mm	480 mm
	Locker inside height ± 5 mm	No locker
	Locker inside width ± 5 mm	N.A
	Locker inside depth ± 5 mm	N.A
	Drawer height	N.A
	Drawer width	N.A
	Drawer depth	N.A
	Mirror sizes	N.A
	Shelves lipped flange	N.A
	Side sheet thickness	0.9 mm
	Back sheet thickness	0.9 mm
	Top sheet thickness	0.9 mm
	Bottom sheet thickness	0.9 mm
	Shelves sheet thickness	0.9 mm
	Shelves supporting bracket thickness	N.A
	Door metal stiffener thickness	N.A
	Pedestal sheet thickness	0.8 mm
	Hinges sheet thickness	1.6 mm
	locker door sheet thickness	N.A
	Drawer sheet thickness	N.A
	Hanging rod wall thickness	N.A
	Hanging rod diameter ±2 mm	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Tie hanger sheet thickness	N.A
	Width of stiffener	N.A
	Stiffener sheet thickness	N.A
	Number of glass sheet fixed	N.A
	Handle size	12 cm
	Steel Almirah lock/locker lock	Six lever lock
	Material of lock	Steel
	Duplicate keys (for each)	Yes
	Keys material (for each lock)	Brass and steel finish

LOCKS AND LOCKING ARRANGEMENT	Steel Almirah locking mechanism	A three way bolting device controlled by a lock
	Door handle material for almirah lock	Brass base alloy
	Handle material for locker	Brass base alloy
	Lockers locking mechanism	N.A
	Drawer lock	N.A
FINISH	All the mild steel parts shall be given phosphating treatment	N.A
	The process of application of phosphate coating	N.A
	Finish coat with enamels	Stoving enamel
	Powder coating	N.A
TESTING AND CERTIFICATION	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test Report Number and Date	N.A
	Name and Address of the Lab	N.A
	Test reports to be furnished to buyer on demand, if claimed to be available	No

### Product Specification for Unbranded 900 mm wide 975 mm high Metal Shelving Racks

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
GENERIC	Type	OPEN TYPE
	Pigeon Holes	without
	Number of Shelves/Compartments (Top / Ceiling Shelf - not to be counted)	3
MATERIAL	Shelves Material	0.8 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513
	M S Sheet Thickness of Shelves and Back (Minimum) in mm	1.0
	Sides, Back and Partition Wall Thickness (Minimum) (mm)	NA
	Angle Posts Material and size	Rolled steel angle posts of 40 X 40 X 3 mm
DIMENSION	Depth in mm (±5 mm)	380
	Width in mm (±5 mm)	900
	Height in mm (±5 mm)	975
	Bin Strip Height in mm (±1 mm)	Not Provided
CERTIFICATION	Conformity to Indian Standard	NOT AS PER IS
	Test reports to be furnished to buyer on demand	Yes
MISC	Number of Pigeon Holes Equally Spaced in Each Row	na
	Paint	Grey Enameled
	Colour	dove gray
	Packing	Bubble Sheet Packing
	No of Gussets	8
	Ground Clearance in mm (+/- 2 mm)	55 mm
	Label Holder	No
WARRANTY	Warranty in number of years	1

**टिप्पणी | Note::** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

### Product Specification for DEVENT COLLECTION STEEL TABLE WITH STORAGE ON one side 1190 millimeter 750 millimeter 710 millimeter

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
	Conformity to Indian Standard IS: 8126 Latest	No
	Storage	one side

GENERIC	Total Number of Storage Units	triple storage
	Cup Board / Locker type Storage Units	three
	Type of Storage Units	OTHER DESIGNS
	Lock on all storage units	Provided
	Loading capacity of table top in KG ( +/-5 Kg)	150 KG
	Table Top Material and Thickness (+/-2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	Padestal (Under structure)	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm
	Table Top Length +/-10(mm)	1190 millimeter
	Table Top Width +/-10(mm)	750 millimeter
	Table Height +/-5(mm)	710 millimeter
MATERIAL	Foot Rest Material	Mild Steel square Section of size 25x25 mm and wall thickness minimum 1.6 mm
	Handles Material	Without Handles (Alternate opening system)
	Thickness of PVC tape on edges of Table Top banded with the help of hot melt glue (mm)	1.5 mm
	Storage Unit and Drawer Units Material	0.7 mm M S sheet
	Shoes Material	Rubber
DIMENSION	Width of Storage Unit +/-5(mm)	355 millimeter
	Depth of Storage Unit +/-10(mm)	355 millimeter
	Overall Height of Storage Units +/- 10 mm	460 mm
	Height of smallest Storage Compartment / Drawer +/-3 mm	100 mm
	Height of medium size Storage Compartment / Drawer +/-5 mm	SAME AS SMALLEST
	Height of Largest Storage Compartment / Drawer +/-5 mm	SAME AS MEDIUM
	Width of Locker / Cupboard type Storage unit	350 mm
	Depth of Locker / Cupboard type Storage unit	N.A
MISC	Foot Rest Provided	YES
	Colour of Lamination	AS PER BUYER CHOICE
COLOUR & FINISH	Paint	Stove enameled Paint
	Colour of Paint	AS PER BUYER CHOICE
	ISI Marked	No
CERTIFICATION	BIS Licence No	NA
	Test reports to be furnished to buyer on demand	NO
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	NO
	OEM of offered product is ISO 14001:2015 certified	NO
	OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified	NO
	Green guard certification	NO
WARRANTY	Warranty in number of years	1

**Product Specification for DEVENT COLLECTION Revolving Chair With Arm Synchronic tilt mechanism**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
	Chair mechanism	Synchronic tilt mechanism
	Mechanism designed with 360 degree-revolving type and upright locking	Yes
	Chair included the pneumatic height adjustments	Yes
	Height Adjustment ± 5(mm)	upto 192 mm
	Armrest	With
	Type of backrest support	Fixed Lumbar Support

GENERAL REQUIREMENT	Armrest Type	Fixed
	Ergonomic Seat Design	No
	Back type	Fixed
	Backrest has separate adjustable headrest	No
	Seat type	Fixed
	Seat is curved	No
	Locking mechanism	No
	Type of locking	N.A
	Number of arm movement	N.A
MATERIAL	Pedestal Base	Nylon base
	Twin wheel castor material	ABS
	Number of twin wheel castor	5 Nos.
	Twin wheel castor diameter	50 mm
	Armrest Material	Polypropylene
	Seat material	Pressed and moulded with PU foam
	Backrest is made of	One piece hot pressed plywood with PU foam
	Density of PU foam used in seat KG per Cu Meter ( $\pm 3$ )	70
	Density of PU foam used in backrest in KG per Cu Meter ( $\pm 3$ )	50
	Backrest upholstered with	Leatherette
	Seat upholstered with	Leatherette
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	290 gram
	Upholstered material colour	Black
DIMENSION	Overall width ( $\pm 10$ mm)	730 mm
	Backrest Height $\pm 15$ mm	650 mm
	Backrest Width $\pm 10$ mm	700 mm
	Seat Height $\pm 10$ mm	525 mm
	Seat Width $\pm 10$ mm	590 mm
	Seat Depth $\pm 10$ mm	480 mm
	Thickness of MS Plate Joining the under structure with Seat	1.2 mm
	Thickness of Plywood used in Seat $\pm 1$ (mm)	12 mm
	Thickness of Plywood used in Backrest $\pm 1$ (mm)	12 mm
	Pedestal Size (Diameter in mm) $\pm 10$ mm	750 mm
	Thickness of Polyurethane Foam Used in Seat in mm ( $\pm 2$ mm)	120 mm
	Thickness of Polyurethane Foam Used in Backrest in mm( $\pm 2$ mm)	120 mm
WARRANTY	Warranty period in number of years	4-years
TESTING AND CERTIFICATION	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test Report Number and Date	NAA
	Name and Address of the Lab	NAA
	Test reports to be furnished to buyer on demand, if claimed to be available	NA
	BIFMA Certification	No
	OEM of offered product is ISO 9001:2015 certified	No
	OEM of offered product is ISO 14001:2015 certified	No
	OEM of offered product is ISO 18001:2007/45001:2018 certified	No
	Green guard certification	No
	Aiota	No
सलाहकार बैंक   Advisory Bank :		NA

## नियम और शर्तें | Terms and Conditions

### 1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

### 2. Buyer Added Bid Specific Terms and Conditions-

#### 2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### 2.2 Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

#### 2.3 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

#### 2.4 Past Project Experience:

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.