# अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687716762825 अनुबंध तिथि | Generated Date : 20-Mar-2024

### संगठन विवरण|Organisation Details

प्ररूप|Type: State Government

मंत्रालय|Ministry:

Panchayati Raj Department Uttar Pradesh विभाग | Department :

संगठन का नाम|Organisation Name : N/A कार्यालय क्षेत्र|Office Zone: Ballia

खरीदार विवरण|Buyer Details पद|Designation : ADPRO

संपर्क नंबर|Contact No. : 05498-546768-

ईमेल आईडी|Email ID: buycon23.prdup.up@gembuyer.in

जीएसटीआईएन|GSTIN :

13 DPRO OFFICE VIKASH BHAWAN BALLIA, पता|Address : BALLIA, UTTAR PRADESH-277001, India

#### वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमित IFD Concurrence : Nο

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval: वित्तीय अनुमोदन का पदनाम।

Designation of Financial Approval:

भुगतान प्राधिकरण विवरण | Paying Authority Details BUYER

भुगतान का तरीका|

पता|Address:

Offline Payment Mode: ADPRO

पद|Designation : ईमेल आईडी|Email ID : buycon23.prdup.up@gembuyer.in

जीएसटीआईएन|GSTIN :

13 DPRO OFFICE VIKASH BHAWAN BALLIA, Ballia, UTTAR PRADESH-277001, India

### विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : S0WN210004920068

AAROHI CONSTRUCTION & SUPPLIER कंपनी का नाम|Company Name :

संपर्क नंबर|Contact No. : 09506429961 ईमेल आईडी|Email ID : info.nts@vahoo.com

AGARSANDA, AGARSANDA, BALLIA, BALLIA, पता| Address : Ballia, UTTAR PRADESH-277001, -

एमएसएमई पंजीकरण संख्या|MSME Registration number :

जीएसटीआईएन|GSTIN: 09DKSPK2278B1ZV

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

dpro

dpro

वितरण निर्देश | Delivery Instructions : NA

## उत्पाद विवरण|Product Details

| #  | ‡ आइटम विवरण Item Description                                                                                                                                                                                                                                                                                                                                                                                         | आइटम<br>विवरण <br>Ordered<br>Quantity | इकाई  <br>Unit | इकाई मूल्य<br>(INR) <br>Unit Price<br>(INR) | कर विभाजन (INR) <br>Tax Bifurcation (INR) | मूल्य<br>(INR में सभी<br>शुल्क और कर<br>सहित) <br>Price<br>(Inclusive of<br>all Duties and<br>Taxes in INR) |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------|---------------------------------------------|-------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| 1  | उत्पाद का नाम  Product Name : Unbranded Almirah Steel shelving cabinets ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थित Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थीश Category Name & Quadrant : Almirah Steel (V2) (Q3) मॉडल Model: Office almirah एचएसएन कोड HSN Code: HSN not specified by seller | 1                                     | pieces         | 13,000                                      | NA                                        | 13,000                                                                                                      |
| कु | ल ऑर्डर मूल्य  Total Order Value (in INR)                                                                                                                                                                                                                                                                                                                                                                             |                                       |                |                                             |                                           | 13,000                                                                                                      |

## परेषिती विवरण|Consignee Detail

| क्र.सं. S.No | परेषिती Consignee                                                                                                                                                                                                                    | वस्तु Item                                   | लॉट नंबर <br>Lot No. | मात्रा Quantity | दिनांक के बाद<br>डिलीवरी शुरू<br>करना है <br>Delivery Start<br>After | वितरण पूरा कब<br>तक करना है <br>Delivery To<br>Be<br>Completed<br>By |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|----------------------|-----------------|----------------------------------------------------------------------|----------------------------------------------------------------------|
| 1            | पद  Designation : ADPRO<br>ईमेल आईडी Email ID : buycon23.prdup.up@gembuyer.in<br>संपर्क Contact : 05498-546768-<br>जीएसटीआईएन GSTIN : -<br>पता Address : 13 DPRO OFFICE VIKASH BHAWAN BALLIA,<br>BALLIA, UTTAR PRADESH-277001, India | Unbranded Almirah<br>Steel shelving cabinets | -                    | 1               | 20-Mar-2024                                                          | 04-Apr-2024                                                          |

| विनिर्देश Specificat   | ion उप-विनिर्देश Sub-Spec                                    | मूल्य Value                                                                         |
|------------------------|--------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                        | Technical specification of Almirah steel                     | Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)     |
|                        | Type of Almirah steel                                        | Almirah Steel shelving cabinets                                                     |
| SENERAL<br>REQUIREMENT | Construction type                                            | Welded                                                                              |
|                        | Installation                                                 | Free standing                                                                       |
|                        | Pedestal                                                     | Yes                                                                                 |
|                        | Pedestal fitted with                                         | 3 mm Teflon Bush                                                                    |
|                        | Pedestal height (± 5 mm)                                     | 125 mm                                                                              |
|                        | Locker required                                              | No                                                                                  |
|                        | Door type                                                    | Hinged                                                                              |
| GENERAL                | Number of door                                               | 2                                                                                   |
| REQUIREMENT            | Number of hinges (for each door)                             | 3                                                                                   |
|                        | Door stiffener up to full door height provided               | No                                                                                  |
|                        | Mirror fitted                                                | No mirror                                                                           |
|                        | Number of drawers required                                   | No Drawer                                                                           |
|                        | Shelves required                                             | Fixed                                                                               |
|                        | Number of shelves                                            | 4                                                                                   |
|                        | Uniformly distributed load (UDL) for shelves                 | 60 Kgs.                                                                             |
|                        | Wardrobe by style                                            | No wardrobe                                                                         |
|                        | Tie Hanger                                                   | No                                                                                  |
|                        | Colour of finish                                             | Ash Grey                                                                            |
|                        | Steel sheet material                                         | CRCA sheets conforming to grade CRI of IS 513(pa<br>1):2016 (with latest amendment) |
|                        | Sheet rounds and flats                                       | N.A                                                                                 |
|                        | Screws                                                       | Conforming to IS 1365                                                               |
| MATERIAL               | Hanging rod material                                         | No hanging rod                                                                      |
|                        | Mirror frame made out of (if provided)                       | No mirror frame                                                                     |
|                        | Tie hanger made out of                                       | N.A                                                                                 |
|                        | Stiffener material                                           | No stiffener                                                                        |
|                        | Almirah height(excluding the height of pedestal) ± 5 mm      | 1250 mm                                                                             |
|                        | Almirah width ± 5 mm                                         | 760 mm                                                                              |
|                        | Almirah depth ± 5 mm                                         | 430 mm                                                                              |
|                        | Locker inside height ± 5 mm                                  | No locker                                                                           |
|                        | Locker inside width ± 5 mm                                   | N.A                                                                                 |
|                        | Locker inside depth ± 5 mm                                   | N.A                                                                                 |
|                        | Drawer height                                                | N.A                                                                                 |
|                        | Drawer width                                                 | N.A                                                                                 |
|                        | Drawer depth                                                 | N.A                                                                                 |
|                        | Mirror sizes                                                 | N.A                                                                                 |
|                        | Shelves lipped flange                                        | N.A                                                                                 |
|                        | Side sheet thickness                                         | 0.8 mm                                                                              |
|                        | Back sheet thickness                                         | 0.8 mm                                                                              |
|                        | Top sheet thickness                                          | 0.8 mm                                                                              |
|                        | Bottom sheet thickness                                       | 0.8 mm                                                                              |
|                        |                                                              | 0.0 mm                                                                              |
| DIMENICION             | Shelves sheet thickness                                      | 0.8 mm                                                                              |
| DIMENSION              | Shelves sheet thickness Shelves supporting bracket thickness | 0.8 mm                                                                              |

|                               | Pedestal sheet thickness                                                                                                                                 | 0.8 mm                                          |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
|                               | Hinges sheet thickness                                                                                                                                   | 1.25 mm(double folded)                          |
|                               | locker door sheet thickness                                                                                                                              | N.A                                             |
|                               | Drawer sheet thickness                                                                                                                                   | N.A                                             |
|                               | Hanging rod wall thickness                                                                                                                               | N.A                                             |
|                               | Hanging rod diameter ±2 mm                                                                                                                               | N.A                                             |
|                               | Mirror frame sheet thickness                                                                                                                             | N.A                                             |
|                               | Mirror frame border width                                                                                                                                | N.A                                             |
|                               | Tie hanger sheet thickness                                                                                                                               | N.A                                             |
|                               | Width of stiffener                                                                                                                                       | N.A                                             |
|                               | Stiffener sheet thickness                                                                                                                                | N.A                                             |
|                               | Number of glass sheet fixed                                                                                                                              | N.A                                             |
|                               | Handle size                                                                                                                                              | 12 cm                                           |
|                               | Steel Almirah lock/locker lock                                                                                                                           | Six lever lock                                  |
|                               | Material of lock                                                                                                                                         | Steel                                           |
|                               | Duplicate keys (for each)                                                                                                                                | Yes                                             |
|                               | Keys material (for each lock)                                                                                                                            | Steel                                           |
| LOCKS AND LOCKING ARRANGEMENT | Steel Almirah locking mechanism                                                                                                                          | A three way bolting device controlled by a lock |
|                               | Door handle material for almirah lock                                                                                                                    | Zinc based alloy                                |
|                               | Handle material for locker                                                                                                                               | N.A                                             |
|                               | Lockers locking mechanism                                                                                                                                | N.A                                             |
|                               | Drawer lock                                                                                                                                              | N.A                                             |
|                               | All the mild steel parts shall be given phosphating treatment                                                                                            | Conforming to Class c of IS 3618                |
| FINISH                        | The process of application of phosphate coating                                                                                                          | Accordance with IS 6005                         |
| FINISH                        | Finish coat with enamels                                                                                                                                 | Stoving enamel                                  |
|                               | Powder coating                                                                                                                                           | N.A                                             |
|                               | Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification | No                                              |
| TESTING AND CERTIFICATION     | Test Report Number and Date                                                                                                                              | NA                                              |
| CERTIFICATION                 | Name and Address of the Lab                                                                                                                              | NA                                              |
| 1                             | Test reports to be furnished to buyer on demand, if claimed to be available                                                                              | No                                              |

टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

### ईपीबीजी विवरण | ePBG Detail

NA

### नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिटे आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.