

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687732342319

अनुबंध तिथि | Generated Date : 22-Mar-2024

संगठन विवरण   Organisation Details		खरीदार विवरण   Buyer Details				
प्ररूप   Type :	State Autonomous	पद   Designation :	Chairman			
मंत्रालय   Ministry :	-	संपर्क नंबर   Contact No. :	-			
विभाग   Department :	Co-operative Department Bihar	ईमेल आईडी   Email ID :	buycon3.cdb.bh@gembuyer.in			
संगठन का नाम   Organisation Name :	N/A	जीएसटीआईएन   GSTIN :	-			
कार्यालय क्षेत्र   Office Zone:	baniayapur	पता   Address :	vill-chhatwa kala po manikpura ps baniyapur saran, SARAN, BIHAR-841220, India			
वित्तीय स्वीकृति विवरण   Financial Approval Detail		भुगतान प्राधिकरण विवरण   Paying Authority Details				
आईएफडी सहमति   IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम	Pacs management	भुगतान का तरीका	Offline			
Designation of Administrative Approval:		Payment Mode:				
वित्तीय अनुमोदन का पदनाम	Pacs management	पद   Designation :	mainegar			
Designation of Financial Approval :		ईमेल आईडी   Email ID :	pao67.cdb.bh@gembuyer.in			
		जीएसटीआईएन   GSTIN :	-			
		पता   Address:	vill-chhatwa kala po manikpura ps baniyapur saran, Saran, BIHAR-841220, India			
विक्रेता विवरण   Seller Details						
जेम विक्रेता आईडी   GeM Seller ID :	5974190000841252					
कंपनी का नाम   Company Name :	INDICON AGRO INDUSTRIES LLP					
संपर्क नंबर   Contact No. :	09831937200					
ईमेल आईडी   Email ID :	rishisureka1@gmail.com					
पता   Address :	91A1/1 PARK STREET,PARK STREET,PARK STREET, Kolkata, WEST BENGAL-700016, -					
एमएसएमई पंजीकरण संख्या   MSME Registration number :	UDYAM-WB-10-0028669					
एमएसई सामाजिक श्रेणी   MSE Social Category :	General					
एमएसई लिंग श्रेणी   MSE Gender :	Male					
जीएसटीआईएन   GSTIN:	19AAGFI0093R1ZR					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा   GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश   Delivery Instructions : NA						
उत्पाद विवरण   Product Details						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : INDICON AGRO INDUSTRIES LLP--INDICON AGRO INDUSTRIES LLP Single Speed Agriculture rotavator ब्रांड   Brand : INDICON AGRO INDUSTRIES LLP--INDICON AGRO INDUSTRIES LLP ब्रांड प्रकार   Brand Type : Unregistered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Agriculture rotavator (Q3) मॉडल   Model: IND-RT-72-M एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	134,979	NA	134,979
कुल ऑर्डर मूल्य   Total Order Value (in INR)						134,979
परेषिती विवरण   Consignee Detail						
क्र.सं.   S.No	परेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : Chairman ईमेल आईडी   Email ID : buycon3.cdb.bh@gembuyer.in संपर्क   Contact : - जीएसटीआईएन   GSTIN : -	INDICON AGRO INDUSTRIES LLP-- INDICON AGRO INDUSTRIES LLP Single	-	1	22-Mar-2024	06-Apr-2024

	पता   Address : vill-chhatwa kala po manikpura ps baniyapur saran, SARAN, BIHAR-841220, India	Speed Agriculture rotavator				
Product Specification for INDICON AGRO INDUSTRIES LLP--INDICON AGRO INDUSTRIES LLP Single Speed Agriculture rotavator						
विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value				
Performance Parameters	Purpose	It is used to as primary cum secondary tillage implement which help to conserve previous soil moisture and pulverises soil up-to 6 inches of depth or more.				
	Facility of tractor PTO operated mechanism for Rotavator	Yes				
	Type of hitch attachment/Linkage	3-point linkage				
	Power range which can be utilized to operate Rotavator	10 hp to 25 hp				
	Type of gear box used	Single Speed				
	Type of Side Transmission Drive	Gear Drive				
	Types of gear used	Spur, Helical, Double Helical				
	Number of chain drive used	1				
	Availability of chain/Gear cover part for safety	Yes				
	PTO speed required in rpm	540				
	Rotor Speed in rpm (with $\pm 10$ rpm tolerance )	175				
	Shape of Cutting Blade	C-Shape				
	Type of cutting edge of blade	Plane				
	Hardness of Edge portion	40 to 55 HRC				
	Hardness on Shank portion	37 to 45 HRC				
	Total number of blade on rotor	42				
	Number of blade per Flange	6				
	Cutter Blade should be Dynamically balanced	Yes				
	Number of flange in rotor shaft	5				
	Types of bearing used	Ball				
	Make of bearing	ABC				
	Agriculture Rotavator shall be capable to tillage both wet and dry soil land	Yes				
	Availability of Adjustable Depth Skids	Yes				
	Availability of Offset Adjustable frame	Yes				
	Safety clutch/Device (Shear Bolt) in PTO shaft shall be provided	Yes				
	Rotavator Stand shall be provided	Yes				
	Rotavator Shield to prevent flying of mud & stone shall be provided	Yes				
	Facility Side Disc assembly	Yes				
	Guard over propeller shaft shall be provided	Yes				
	Availability of lubrication system	Yes				
	Rotavator primary reduction gear/gearbox, Secondary reduction gear/gearbox, Rotary axle bearing shall be with effective sealing to protect from dust & Water (No ingress of mud & Water into them)	Yes				
	Marking/labeling of rotavator shall be mention	Yes				
	Warranty in years	3				
	Rotavator should have minimum vibration during operation	Yes				
	Noise level of rotavator in db on full load	100				
	Number of Spare Blades for Rotavator	10				
	Rotavator frame and Blades must be Rust Proof	Yes				
	Product instruction manual shall be supplied	Yes				
	Standard Tool Kit for maintainance and Trouble Shooting to be provided with Machine	Yes				
	Demonstration of equipment and training to be provided after completing supplies before Acceptance	Yes				
	Material of frame of rotavator	MS				

Material and Dimensional Parameters	Diameter of rotar shaft in mm ( with ± 2 mm tolerance)	75
	Rotor Diameter (including flange & blade mounted on flange) in mm	420
	Material for Cutting Blade	HCS
	Cutting Blade thickness in mm	8
	Cutting blade width in mm	80
	Orientation of blade in degree	40
	Length of blade along the flange in mm	160
	Length of blade along the rotor shaft in mm	115
	Distance between consecutive flanges in mm( with ± 2 mm tolerance)	205
	Working width by rotavator in inches	60
	Working depth by rotavator in inches	5
	Depth of puddle in wet land operation in mm	140
	Dimensions of 3-point attachment of rotavator as per IS:4468 (part-1) 1997 Standard	Yes
	Dimensions of power input connection (PIC) of implement as per IS:4931-1995 Standard	Yes
	Size of rotavator (Lx W x H) in inches	65X75X95
	Weight of Rotavator in Kg	150
Reports	Availability of ISO certification of manufacturer	Yes
	ISO certification Number & issued date, If ISO certificate not available then put NA	IN/55017571/4090. MARCH. 2023
	Certifications to be furnished to buyer on demand at time of supplies	Yes
ईपीबीजी विवरण   ePBG Detail		
NA		
नियम और शर्तें   Terms and Conditions		
1. General Terms and Conditions-		
1.1 This contract is governed by the <a href="#">General Terms and Conditions</a> , conditions stipulated to this Product/Service as provided in the Marketplace.		
1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable		
नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।		
Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.		