# अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687764938516

अनुबंध तिथि | Generated Date : 22-Mar-2024

## संगठन विवरण|Organisation Details

प्ररूप|Type: State Government

मंत्रालय|Ministry:

Youth Services and Sports and Technical Education Department

विभाग | Department : Jammu and Kashmir

संगठन का नाम|Organisation Technical Education Department Name:

कार्यालय क्षेत्र|Office Zone:

#### खरीदार विवरण|Buyer Details

पद|Designation: Foreman Engineer संपर्क नंबर|Contact No. : 01965-220034-

ईमेल आईडी|Email ID : neerajsam.85920@jk.gov.in

जीएसटीआईएन|GSTIN:

GOVERNMENT POLYTECHNIC COLLEGE POONCH ITI HOSTEL

BUILDING MOHALLAH POWER HOUSE POONCH-185101,

पता|Address : POONCH, JAMMU & KASHMIR-185101, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति IFD Concurrence :

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम| Designation of Financial Approval:

BUYER Role: PRINCIPAL

भुगतान का तरीका| Offline Payment Mode:

पद|Designation: Foreman Engineer ईमेल आईडी|Email ID: neerajsam.85920@jk.gov.in

भुगतान प्राधिकरण विवरण|Paying Authority Details

जीएसटीआईएन|GSTIN :

GOVERNMENT POLYTECHNIC COLLEGE POONCH ITI HOSTEL

पता|Address: BUILDING MOHALLAH POWER HOUSE POONCH-185101.

Poonch, JAMMU & KASHMIR-185101, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : 6WW9210004766616 कंपनी का नाम|Company Name : M/S SKA ENTERPRISES संपर्क नंबर|Contact No. : 09419908843 ईमेल आईडी|Email ID : harsh6872@gmail.com

H NO. 25, KALU CHAK, GANGYAL, JAMMU, पता| Address : Jammu, JAMMU & KASHMIR-180010, -

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-JK-07-0016357

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिंग श्रेणी|MSE Gender : Female जीएसटीआईएन|GSTIN: 01AXKPC2581M1ZJ

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

PRINCIPAL

वितरण निर्देश | Delivery Instructions : NA

## उत्पाद विवरण | Product Details

| i | # आइटम विवेरण Item Description  | आइटम<br>विवरण <br>Ordered<br>Quantity | इकाई  <br>Unit | इकाई मूल्य<br>(INR) <br>Unit Price<br>(INR) | कर विभाजन<br>(INR) <br>Tax Bifurcation<br>(INR) | मूल्य<br>(INR में सभी<br>शुल्क और कर<br>सहिते) <br>Price<br>(Inclusive of<br>all Duties and<br>Taxes in INR) |
|---|---|---------------------------------------|----------------|---|---|--|
| 1 | उत्पाद का नाम  Product Name: Unbranded Washer Top Load Single Phase, 50 Hz Washing Machines / Drying Machines sis   Brand: NA sis प्रकार   Brand Type: Unbranded कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As: Reseller not verified by OEM श्रेणी का नाम और चतुर्थोश   Category Name & Quadrant: Laundry Type Washing Machines / Drying Machines (Q3) मॉडल   Model: UNBRANDED WASHING MACHINE 8Ltr एचएसएन कोड   HSN Code: HSN not specified by seller | 1                                     | pieces         | 14,800                                      | NA  | 14,800   |
| 5 | कृल ऑर्डर मूल्य  Total Order Value (in INR)   |                                       |                |   |   | 14,800   |

# परेषिती विवरण|Consignee Detail

| क्र.सं. S.No | परेषिती Consignee          | वस्तु Item | लॉट नंबर <br>Lot No. | मात्रा Quantity | दिनांक के बाद<br>डिलीवरी शुरू<br>करना है <br>Delivery Start<br>After | वितरण पूरा कब<br>तक करना है <br>Delivery To<br>Be<br>Completed<br>By |
|--------------|----------------------------|------------|----------------------|-----------------|--|--|
|              | पद। Designation : LECTURER |            |                      |                 |  |  |

| ईमेल आईडी Email ID : lecture-gpcp@jk.gov.in<br>संपर्क Contact : 01965-220034-<br>वीप्सटीआईएन GSTIN : -<br>पता Address : GOVERNMENT POLYTECHNIC COLLEGE POONCH ITI<br>HOSTEL BUILDING MOHALLAH POWER HOUSE POONCH-185101,<br>POONCH, JAMMU & KASHMIR-185101, India | Unbranded Washer Top<br>Load Single Phase, 50<br>Hz Washing Machines /<br>Drying Machines | - | 1 | 22-Mar-2024 | 21-Apr-2024 |
|---|---|---|---|-------------|-------------|
|---|---|---|---|-------------|-------------|

|  | Product Specification for Unbranded | Washer Top Load Single Phase | , 50 Hz Washing Machines / Drying Machines |
|--|-------------------------------------|------------------------------|--|
|--|-------------------------------------|------------------------------|--|

| विनिर्देश Specificatio | n उप-विनिर्देश Sub-Spec  | मूल्य Value                                     |
|------------------------|--|---|
|                        | Type of Machine  | Washer  |
|                        | Type of Usage of Machine   | Domestic  |
|                        | Number of Duty Cycles per day - Nominal  | 8   |
|                        | Type of Mounting   | Portable with Castor Wheels                     |
|                        | Drive Type   | Variable Frequency Direct Drive                 |
|                        | Number of Tubs/Containers/Drums  | Single Container                                |
| ТҮРЕ                   | Container / Drum Position  | Vertical  |
|                        | Type of Laundry Loading  | Top Load  |
|                        | Laundry Processing   | Fully Automatic                                 |
|                        | Type of Heating  | Electrical Heating,Steam Heating,Gas Heating,NA |
|                        | Steam Source   | From integrated steam generator                 |
|                        | Provided with coin / currency operated Timer                                   | No  |
|                        | Material of Top Panel  | Plastic   |
|                        | Material of side Panel   | Plastic   |
|                        | Washer System  | Pulsator / Impellor Type                        |
|                        | Rated capacity of Washer (in kg)   | 8 - 8.9   |
|                        | "Washer Drum Volume  | 3050 liter                                      |
|                        | "Washer Drum Dia   | 200 millimeter                                  |
| WASHER                 | "Washer Drum Height / Length   | 500 millimeter                                  |
|                        | Material of the Washer Drum  | Plastic   |
|                        | "Number of Preset Wash Programmes  | 15  |
|                        | "Normal Washing and Rinsing Cycle time   | 45 minute                                       |
|                        | Provided with Automatic Detergent dispensor with liquid soap pump/dosing meter | NA  |
|                        | Type of Dryer  | NA  |
|                        | Type of Tumble Dryer   | NA NA   |
|                        | Rated capacity of Dryer (in kg)  | 8 - 8.9   |
|                        | Dryer Drum Volume  | 3000 liter                                      |
|                        | "Dryer Drum Diameter "   | 200 millimeter                                  |
|                        | "Dryer Drum Height / Length"   | 500 millimeter                                  |
|                        | "Dryer Spin Speed in rpm"  | 680   |
| DRYER                  | Material of the Dryer Drum   | NA  |
|                        | Spin Speed Selection   | NA  |
|                        | Provided with Hot Air Blower   | NA  |
|                        | "Exhaust Blower / Fan motor Power Rating"                                      | 1 kiloWatt                                      |
|                        | Air Flow Rate (in cubic meter/hour   | 1   |
|                        | "Number of Preset Dryer Programmes"  | 15  |
|                        | "Normal Drying Cycle time"   | 45 minute                                       |
|                        | Steam Consumption (in kg/hour)   | 3   |
|                        | "Electric Heating Power Rating"  | 1 kiloWatt                                      |
|                        | Minimum Water inlet Pressure   | 5 bar   |
|                        | Maximum allowed Hardness (CaCO3) of inlet water (ppm)                          | 200   |
|                        | "Steam Pressure"   | 5 bar   |

| 1                       | 1   | 1   |
|-------------------------|---|---|
|                         | Temperature Control / Selection   | Yes   |
|                         | Noise level   | 65 decibel  |
|                         | connectivity  | NA  |
| GENERIC                 | Electrical Safety Provisions as per IS : 302 latest   | Yes   |
|                         | Net Weight  | 36 kilogram   |
|                         | Overall Dimensions (mm x mm x mm)   | 47.5*96*80.5  |
|                         | Features / Functions Functions  | Pre Wash, Tub Wash, Rinse Only, Spin Only, Rinse and Spin, Gentle Wash, Turbo Wash, Quick Wash, Water Efficient Wash, Normal Wash, Hard Wash, Child Lock, Lint Filter |
|                         | Other features, if any  | NA  |
|                         | List of Items and Quantity of each item included in the offer   | NA  |
|                         | Power Supply  | Single Phase, 50 Hz   |
|                         | Working Voltage   | 230 ± 10% V AC  |
| POWER SUPPLY            | Number of Motors  | 1   |
|                         | Power Rating of each motor (kW)   | 500   |
|                         | BEE Star Rating   | 3   |
| INSTALLATION &          | Installatiion and Commissioning as per STC  | Inclusive in the scope of Supply  |
| COMMISSIONING / STC     | Agreed to the STC of the Product  | YES   |
|                         | Minimum Rated Life Cycles   | 4000  |
| GUARANTEE /<br>WARRANTY | Warranty on Equipment   | 2 year  |
|                         | Warranty on Electric Motor (s)  | 2 year  |
|                         | Availability of Test Reports from Central Govt / NABL approved / ILAC accredited Lab to prove the Minimum Guaranteed Life Cycles, etc | No  |
| CERTIFICATION           | If Yes, Test Report to be furnished to the Buyer on demand  | NA  |
|                         | Test Report No and Date   | NA  |
|                         | Name of the Lab and Address   | NA  |

टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

#### ईपीबीजी विवरण | ePBG Detail

NA

### नियम और शर्तें|Terms and Conditions

- 1. Special terms and conditions- Version:1 effective from 04-05-2020
- $1.1\,The\,Scope\ of\ installation\ and\ Commissioning\ for\ Laundry\ Type\ Washing\ /\ Drying\ Machine\ (s),\ shall\ be\ as\ under:$
- 1.1.1 In addition to General Terms and Conditions of the GeM, the following Special T&C shall be applicable for "Laundry Type Washing / Drying Machines
- 1.1.1.1 SELER'S RESPONSIBILITIES:
- ${\bf 1.1.1.2}\,\hbox{CONSIGNEE}\,\hbox{/}\,\hbox{USER'S RESPONSIBILITIES:}$
- ${\bf 1.1.1.2.1\, Providing\, necessary\, Space,\, Water\, source,\, Electricity,\, Drainage,\, wherever\, required.}$
- ${\bf 1.1.1.2.2\,Civil\,work\,for\,Foundation\,and\,Electrical\,earthing,\,wherever\,required.}$
- 1.1.1.2.3 Plumbing work for water inlet connection within 1.5 meters from the Foundation of the Machine, wherever required.
- $1.1.1.2.4\,Plumbing\,work\,for\,water\,drain\,line\,connection\,within\,1.0\,meter\,from\,the\,Foundation\,of\,the\,Machine,\,wherever\,required.$
- 1.1.1.2.5 Exhaust Piping (for Dryer), wherever required.
- ${\bf 1.1.1.2.6\,Providing\,\,Consumables\,\,required\,for\,\,Washing\,\,\prime\,\,Drying.}$
- 1.1.1.2.7 Providing Rinse Booster Pump (for Washer), if the water inlet pressure is less than the Minimum water inlet pressure specified in the contract.
- 1.1.1.2.8 Providing Water softener (for Washer), if the water Hardness is more than the Maximum water hardness specified in the contract..
- 1.1.1.2.9 Necessary approvals from regulatory authorities, if any, for installation of the Machine.
- $1.2\, The\, Scope\, of\, installation\, and\, Commissioning\, for\, Laundry\, Type\, Washing\, /\, Drying\, Machine\, (s),\, shall\, be\, as\, under:$
- ${\bf 1.2.1\ Inclusive\ in\ the\ Scope\ of\ Installation\ \&\ Commissioning:}$
- 1.2.1.1 Foundation / Grouting is not required in case of Portable Type and Soft Mount Type Washing / Drying Machine(s).
- 1.2.1.2 The Supplier, on receipt of the order for Rigid Mount Washing / Drying Machine (s), shall immediately furnish the "Foundation Drawing" and the requirements of suitable earthing along with Electric circuit diagram to the consignee. The consignee shall make necessary arrangements for the civil work required for foundation and earthing as

per the drawings received.

- $1.2.1.3\,Mounting\,\textit{I}\,\textit{Fitting}\,\textit{of}\,\textit{the}\,\textit{Machine}, \textit{with}\,\textit{necessary}\,\textit{alignment}\,\textit{work}, \textit{on}\,\textit{the}\,\textit{already}\,\textit{made}\,\textit{foundation}, \textit{wherever}\,\textit{required}.$
- ${\bf 1.2.1.4\,Suitable\,Electrical\,Wiring\,upto\,2\,meters\,length\,between\,the\,Machine\,and\,Power\,Socke}$
- 1.2.1.5 Suitable water inlet Piping between the Machine and the water source upto 2 nos. of water inlet pipes of length 1.5 meters each.
- 1.2.1.6 Providing 1 no. of suitable Water outlet Pipe upto 1.0 meter length.
- 2. General Terms and Conditions-
- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.