

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687783444672

अनुबंध तिथि | Generated Date : 22-Mar-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4784539](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : Central PSU मंत्रालय Ministry : Ministry of Consumer Affairs Food and Public Distribution विभाग Department : Department of Food and Public Distribution संगठन का नाम Organisation Name : Food Corporation of India (FCI) कार्यालय क्षेत्र Office Zone: FCI DO Banderdewa Arunachal Pradesh NE Zone	पद Designation : Manager संपर्क नंबर Contact No. : 0360-2266031- ईमेल आईडी Email ID : con74.fcif.ar@gembuyer.in जीएसटीआईएन GSTIN : 12AAACF0365N1ZT पता Address : 5/1 EKA Complex, FCI, DO, Banderdewa, PAPUM PARE, ARUNACHAL PRADESH-791123, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: DIVISIONAL MANAGER वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : DIVISIONAL MANAGER	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : Manager ईमेल आईडी Email ID : viveka312527@fci.gov.in जीएसटीआईएन GSTIN : 12AAACF0365N1ZT पता Address: 5/1 eka complex papumpare AP, Papum Pare, ARUNACHAL PRADESH-791123, India भुगतान समयसीमा Payment Timelines: Payments shall be made to the seller within 15 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10-days time as provided in clause 12 of GeM GTC)

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : T596210004627025 कंपनी का नाम Company Name : PRITI INTERNATIONAL LIMITED संपर्क नंबर Contact No. : 09860028103 ईमेल आईडी Email ID : pritiinternational21@yahoo.com पता Address : F-43,MIA PHASE I,BASNI, Jodhpur, RAJASTHAN-342005, - एमएसएमई सत्यापित MSME verified : No एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-RJ-22-0061052 एमएसएमई सामाजिक श्रेणी MSE Social Category : General एमएसएमई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 08AAJCP2782Q1ZK

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Non-Revolving and Non-Tilting chair with Armrest ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Chair Office (V2) (Q3) मॉडल Model: NA एचएसएन कोड HSN Code: HSN not specified by seller	15	pieces	3,950	जीएसटी GST (18%) : 9,038.136 जीएसटी उपकर 1 GST Cess 1 (0%) : 0 जीएसटी उपकर 2 GST Cess 2 (0 per accounting unit) : 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GST1 : - जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1 : - जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2 : -	59,250
2	उत्पाद का नाम Product Name : Angular STEEL TABLE WITH STORAGE ON both side 1500 millimeter 600 millimeter 750 millimeter ब्रांड Brand : Angular ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Steel Tables as per IS	7	pieces	9,750	जीएसटी GST (18%) : 10,411.017 जीएसटी उपकर 1 GST Cess 1 (0%) : 0 जीएसटी उपकर 2 GST Cess 2 (0 per accounting unit) : 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GST1 : -	68,250

8126 (Q3) मॉडल Model: ANG_ST_33 एचएसएन कोड HSN Code: HSN not specified by seller				जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1 : - जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2 : -	
उत्पाद का नाम Product Name : Unbranded Almira Steel shelving cabinets ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Almira Steel (V2) (Q3) मॉडल Model: MS ALMIRA 1855X900X480 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	16,700	जीएसटी GST (18%) : 2,547.458 जीएसटी उपकर 1 GST Cess 1 (0%) : 0 जीएसटी उपकर 2 GST Cess 2 (0 per accounting unit) : 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GST : - जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1 : - जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2 : -	16,700
कुल ऑर्डर मूल्य Total Order Value (in INR)					144,200

परोक्षी विवरण | Consignee Detail

क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation :- ईमेल आईडी Email ID : bhukhya313502@fci.gov.in संपर्क Contact :- जीएसटीआईएन GSTIN : - पता Address : FOOD STORAGE DEPOT FSD BHALUKPONG ARUNACHAL PRADESH, WEST KAMENG, ARUNACHAL PRADESH-790114, India	Unbranded Non-Revolving and Non-Tilting chair with Armrest	-	15	22-Mar-2024	06-Apr-2024
		Angular STEEL TABLE WITH STORAGE ON both side 1500 millimeter 600 millimeter 750 millimeter	-	7	22-Mar-2024	06-Apr-2024
		Unbranded Almira Steel shelving cabinets	-	1	22-Mar-2024	06-Apr-2024

Product Specification for Unbranded Non-Revolving and Non-Tilting chair with Armrest

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERAL REQUIREMENT	Chair Type	Non-Revolving and Non-Tilting chair with Armrest
	Chair frame type	Legs
	Armrest type	Continuous armrest
	Armrest front side	Curved
	Seat type	Padded
	Backrest type	Padded
	Shoe/Studs material	Polypropylene
FABRICATION	Seat Fitted	Over flat size in depth-wise of the frame on both sides with minimum 3 screws
	Backrest Fitted	By round head screws 3 Nos. (minimum) on each side
	Armrest Fitted	With round steel screws 3 Nos. (minimum) on each side
CHAIR FRAME	Frame Material Configuration	One piece
	Frame material	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)
	The shape of tubular section of frame	Round
	Section Size (Diameter/Sides) of frame	25 mm
	Frame section wall thickness	1.2 mm
ARMREST FABRICATION	The armrest material	Cushion pad fixed on frame material
	Armrest Padded with	Foam
	Armrest upholstered with	Leatherette
	Armrest material thickness	12 mm
	Seat material	Moulded Plywood

SEAT FABRICATION	Seat material thickness	15 mm
	Seat padded	Yes
	Density of Polyurethane foam used in seat (±2 Kg/Cub Meter)	32
	Seat upholstered with	Leatherette
	GSM of seat cover (± 3 GSM)	220 GSM
	Polyurethane foam thickness (for seat)	20 mm
	Color of Seat cover	Black
BACKREST FABRICATION	Backrest material	Moulded Plywood
	Backrest Material thickness	18 mm
	Backrest padded	Yes
	Density of Polyurethane foam used in Backrest (±2 Kg/Cub Meter)	35
	Backrest upholstered with	Leatherette
	GSM of Backrest cover (± 3 GSM)	80 GSM
	Polyurethane foam thickness (for backrest)	30 mm
Colour of Backrest cover	Black	
DIMENSION	Seat Depth (± 5 mm)	470 mm
	Seat Width (± 5 mm)	440 mm
	Seat height from floor surface (± 5 mm)	435 mm
	Backrest width (± 5 mm)	430 mm
	Backrest height from seat (± 5 mm)	340 mm
	Arm Length (± 5 mm)	200 mm
	Arm Width (± 2 mm)	25 mm
COLOUR AND FINISH	Paint Type	Chrome Paint
	Polish Type	N.A
	Colour of Paint	As per Buyer's Requirement (to be indicated during bid creation)
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	No
	Test reports to be furnished to buyer on demand	N.A
	Test Report Number and Date (Write NA if test report not available)	no
	Name and Address of the Lab(Write NA if test report not available)	no
	BIFMA certification	No
	OEM of offered product is ISO 9001:2015 certified	No
	OEM of offered product is ISO 14001:2015 certified	No
OEM of offered product is ISO 45001:2018 certified	No	
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>Product Specification for Angular STEEL TABLE WITH STORAGE ON both side 1500 millimeter 600 millimeter 750 millimeter</p>		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Conformity to Indian Standard IS: 8126 Latest	No
	Storage	both side
	Total Number of Storage Units	four storage
	Cup Board / Locker type Storage Units	one
	Type of Storage Units	Fig 1A of IS 8126
	Lock on all storage units	Provided
	Loading capacity of table top in KG (+/-	

	5 Kg)	500 kg
	Table Top Material and Thickness (+/-2 mm)	20 mm thick MDF Board of grade SBG II conforming to IS 12406 laminated with minimum 0.6 mm thick on Top side of type S, P or F having index 3.2.3 conforming to IS 2046 and minimum 0.5 mm thick balancing laminate on the other side
	Padestal (Under structure)	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm
	Table Top Length +/-10(mm)	1500 millimeter
	Table Top Width +/-10(mm)	600 millimeter
	Table Height +/-5(mm)	750 millimeter
MATERIAL	Foot Rest Material	mild steel rectangular section of size 30 mm X 20 mm and wall thickness minimum 1.6 mm
	Handles Material	Polypropylene
	Thickness of PVC tape on edges of Table Top banded with the help of hot melt glue (mm)	1.5 mm
	Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)
	Shoes Material	PVC
DIMENSION	Width of Storage Unit +/-5(mm)	355 millimeter
	Depth of Storage Unit +/-10(mm)	355 millimeter
	Overall Height of Storage Units +/- 10 mm	380 mm
	Height of smallest Storage Compartment / Drawer +/-3 mm	50 mm
	Height of medium size Storage Compartment / Drawer +/-5 mm	N.A
	Height of Largest Storage Compartment / Drawer +/-5 mm	230 mm
	Width of Locker / Cupboard type Storage unit	450 mm
	Depth of Locker / Cupboard type Storage unit	600 mm
	Height of Locker / Cupboard type Storage unit	280 mm
MISC	Foot Rest Provided	YES
COLOUR & FINISH	Colour of Lamination	polished
	Paint	Stove enameled Paint
	Colour of Paint	AS PER BUYER CHOICE
CERTIFICATION	ISI Marked	No
	BIS Licence No	-
	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	NO
	OEM of offered product is ISO 14001:2015 certified	NO
	OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified	NO
Green guard certification	NO	
WARRANTY	Warranty in number of years	2
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>Product Specification for Unbranded Almirah Steel shelving cabinets</p>		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value

GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel shelving cabinets
	Construction type	Welded
	Installation	Free standing
	Pedestal	Yes
	Pedestal fitted with	3 mm Teflon Bush
	Pedestal height (± 5 mm)	125 mm
	Locker required	No
	Door type	Hinged
	Number of door	2
	Number of hinges (for each door)	3
	Door stiffener up to full door height provided	No
	Mirror fitted	No mirror
	Number of drawers required	No Drawer
	Shelves required	Fixed
	Number of shelves	4
	Uniformly distributed load (UDL) for shelves	60 Kgs.
	Wardrobe by style	No wardrobe
	Tie Hanger	No
	Colour of finish	As per Buyer's Requirement (to be indicated during bid creation)
MATERIAL	Steel sheet material	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)
	Sheet rounds and flats	Conforming to grade E250 of IS 2062
	Screws	Conforming to IS 1365
	Hanging rod material	No hanging rod
	Mirror frame made out of (if provided)	No mirror frame
	Tie hanger made out of	N.A
	Stiffener material	No stiffener
DIMENSION	Almirah height(excluding the height of pedestal) ± 5 mm	1855 mm
	Almirah width ± 5 mm	900 mm
	Almirah depth ± 5 mm	480 mm
	Locker inside height ± 5 mm	No locker
	Locker inside width ± 5 mm	N.A
	Locker inside depth ± 5 mm	N.A
	Drawer height	N.A
	Drawer width	N.A
	Drawer depth	N.A
	Mirror sizes	N.A
	Shelves lipped flange	N.A
	Side sheet thickness	0.8 mm
	Back sheet thickness	0.8 mm
	Top sheet thickness	0.8 mm
	Bottom sheet thickness	0.8 mm
	Shelves sheet thickness	0.8 mm
	Shelves supporting bracket thickness	1.6 mm
	Door metal stiffener thickness	N.A
Pedestal sheet thickness	0.8 mm	
Hinges sheet thickness	1.25 mm(double folded)	

	locker door sheet thickness	N.A
	Drawer sheet thickness	N.A
	Hanging rod wall thickness	N.A
	Hanging rod diameter ±2 mm	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Tie hanger sheet thickness	N.A
	Width of stiffener	N.A
	Stiffener sheet thickness	N.A
	Number of glass sheet fixed	N.A
	Handle size	15 cm
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Six lever lock
	Material of lock	Brass and Steel finish
	Duplicate keys (for each)	Yes
	Keys material (for each lock)	Brass and steel finish
	Steel Almirah locking mechanism	A three way bolting device controlled by a lock
	Door handle material for almirah lock	Brass base alloy
	Handle material for locker	N.A
	Lockers locking mechanism	N.A
	Drawer lock	N.A
FINISH	All the mild steel parts shall be given phosphating treatment	N.A
	The process of application of phosphate coating	N.A
	Finish coat with enamels	Stoving enamel
	Powder coating	N.A
TESTING AND CERTIFICATION	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test Report Number and Date	NA
	Name and Address of the Lab	NA
	Test reports to be furnished to buyer on demand, if claimed to be available	No
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ईपीबीजी विवरण ePBG Detail</p>		
सलाहकार बैंक Advisory Bank :		NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):		NA
<p>आरसीएम/एफसीएम के संबंध में सामान्य खंड General Clauses w.r.t RCM/FCM</p>		
<p>1. Where ever RCM is applicable, for sellers (Regular GST registered seller who opted out of FCM as per notifications of GST like GTA , unregistered seller), Buyer have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this contract. Seller will invoice buyer with Zero GST and GST cess.</p>		
<p>2. For Registered sellers as per FCM, rates will be inclusive of prescribed rate of GST and GST cess. ITC available to buyer as shown in the bid document have been applied while evaluating the bids. Seller has liability of paying the GST and GST cess to the govt and same will be charged from buyer while invoice.</p>		
<p>3. For Registered sellers who opted for RCM while quoting for specified category under section 9(3) like GTA rates will be exclusive of GST and GST cess. GST and GST cess as indicated by the buyer in the bid document payment of GST and GST Cess will be the liability of buyer.</p>		
<p>4. For Unregistered sellers Liability of payment of GST and GST cess is in Buyers scope. GST and GST cess as indicated by the buyer in the bid document will be the liability of buyer . Unregistered seller will invoice buyer with zero GST and Zero GST cess.</p>		
<p>5. For sellers under Composition Scheme: There is no liability of payment of GST and GST cess in Buyers cope. Seller will invoice Zero GST and GST cess in the invoice to buyer.</p>		
<p>नियम और शर्तें Terms and Conditions</p>		

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 *Generic*

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 *Generic*

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Food Storage Depot
FSD Bhalukpong
District West kameng
Near Petrol Pump
Pin code 790114

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.