अनुबंध|Contract



अनुबंध क्रमांक|Contract No: GEMC-511687714934691 अनुबंध तिथि|Generated Date: 26-Mar-2024

संगठन विवरण|Organisation Details खरीदार विवरण|Buyer Details

प्ररूप|Type : State Government

मंत्रालय|Ministry:

विभाग|Department : Medical Education Department Uttar Pradesh संगठन का नाम|Organisation Name : Directorate of Medical Education and Training

कार्यालय क्षेत्र|Office Zone: Director General Medical Education

पद|Designation: BUYER संपर्क नंबर|Contact No.: 83188-06845-

ईमेल आईडी|Email ID : pay1.cmsdfh.up@gembuyer.in

जीएसटीआईएन|GSTIN: 09AGRA16476F1DF

पता|Address : AUTONOMOUS STATE MEDICAL COLLEGE LALITPUR,

LALITPUR, UTTAR PRADESH-284403, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति IFD Concurrence : No

प्रशासनिक अनुमोदन का पदनाम| Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

भुगतान प्राधिकरण विवरण|Paying Authority Details

Role: PAO भुगतान का तरीका|

Payment Mode: PAO

ईमेल आईडी|Email ID : pao1.dmet.up@gembuyer.in

जीएसटीआईएन|GSTIN : -

पता|Address: AUTONOMOUS STATE MEDICAL COLLEGE SULTANPUR,

Sultanpur, UTTAR PRADESH-228001, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : 0840180000327757

कंपनी का नाम|Company Name : MEDITECH OVERSEAS PRIVATE LIMITED

संपर्क नंबर|Contact No.: 08707705452

ईमेल आईडी|Email ID : mopltd2006@gmail.com

पता | Address : UGF 14,Mahabir Plaza, 126/31/20,Beldhari Lane,LALBAGH,

Lucknow, UTTAR PRADESH-226001, -

PRINCIPAL

PRINCIPAL

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-UP-50-0019971

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिंग श्रेणी|MSE Gender : Male

जीएसटीआईएन|GSTIN: 09AAICM5712E1ZJ

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण|Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : BPL EliteView High End Multipara Monitor ब्रांड Brand : BPL EliteView ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थित Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थाश Category Name & Quadrant : High End Multipara Monitor (Q2) मॉडल Model: Vivid Vue 12 एचएसएन कोड HSN Code: HSN not specified by seller	2	pieces	248,000	NA	496,000
कुर	न ऑर्डर मूल्य Total Order Value (in INR)					496,000

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : CONSIGNEE ईमेल आईडी Email ID : con49.dmet.up@gembuyer.in संपर्क Contact : 94536-73017- जीएसटीआईएन GSTIN : 09AGRA16476F1DF पता Address : AUTONOMOUS STATE MEDICAL COLLEGE LALITPUR,	BPL EliteView High End Multipara Monitor	-	2	26-Mar-2024	10-Apr-2024

	Respiration Method	Impedance pneumography
Respiration Parameters	Display waveform of respiration	Yes
	Respiration rate measurement range	0-100 bpm or more
	Minimum gradation of respiratory measurement	1 bpm or better
	Measurement technique	Masimo
	Other Measuring Techniques(in case other measuring techniques are indicated for pulse oximetry please specify the technique and if options such as nellcor,masimo, are choosen against measurement technique please put NA)	NA
Pulse Oximetry	Probe type	Clip
Parameters	Probe for Adult and Pediatric	Reusable
	Probe for neonates	Reusable
	SPO2 measurement range	40-100%
	Accuracy of SPO2 measurement	± 2% or better
	Minimum Gradation	1%
	Measurement technique for NIBP	Step-deflation oscillometric
	Dual NIBP	No
	Number of channels for NIBP	2
NIBP Parameters	Blood pressure monitoring range Systolic	40-250 or more
	Diastolic BP	10-200 Or more
	Gradation	±3 mm/Hg or better
	Number of channels for temperature	2
	Type of probe	skin
Temperature	Temperature probe type	Reusable
Parameters	Temperature probe range	Atleast 30 - 40 degree
	Minimum gradation of temp probe	0.1 degree C or better
	Accuracy in %	±1% or better
IBP Parameters	Number of channels for IBP	2
	Sensor type	Sidestream
ETCO₂ Parameters	Patient type	Intubated
	CO₂ Measuring range in mmHg	0 to 99 or better
	Length of time of full disclosure of patient data in hr	≥48
Other Parameters	Operating conditions	Capable of opertaing continuously in ambient temperature of 0 to 45 de c and relative humidity of 15 to 90% in ideal circumstances
	Length of time of trending in hr	≥72
	Availability of Audio and visual alarms with high , medium and low intensity adjustment	Yes
	Opeartor can set audio visual alarm levels for low or high levels of each parameter independently	Yes
	Systolic BP - low and high	Yes
	Diastolic BP - low and high	Yes
	Mean BP - low and high	Yes
	Heart rate - low and high	Yes
	SPO2 - low and high	Yes
	Respiratory rate - low and high	Yes
	Temperature -low and high	Yes
Alarms	Alarm Volume Adjustable	Yes
	Activating silence of alarm	Yes
	Duration of alarm silence in sec	120

Latching of alarm Ves Cuff leakage alarm Ves Alarm for inflation/deflation errors Indicator for low-battery EtCO2 - low and high Ves Escalation of Alarm Priority Sensor/ wire/probe disconnection alarm Ves Ethernet port Hardwired Ves Ethernet port Hardwired Ves Connectivity with Network printer Connectivity provision with Central Nursing Station Type of display Display Size,inch Traces of display User Interface of display User Interface of display Display ust allow easy viewing at all ambient light levels Number of reusable pediatric probe Na Number of reusable neonatal probe Na Number of Disposable neonatal probe Na Number of Disposable neonatal probes Na Number of Disposable neonate probes Na	
Cuff disconnect alarm Ves Alarm for inflation/deflation errors Ves Indicator for low-battery EtCO2 - low and high Ves Escalation of Alarm Priority Sensor/ wire/probe disconnection alarm Ves Ethernet port Ves Ethernet port Ves Hardwired Ves Wireless No Connectivity with Network printer No Connectivity provision with Central Nursing Station Type of display LCD Display Parameters Display Parameters Display Parameters User Interface of display Lost Interface of display Display must allow easy viewing at all ambient light levels Number of reusable pediatric probe Na Number of reusable pediatric probe Na	
Alarm for inflation/deflation errors Yes Indicator for low-battery Yes EtCO2 - low and high Yes Escalation of Alarm Priority Yes Sensor/ wire/probe disconnection alarm Yes Ethernet port Yes Hardwired Yes Wireless No Connectivity with Network printer No Connectivity provision with Central Nursing Yes Station Type of display LCD Display Parameters Display Parameters Display Parameters Display Parameters Display Size,inch 12 Traces of display Both Touchscreen and Rotary knob "Inbuilt thermal Recorder (Printer)" No Display must allow easy viewing at all ambient light levels Number of reusable adult probe NA Number of reusable pediatric probe NA Number of reusable neonatal probe NA	
Indicator for low-battery Yes EtCO2 - low and high Yes Escalation of Alarm Priority Yes Sensor/ wire/probe disconnection alarm Yes Ethernet port Yes Hardwired Yes Wireless No Connectivity with Network printer No Connectivity provision with Central Nursing Station Type of display LCD Display Parameters Display Parameters Display Parameters Display Parameters Display Parameters Display Parameters No Display Size,inch 12 Traces of display -6 User Interface of display Both Touchscreen and Rotary knob "Inbuilt thermal Recorder (Printer)" No Display must allow easy viewing at all ambient light levels Number of reusable adult probe 1 Number of reusable pediatric probe NA Number of reusable pediatric probe NA	
EtCO2 - low and high Yes Escalation of Alarm Priority Yes Sensor/ wire/probe disconnection alarm Yes Ethernet port Yes Hardwired Yes Wireless No Connectivity with Network printer No Connectivity provision with Central Nursing Station Type of display LCD Display Size,inch 12 Traces of display >-6 User Interface of display Both Touchscreen and Rotary knob "Inbuilt thermal Recorder (Printer)" No Display must allow easy viewing at all ambient light levels Number of reusable pediatric probe NA Number of reusable pediatric probe NA Number of reusable neonatal probe NA	
Escalation of Alarm Priority Sensor/ wire/probe disconnection alarm Yes Ethernet port Yes Hardwired Yes No Connectivity with Network printer Connectivity provision with Central Nursing Station Yes Type of display LCD Display Size,inch 12 Traces of display User Interface of display User Interface of display Both Touchscreen and Rotary knob "Inbuilt thermal Recorder (Printer)" No Display must allow easy viewing at all ambient light levels Number of reusable pediatric probe NA Number of reusable pediatric probe NA Number of reusable neonatal probe NA	
Sensor/ wire/probe disconnection alarm Ethernet port Fthernet port Yes Hardwired Yes Wireless No Connectivity with Network printer No Connectivity provision with Central Nursing Station Type of display LCD Display Parameters Display Parameters User Interface of display User Interface of display Both Touchscreen and Rotary knob "Inbuilt thermal Recorder (Printer)" No Display must allow easy viewing at all ambient light levels Number of reusable pediatric probe Na Number of reusable pediatric probe NA Number of reusable neonatal probe NA	
Ethernet port Yes Hardwired Yes Networking Parameters Wireless No Connectivity with Network printer No Connectivity provision with Central Nursing Station Type of display LCD Display Size,inch 12 Traces of display Display Size,inch Traces of display Both Touchscreen and Rotary knob "Inbuilt thermal Recorder (Printer)" No Display must allow easy viewing at all ambient light levels Number of reusable adult probe NA Number of reusable pediatric probe NA Number of reusable neonatal probe NA	
Networking Parameters Wireless No Connectivity with Network printer No Connectivity provision with Central Nursing Station Type of display LCD Display Size,inch 12 Traces of display Ves User Interface of display Both Touchscreen and Rotary knob "Inbuilt thermal Recorder (Printer)" No Display must allow easy viewing at all ambient light levels Number of reusable adult probe NA Number of reusable neonatal probe NA Number of reusable neonatal probe NA	
Networking Parameters Wireless Connectivity with Network printer No Connectivity provision with Central Nursing Station Yes Type of display LCD Display Size,inch 12 Traces of display Ouser Interface of display Both Touchscreen and Rotary knob "Inbuilt thermal Recorder (Printer)" Display must allow easy viewing at all ambient light levels Number of reusable adult probe Number of reusable pediatric probe Number of reusable neonatal probe Na Number of reusable neonatal probe Na	
Parameters Connectivity with Network printer No Connectivity provision with Central Nursing Yes Type of display LCD Display Size,inch 12 Traces of display >6 User Interface of display Both Touchscreen and Rotary knob "Inbuilt thermal Recorder (Printer)" No Display must allow easy viewing at all ambient light levels Number of reusable adult probe 1 Number of reusable pediatric probe NA Number of reusable neonatal probe NA Number of reusable neonatal probe NA	
Connectivity with Network printer No Connectivity provision with Central Nursing Station Type of display LCD Display Size,inch 12 Traces of display User Interface of display Both Touchscreen and Rotary knob "Inbuilt thermal Recorder (Printer)" No Display must allow easy viewing at all ambient light levels Number of reusable adult probe NA Number of reusable neonatal probe NA Number of reusable neonatal probe NA	
Station Type of display LCD Display Size,inch 12 Traces of display Ves User Interface of display Both Touchscreen and Rotary knob "Inbuilt thermal Recorder (Printer)" No Display must allow easy viewing at all ambient light levels Number of reusable adult probe NA Number of reusable pediatric probe NA Number of reusable neonatal probe NA	
Display Size,inch Traces of display Display Parameters User Interface of display Both Touchscreen and Rotary knob "Inbuilt thermal Recorder (Printer)" No Display must allow easy viewing at all ambient light levels Number of reusable adult probe Number of reusable pediatric probe Na Number of reusable neonatal probe NA	
Display Parameters User Interface of display Both Touchscreen and Rotary knob "Inbuilt thermal Recorder (Printer)" No Display must allow easy viewing at all ambient light levels Number of reusable adult probe 1 Number of reusable pediatric probe NA Number of reusable neonatal probe NA	
Display Parameters User Interface of display "Inbuilt thermal Recorder (Printer)" No Display must allow easy viewing at all ambient light levels Number of reusable adult probe Number of reusable pediatric probe Na Number of reusable neonatal probe NA	
"Inbuilt thermal Recorder (Printer)" Display must allow easy viewing at all ambient light levels Number of reusable adult probe Number of reusable pediatric probe NA Number of reusable neonatal probe NA	
Display must allow easy viewing at all ambient light levels Number of reusable adult probe Number of reusable pediatric probe NA Number of reusable neonatal probe NA	
light levels Yes	
Number of reusable pediatric probe NA Number of reusable neonatal probe NA	
Number of reusable neonatal probe NA	
Number of Disnosable peopate probes NA	
The most of pispessage mediate proces	
Number of ECG 3/5 lead cable 1	
IBP cables 2 reusable cables with two way connector	
Standard Accessories IBP Transducers 20	
NIBP cuffs of small,medium , large and extra large for Adult,Pediatric and Neonate 3 each (Reusable small, medium, large and extra large for adult , pediatric and neonatal)	
Disposable NIBP cuff for neonatal NA	
Skin and Rectal temperature probe 2 each for adult and pediatric	
EtCO2 cable/Module Yes	
EtCO2 accessories 1 each for adult , neonatal and pediatric	
Accessories to wall mount the monitor No	
ECG cables Yes (2 for adults)	
Additional Accessories No	_
Additional Accessories IBP monitoring All accessories for IBP monitoring at least in 2 patients (neonates and pediatric)	
ETCO2 Monitoring All reusable accessories to monitor ETCO2 (neonatal and pediatric)	
Type of power supply in VAC,Hz 220-240, 50Hz , Single phase	
Mains cable 3 m or more with Indian plug	
UPS No	
Back up time of UPS in minutes NA	
Type of battery Lithium-ion , rechargeable	
Power Requirements Operating time of battery in min 120	
Recharging time of battery in hr ≤6	
Weight of the Machine in kgs 3.8	
Noise level in dB 50	
Device Earthing Yes	

İ	I	1
	Original User / Technical manuals to be supplied in English in hard and soft copy	Yes
	Original copy of operating and service manuals to be supplied in English in hard and soft copy	Yes
	Calibration and preventive maintenance certificate has to be provided as per requirement	Yes
	Installation, Demonstration and training to be provided at consignee end at any part of country	Yes
	The Principal Manufacturer Must Have Direct Presence/approved service center In India	Yes
Miscellaneous Parameters	Advanced maintenance task required shall be documented and procedures required for local calibration and routine maintenance and list of imp spare parts with accessories along with part numbers to be furnished	Yes
	Availability of toll free facility for technical support maintened by OEM or authorized agencies	Yes
	Provide Certificate from the principal that spare parts will be available from next 10 years at the time of supplies to the buyer	Yes
	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	1
	Copies of all certifications and reports to be provided to buyer on demand at time of supplies	Yes
	Additional Parameter 1	NA
Additional Parameters	Additional Parameter 2	NA
	Additional Parameter 3	NA NA
	•	

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें|Terms and Conditions

- 1. Special terms and conditions- $\mbox{\sc Version:2}$ effective from 21-10-2022
- All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by
 Central Drugs Standard Control Organisation (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of
 Chemicals & Fertilizers time to time in this regard.
 - The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
 - 3. The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
 - 4. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 - 5. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 - 6. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 - 7. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 - 8. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required

spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.

- 9. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
- 10. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
- 11. Software: All software updates should be provided free of cost during warranty period.
- 12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.