

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687704717376

अनुबंध तिथि | Generated Date : 26-Mar-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : State Autonomous मंत्रालय Ministry : - विभाग Department : Higher Education Department Jammu and Kashmir संगठन का नाम Organisation Name : Sher-e-Kashmir University of Agricultural Sciences and Technology of Jammu कार्यालय क्षेत्र Office Zone: REGISTRAR OFFICE	पद Designation : Prof and Head Fruit Science संपर्क नंबर Contact No. : 0191-2262119- ईमेल आईडी Email ID : buycon132.suastj.jk@gembuyer.in जीएसटीआईएन GSTIN : - पता Address : Sher-e-Kashmir University of Agricultural Sciences and Technology of Jammu Main Campus- Chatha, Jammu (J&K), JAMMU, JAMMU & KASHMIR-180009, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: HOD वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: hod	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : Assistant Comptroller Estates ईमेल आईडी Email ID : buycon186.suastj.jk@gembuyer.in जीएसटीआईएन GSTIN : - पता Address: Sher-e-Kashmir University of Agricultural Sciences and Technology of Jammu Main Campus- Chatha, Jammu (J&K), Jammu, JAMMU & KASHMIR-180009, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 97YI210002887118 कंपनी का नाम Company Name : SHARMA ENTERPRISES संपर्क नंबर Contact No. : 06005751404 ईमेल आईडी Email ID : ENTERPRISESHARMA168@GMAIL.COM पता Address : RAMBAGH, RAMBAGH, SATWARI, JAMMU CANTT, Jammu, JAMMU & KASHMIR-180003, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-JK-07-0019224 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 01DBDPR7692G1ZG

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Blackout roller blind ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Roller Blinds (Q3) मॉडल Model: ROLLER BLINDS एचएसएन कोड HSN Code: HSN not specified by seller	137	square meter	180	NA	24,660
कुल ऑर्डर मूल्य Total Order Value (in INR)						24,660

परोक्षिती विवरण Consignee Detail						
क्र.सं. S.No	परोक्षिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : Prof and Head Fruit Science ईमेल आईडी Email ID : buycon132.suastj.jk@gembuyer.in संपर्क Contact : 0191-2262119-					

1	जीएसटीआईएन GSTIN : - पता Address : Sher-e-Kashmir University of Agricultural Sciences and Technology of Jammu Main Campus- Chatha, Jammu (J&K), JAMMU, JAMMU & KASHMIR-180009, India	Unbranded Blackout roller blind	-	137	26-Mar-2024	10-Apr-2024
Product Specification for Unbranded Blackout roller blind						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
GENERIC	Opening style	1. Roll up / Roll down				
	Mounting arrangement	Bracket systems – to install functional roller blind mechanism				
	Types of roller blind	Blackout roller blind				
	Shading solution	Single roller blind – utilise one layer of fabric (called outer layer)				
	Operating mechanism	Pull tab on the bottom of the fabric (provides easy manipulation of the blinds without touching fabric)				
	Roller blind fitting option	Outside mount (Arc fit) – that fits over the window frame				
	Type of bottom rail	Round				
	Supplier to perform Installation and commissioning	Yes				
MECHANISM MATERIAL	Control unit made up of High strength reinforced plastic	Polyester reinforced plastic				
	Installation Bracket type	“ L ” brackets				
	Installation Bracket made up of	Mild steel and Zinc plated				
	Spring made up of	Rustproof High carbon steel springs				
	Top roller type	Aluminium pipe with groove (to fix the fabric in the groove)				
	Head rail made up of	Aluminium exclusion rail powder coated				
	Chain type	Endless beaded chain				
	Chain material	4.2 mm plastic bead moulded on 2.2 mm thick polyester coat				
	Pitch of the beads	6 mm				
	Roller tube made up of	Anodized extruded tube of high strength alloy				
	Inner diameter(id)	38 mm (id)				
	Wall thickness of roller tube	1 mm				
	End plug	Polyester reinforced plastic				
	Bottom rail made up of	Aluminium extruded rail with groove				
	Cassette made up of	Aluminium extruded rail				
	Finish of exposed portion	Glossy				
	Powder coating minimum thickness	50 microns				
Cassette/ pelmet front side shall be matching to the fabric	Yes					
DIMENSION (Blinds)	Width	600 millimeter				
	Length	500 millimeter				
MOTOR SPECIFICATION	Speed (Hint : select NA if not motorized)	24 rpm				
	Control (Hint : select NA if not motorized)	Radio frequency Remote				
	Voltage (Hint : select NA if not motorized)	220 V – 240 V				
	Maximum Power consumption (Hint : select NA if not motorized)	100 Watt				
	Frequency (Hint : select NA if not motorized)	50 Hz				
	Minimum Lifting capacity (Hint : select NA if not motorized)	15 Kg				
	Noise (Hint : select NA if not motorized)	Below 35 Db				
FABRIC DETAILS	Fabric material	As per Buyer's choice				
	Fabric Patterns	As per Buyer's choice				
	Fabric Weight in GSM (± 10)	300 gram				
	Light blocking percentage of outer layer (in case of Single and dual roller blinds both)	60 percent				
	Light blocking percentage of inner layer (in case of dual roller blinds only) Hint : select '0' in case of Single roller blinds	50 percent				
	Colour fastener to light (Rating range)	8				
	Colour of fabric	As per Buyer's choice (To be intimated within 3 days of order. If there is delay in confirming colour of fabric, DP to be refixed for				

		the delayed period)
	Agree to provide Advance sample(s) of fabric for buyer's approval before commencement of supply Hint : Applicable in case of orders placed against bid and not applicable in case of Direct Buying	Yes
WARRANTY	Warranty period in number of years (for mechanism only)	1
CERTIFICATION	ISO certified manufacturer (proof of the same to be submitted to buyer on demand if ISO certified)	No
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ईपीबीजी विवरण ePBG Detail</p>		
<p>NA</p>		
<p>नियम और शर्तें Terms and Conditions</p>		
<p>1. General Terms and Conditions-</p> <p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p> <p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		