

1	ईमेल आईडी Email ID : deepak.pal@epfindia.gov.in संपर्क Contact : 0135-2620106- जीएसटीआईएन GSTIN : 05MRTE00146G1DY पता Address : Employees Provident Fund Organisation Regional Office Dehradun Bhavishya Nidhi Bhawan Vyomprastha GMS Road Dehradun, DEHRADUN, UTTARAKHAND-248001, India	Canon Laser Mono Computer Printers for A4 paper size	-	4	26-Mar-2024	10-Apr-2024
---	--	--	---	---	-------------	-------------

Product Specification for Canon Laser Mono Computer Printers for A4 paper size

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Specifications	Printing Technology	Laser
	Cartridge Technology	Composite Cartridge
	Type of Printing	Mono
	Paper Size	A4
	Print Speed per minute as per ISO/IEC 24734 in (A4) Size - Mono	28
	Print Speed per minute as per ISO/IEC 24734 in (A4) - Color	0
	Resolution (Dpi)	600x600
	Memory (MB)	256
	Hard Disk Capacity (GB)	0
	Processor Speed	600 MHz
	Duplexing Feature	Yes
	Duplex Print Speed (IPM)	18
	Network Connectivity	Yes
	Network Interface, if available	Ethernet 10/100
	Wireless Connectivity	Yes
	If Yes, Type of Wireless Connectivity	Wireless (802.11 b/g/n)
	USB Port	Yes
	Number of Main Paper Trays	1
	Each Main Paper Tray Capacity	150
	Bypass Tray Facility	No
	If Yes, Bypass Tray Capacity	0
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)	0
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints)	0
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Magenta colour (Number of prints)	0
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints)	700
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology -Cyan	0
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow	0
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta	0
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black	0
	Duty Cycle (No of Prints/month)	20000
	Minimum Operating Temperature (Degree C)	10
	Maximum Operating Temperature (Degree C)	30
Minimum Operating Humidity (%RH)	20	
Maximum Operating Humidity (% RH)	80	
BIS Registration under CRS of Meity	Yes	
BIS Registration no	R-41077801	
Other Certifications Available	RoHS	
Dimensions(In mm x mm x mm)	356 x 283 x 213 mm	
Weight (In kg)	5.6	

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 41077801

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.